

AMCS Bulletin 3 Reprint

A PRELIMINARY BIBLIOGRAPHY
OF MEXICAN CAVE BIOLOGY
with a Checklist of
Published Records

by James R. Reddell

Association for Mexican Cave Studies
Bulletin 3
(PDF reprint 2005)

Introduction

Checklist of Published Records

Bibliography

Cave Index



INTRODUCTION TO THE REPRINT EDITION

This reprint of AMCS Bulletin 3, *A Preliminary Bibliography of Mexican Cave Biology, with a Checklist of Published Records*, by James Reddell, originally published in 1971, has been prepared for distribution as a PDF file. Those who make printed copies may want to discard these first two pages.

The pages of the original are presented as bit-map images, but Adobe Acrobat has been used to OCR the text, so it is searchable within the limits of the ability of Acrobat to read it.

Page 'a' of the PDF document contains a short table of contents linked to the parts of the book. An extensive set of bookmarks has been added. If you are reading the book on a computer using Adobe's reader, these bookmarks will ease searching for species, bibliography entries, and caves. If the bookmarks' icons are not visible when you open the file, click the Bookmarks tab at the left of the window. Each bookmark, when clicked, will take you to the (first) page containing the listed item. The bookmark indexes for taxonomic names cover only orders and higher.

—Bill Mixon, September 2005, revised February 2011

ASSOCIATION FOR MEXICAN CAVE STUDIES

BULLETIN 3

REPRINT 2005



**A PRELIMINARY BIBLIOGRAPHY
OF MEXICAN CAVE BIOLOGY**

WITH A CHECKLIST OF PUBLISHED RECORDS

BY JAMES R. REDDELL



AMCS Bulletin 3 Reprint

ASSOCIATION FOR MEXICAN CAVE STUDIES

BULLETIN 3

**A PRELIMINARY BIBLIOGRAPHY
OF MEXICAN CAVE BIOLOGY**

WITH A CHECKLIST OF PUBLISHED RECORDS

BY JAMES R. REDDELL

The Speleo Press • Austin • 1971

Reprint 2005

AMCS Bulletin 3 Reprint

Photographs by Robert W. Mitchell

Cover: *Typhlochactas rhodesi* Mitchell

Frontispiece: *Cryptocellus osorioi* Bolívar

Copyright © 1971 by the Association for Mexican Cave Studies

Printed in the United States of America

The Speleo Press • P. O. Box 7037 • Austin, Texas 78712

Association for Mexican Cave Studies

PO Box 7672

Austin, Texas 78713

USA

www.amcs-pubs.org

(updated 2005)

INTRODUCTION

Mexico contains one of the most remarkable assemblages of cave animals of any area in the world; it also remains one of the most poorly known. The recent renewal of interest in this region, inspired largely by collections made by members of the Association for Mexican Cave Studies, has revealed the value of and need for a guide to the biospeleological literature on this region. This bibliography and checklist of published records is issued now in a preliminary form to aid the student of the fauna of the region in obtaining access to the information scattered through hundreds of publications in dozens of journals. This should also serve to aid the amateur collector in knowing where work has been done and what regions promise to possess interesting species. In addition, the index by caves is almost a checklist of the caves of Mexico. It includes a large percentage of the caves of Mexico now known, and certainly a very high percentage of the large, locally well-known caves. Many of these have not been visited by the cave explorer and have received no attention by the collector interested in invertebrates.

The first collection made in a Mexican cave was that of Dominik Bilimek in 1867 in the Grutas de Cacahuamilpa in Guerrero. The same cave was revisited in 1891 by Alphonso Herrera, one of the great figures in Mexican zoology. Despite occasional collections of bats and other vertebrates less than 50 species had been reported from the caves of Mexico prior to 1936. In that year two publishing events of great biospeleological significance occurred. One was the publication of "The Cenotes of Yucatan," edited by A.S. Pearse. This volume and a subsequent one in 1938 on "The Cave Fauna of Yucatan" included the results of expeditions by the Carnegie Institute to the Yucatan Peninsula. The two volumes contained the descriptions of many notable troglobites and records of about 400 species of animals in the caves and cenotes of Yucatan.

Also in 1936 the New York Zoological Society discovered in Cueva Chica, San Luis Potosi, the first blind characid fish in the world. Described by Carl Hubbs and William Innes as Anoptichthys jordani, this species has been the subject of as much interest and study as almost any troglobite in the world. Its discovery and subsequent study by Charles Breder and associates spurred further interest in the caves and cave fauna of Mexico. This species and other related forms is now the subject of study by Dr. Robert W. Mitchell of Texas Tech University.

Despite the value of these contributions and discoveries the real beginning of Mexican biospeleology must be considered to be the immigration to Mexico by two great European biospeleologists, Candido Bolívar y Pieltain and Federico Bonet. The vast collections which they made in all regions of Mexico laid the foundation for all future work in the caves of that country. Their discoveries have led to the publication of numerous papers by outstanding Mexican zoologists such as Enrique Rioja, Alejandro Villalobos, and Anita Hoffmann. In addition specimens sent to specialists in Europe and the United States have resulted in the description of many remarkable new genera and species. Among their more remarkable discoveries were the first blind crab in Mexico, a new blind catfish, and the first truly aquatic oniscoid isopod.

Following the initial work by Bolívar, Bonet, and their associates few collections were made in Mexican caves, with the exception of bats. An active program of study on the bat fauna of Mexico by Bernardo Villa R., Walter Dalquest, E. Raymond Hall, William Davis, Dillard Carter, and others, has resulted in records of about 65 species and subspecies of bat in Mexican caves.

In 1962 the Association for Mexican Cave Studies was organized and a vigorous program of exploration, collection, and publication initiated. This group has been largely responsible for a renewal of interest in the cave fauna of Mexico by specialists from the United States. The discovery of about 20 new blind fish caves, enormous populations of ricinuleids, the first blind scorpions in the world, and many other remarkable new troglobite species has inspired renewed interest also by European specialists and several have visited the caves of Mexico in recent years.

No attempt has ever been made to summarize our knowledge of the cave fauna of Mexico. Several reports have covered limited areas or groups of animals. Most notable of these are the two reports on Yucatan edited by A.S. Pearse. In addition, Pearse in 1945 published in the Enciclopedia Yucatanense an annotated list of the fauna of Yucatan which included all of the records reported in his two earlier publications. Federico Bonet in 1953 published a report on the caves of the Xilitla Region which included many species, but comparatively few were identified to the species level. Nicholas (1962) has published a "Checklist of the Troglobites of Middle America", which included 130 Mexican cave animals. Unfortunately only 53 of Nicholas' species were actually troglobites and the report contained many other errors. Although useless for its intended purpose it nevertheless provided an introduction to the literature on Mexican cave animals.

The following list and bibliography is as complete as time and resources have permitted. It is still lacking in many respects. Several papers included in the bibliography (marked by an asterisk) have not been examined, many citations not included in the bibliography have yet to be checked but will certainly contain references to Mexican cave animals, and many species will probably be found to belong in other genera or to be synonyms of other species. Despite these deficiencies the checklist probably contains essentially all of the species of animals reported from caves in Mexico. Many papers on bats and non-troglobites remain to be located, but there will be few species added to the list. At this time no attempt has been made to provide complete synonymies or to include comments on each species. When a more complete bibliography has been assembled and more material presently in press has been published it is hoped to reissue this list with more elaborate textual comments, complete synonymies and literature citations, and accurate locations to the caves from which species have been reported. This, however, cannot be expected for several years.

The checklist of species is arranged taxonomically and includes all species of fungi and animals reported from Mexican caves. Although some higher plants have been reported from cenotes in Yucatan and these papers included in the bibliography no attempt has been made to include these in the list of species. Immediately following the species name is a list of all species names reported in the literature which can definitely be referred to the species in question. This is followed by a list of caves from which the species is reported, and

finally by a list of numbers keyed to the references in the bibliography. Trogllobites are indicated by an asterisk in front of the species name. The bibliography follows the checklist of published records and is arranged alphabetically. This is followed in turn by the cave index; this index includes every cave and cenote cited in the papers included in the bibliography. Following the cave name is the name of a nearby town. The cave index includes a set of numbers keyed to the list of references and a set of numbers keyed to the checklist of species. It will, therefore, be possible to check all species reported from a given cave and all papers which mention the cave in question. Comments are made on species only when special mention must be made respecting a cave record, a synonymy, or the species name. Special mention should be made here about the taxonomic arrangements. Rather than attempt for this preliminary report to obtain the most current classification where none is readily available I have chosen to use the most recent general account. The family and order arrangements for the snails is that used in the Traité de Zoologie, that for the millipeds is from Loomis' "Checklist of the Millipeds of Central America," and that for the nematodes, cestodes, and trematodes is from the Systema Helminthum. I have followed Villa's Los Murciélagos de México for the species of bats.

Special mention should here be made with reference to the cover illustration and the frontispiece. The cover illustration is of the first blind scorpion in the world. The species is Typhlochactas rhodesi Mitchell and was discovered in the Mine Cave at Rancho del Cielo, Tamaulipas. Only two other species of blind scorpion, both from Mexican caves, are known. The photograph used for the frontispiece is of the ricinuleid, Cryptocellus osorioi Bolívar. This order of arachnids was, prior to explorations in Mexican caves, thought to be fantastically rare. The discovery of enormous populations in the caves of the Sierra del Abra has allowed scientists to study the biology of this animal for the first time. The photograph used here is of unique interest in that it is the first illustration of a female ricinuleid carrying an egg ever to be published. Prior to the studies of Mitchell and his students essentially nothing was known of the reproductive habits of this order.

I wish here to express my special thanks to Robert W. Mitchell for the use of the photograph used for the frontispiece. I also appreciate the use of his outstanding reprint collection. Orion Knox assisted in preparation of the cover, also based on a photograph by Mitchell. Lists of species were sent to the following specialists and the appropriate sections have been much improved by their corrections and additions: G.E. Gates, oligochaetes; Horton H. Hobbs, decapods; and Theodore H. Hubbell, crickets. Nell Causey, Thomas C. Barr, Jr., Willis J. Gertsch, and Theodore H. Hubbell have also consistently assisted in all phases of my studies on the cave fauna of Mexico. Particular thanks must go to the following members of the Association for Mexican Cave Studies for assisting Terry Raines in printing and assembling this bulletin: Bill Bell, Blake Harrison, David Honea, Neal Morris, Craig Sainsott, Mike Walsh, and Roy Jameson.

AMCS Bulletin 3 Reprint

CHECKLIST OF PUBLISHED RECORDS

KINGDOM PLANTAE
DIVISION SCHIZOMYCOTA
CLASS SCHIZOMYCETES
Order Actinomycetales

Family Actinomycetaceae

1. Actinomyces griseus Waks.
Mexico records.--Yucatán: Cueva San Isidro, Cueva Xconsacab, and
Cenote Xtolok.
References.--703.

Order Eubacteriales

Family Bacillaceae

2. Bacillus mycoides Flugge
Mexico records.--Yucatán: Cueva San Isidro, Cueva Xconsacab, and
Cenote Xtolok.
References.--703.
3. Bacillus subtilis (Ehr.)
Mexico records.--Yucatán: Cueva San Isidro, Cueva Xconsacab, and
Cueva Xtolok.
References.--703.

DIVISION MYCOTA
CLASS OOMYCETES
Order Peronosporales

Family Pythiaceae

4. Pythium sp.
Mexico records.--Yucatán: Cueva del Cinco del Mayo.
References.--703.

CLASS ASCOMYCETES
Order Eurotiales

Family Eurotiaceae

5. Aspergillus clavatus Desm.
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--703.
6. Penicillium sp.
Mexico records.--Yucatán: Cueva Xconsacab and Cenote Xtolok.
References.--703.

FORM-CLASS DEUTEROMYCETES
Form-order Moniliales

Form-family Moniliaceae

7. Histoplasma capsulatum Darling

Mexico records.--Durango: Cueva del Guano and Cueva La Joya de Lerdo; Guerrero: Grutas de Cacahuamilpa, Cueva de Cajeles, and Grutas de Cuetzala; Morelos: Grutas de Michapán, Cueva de la Poza de Moctezuma, and Cueva del Salitre (Tetecalita); Nuevo León: Cueva de la Boca, Cueva del Diablo, Cueva Envenenada, Cueva del Rincón de la Virgen, and Cueva de San Bartolo; Puebla: Cave (San Juan Raboso); Queretaro: Cave; San Luis Potosí: Cave (San Luis Potosí) and Cueva Chica; Tamaulipas: Cueva del Abra, Cueva del Guano de Tamaulipas, and Cueva de los Troncones; Yucatán: Cueva de Ixtacumbilxunan and Gruta de Pichjabin.
References.--6, 7, 127, 187, 223, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 303, 304, 347, 426, 450, 666.

KINGDOM ANIMALIA
PHYLUM PROTOZOA
CLASS MASTIGOPHORA
Order Protomonadina

Family Trypanosomatidae

8. Trypanosoma vespertilionis

Mexico records.--Chiapas: Cave (Tuxtla Gutierrez).
References.--437.

CLASS SARCODINA
Order Amoebida

Family Amoebidae

9. Amoeba sp.

Mexico records.--San Luis Potosí: Cueva Chica.
References.--247, 410, 485.

Order Heliozoida

Family Actinophryidae

10. Actinophrys sp.

Mexico records.--San Luis Potosí: Cueva Chica.
References.--247, 410, 485.

Order Testacida

Family Arcellidae

11. Arcella vulgaris Ehrenberg

Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--247, 485.

Family Diffugiidae

12. Centropyxis aculeatus Ehrenberg

Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos.
References.--75, 247, 410, 485.

CLASS CILIATA

Order Gymnostomatida

Family Colepidae

13. Coleps sp., cf. hirtus (Mueller)

Mexico records.--San Luis Potosí: Cueva Chica.
References.--247, 410, 485.

Order Peritrichida

Family Vorticellidae

14. Vorticella sp., cf. microstoma Ehrenberg

Mexico records.--San Luis Potosí: Cueva Chica.
References.--247, 410, 485.

PHYLUM PORIFERA

CLASS DEMOSPONGIAE

Order Haplosclerina

Family Spongillidae

15. Spongilla cenota Penney and Racek

Mexico records.--Yucatán: Cenote Grande de Xanabá and Cenote Xtolok.
References.--481, 500, 507, 569.

PHYLUM CNIDARIA

CLASS HYDROZOA

Order Hydroidea

Family Hydridae

16. Hydra sp.

Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--485.

PHYLUM PLATYHELMINTHES

CLASS TURBELLARIA

Order Tricladida

Family Geoplanidae

17. Geoplana multipunctata Fuhrmann

Mexico records.--Yucatán: Cueva de Loltún.
References.--344, 500.

Family Rhynchodemidae

18. Diporodemus yucatanii Hyman

Mexico records.--Yucatán: Cueva de Sabacá.
References.--344, 500.

CLASS TREMATODA

Order Digenea

Family Acanthostomidae

19. Acanthostomum minimum StunkardMexico records.--Yucatan: Cueva de Kaua and Cueva de San Isidro.

References.--500, 620, 643.

Family Allocreadidae

20. Crassicutis cichlasomae ManterMexico records.--Yucatan: Cenote Xtolok.

References.--414, 495, 500.

Family Anenterotrematidae

21. Anenterotrema sp.Mexico records.--Yucatan: Caves.

References.--135.

22. Anenterotrema auritum StunkardMexico records.--Yucatan: Cueva Xconsacab and Cueva de Xmahit.

References.--134, 500, 620.

23. Anenterotrema singulare StunkardMexico records.--Yucatan: Cueva de Balaam Canche.

References.--134, 500, 620.

Family Clinostomidae

24. Clinostomum intermediale LamontMexico records.--Yucatan: Cenote Huntun, Cenote Ixil, Cueva de Kaua,
Cenote Grande de Xanaba, and Cenote Xtolok.

References.--495, 496, 500, 620, 643.

Family Hemiuridae

25. Derogenes tropicus ManterMexico records.--Yucatan: Cueva de Sambulha (Motul) and Cenote Scan Yui.

References.--414, 495, 500, 643.

Family Lecithodendriidae

26. Parabascoides yucatanensis StunkardMexico records.--Yucatan: Cueva de Balaam Canche.

References.--134, 500, 620.

27. Prosthodendrium (Prosthodendrium) emollidum CaballeroMexico records.--Distrito Federal: Cueva de Xictli.

References.--133, 134.

28. Prosthodendrium (Prosthodendrium) labda (Caballero)Ochoterenatrema labda CaballeroMexico records.--Distrito Federal: Cueva de Xictli.

References.--133, 134.

29. Prosthodendrium (Prosthodendrium) paeminosum CaballeroMexico records.--Puebla: Cuevas del Rio Nexapa.

References.--131, 134.

30. Prosthodendrium (Prosthodendrium) tetralobulatum Caballero
Paralecithodendrium tetralobulatum (Caballero)
 Mexico records.--Puebla: Cuevas del Río Nexapa.
 References.--131, 134.

Family Plagiorchiidae

31. Plagiorchis (Multiglandularis) muris (Tanabe)
 Mexico records.--Distrito Federal: Cueva de Xictli.
 References.--133.

Family Strigeidae

32. Tetracotyle sp.
 Mexico records.--Yucatán: Cenote Xtolok.
 References.--414, 495, 500.

Family Urotrematidae

33. Urotrema scabridum Braun
 Mexico records.--Distrito Federal: Cueva de Xictli.
 References.--130.

CLASS CESTODA

Order Cyclophyllidea

Family Anoplocephalidae

34. Oochoristica parvula Stunkard
Oochoristica parva Stunkard
 Mexico records.--Yucatán: Góngora Cave.
 References.--500, 620.

Order Pseudophyllidea

Family Bothriocephalidae

35. Bothriocephalus sp., nr. claviceps (Goeze) and scorpii (Mueller)
 Mexico records.--Yucatán: Cueva de Sambulhá (Motul).
 References.--495, 500, 643.

PHYLUM ASCHELMINTHES

CLASS ROTIFERA

Order Bdelloidea

Family Philodinidae

36. Philodina roseola Ehrenberg
 Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
 References.--485.

Order Flosculariacea

Family Flosculariidae

37. Sinantherina socialis (L.)
 Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos.
 References.--75, 485.

Order Ploima

Family Brachionidae

38. Lepadella patella (Mueller)
Mexico records.--San Luis Potosí: Cueva Chica.
References.--410, 485.
39. Monostyla closterocerca Schmarda
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--485.
40. Monostyla quadridentata Ehrenberg
Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos.
References.--75, 485.
41. Platyias patulus (Mueller)
Mexico records.--San Luis Potosí: Cueva Chica.
References.--410, 485.

CLASS NEMATODA
Order Ascarididea

Family Ascarididae

42. Agamascaris sp.
Mexico records.--Yucatán: Cueva de Loltún.
References.--166, 500.

Family Heterocheilidae

43. Contraecum sp.
Mexico records.--Yucatán: Cenote Xtolok.
References.--495, 500, 643.
44. Dujardinascaris cenotae (Pearse)
Dujardinia cenotae Pearse
Mexico records.--Yucatán: Cenote Ciruak and Cueva de Sambulhá (Motul).
References.--495, 496, 500, 643, 709.

Order Dorylaimida

Family Dorylaimidae

45. Dorylaimus yucatanensis Chitwood
Mexico records.--Yucatán: Cueva Luchil.
References.--166, 500.

Order Filariidea

Family Dipetalonematidae

46. Litomosoides sp.
Mexico records.--Yucatán: Cueva Ebizt.
References.--166, 500.

47. Litomosoides hamletti Sandground
Mexico records.--Yucatán: Cueva Xkyc.
References.--166, 500.

Family Filariidae

48. Icosiella sp.
Mexico records.--Yucatán: Cenote Xtolok.
References.--495, 500.

Order Oxyuridea

Family Cruzeiidae

49. Neocruzia morleyi (Pearse)
Cruzia morleyi Pearse
Mexico records.--Yucatán: Cenote Xtolok.
References.--495, 500, 709.

Family Oxyuridae

50. Pharyngodon oxkutzcabiensis Chitwood
Mexico records.--Yucatán: Cueva Puz, Cueva del Camino de San Roque n. 1,
and Cueva del Camino de San Roque n.2.
References.--166, 500.
51. Pharyngodon yucatanensis Chitwood
Mexico records.--Yucatán: Cueva Góngora, Cueva Puz, and Cueva Xix.
References.--166, 500.
52. Syphacia ?obvelata (Rudolphi)
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--166, 500.

Order Spiruridea

Family Rhabdochonidae

53. Rhabdochona kidderi Pearse
Mexico records.--Yucatán: Cueva de Balaam Canché, Cenote Ciruak, Cenote
Hotún, Cenote Huntún, Cueva de Kaua, Cueva Luchil, Cenote Pisté,
Cueva de Sambulhá (Mérida), Cueva de Sambulhá (Motul), Cueva San
Isidro, Cenote Scan Yui, and Cenote Chica de Xanaba.
References.--166, 495, 496, 500, 643, 709.

Family Rictulariidae

54. Rictularia nana Caballero
Mexico records.--Puebla: Cuevas del Río Nexapa.
References.--132.

Family Seuratidae

55. Seuratium cancellatum Chitwood
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--166, 500.

Order Strongylidea

Family Trichostrongylidae

56. Bidigiticauda vivipara Chitwood
Mexico records.--Yucatán: Cueva Puz.
References.--166, 500.
57. Cheiropteronema globocephala Sandground
Mexico records.--Yucatán: Cueva Ebizt.
References.--166, 500.
58. Oswaldocruzia subauricularis (Rudolphi)
Mexico records.--Yucatán: Cenote Xtolok.
References.--495, 500.
59. Parallintoshius tadaridae Caballero
Mexico records.--Distrito Federal: Cueva de Xictli.
References.--129.
60. Tricholeiperia carnegiensis Chitwood
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--166, 500.
61. Tricholeiperia pearsei Chitwood
Mexico records.--Yucatan: Cueva de Balaam Canche.
References.--166, 500.

Order Trichuridea

Family Trichuridae

62. Capillaria sp.
Mexico records.--Yucatán: Cueva de Xmahit.
References.--166, 500.
63. Capillaria martinezi Caballero
Mexico records.--Distrito Federal: Cueva de Xictli.
References.--128.

PHYLUM ACANTHOCEPHALA

64. Unidentifiable material
Mexico records.--Yucatan: Cenote Xtolok.
References.--495, 500.

PHYLUM ECTOPROCTA
CLASS PHYLAETOLAEMATA

Family Plumatellidae

65. Plumatella sp.
Mexico records.--Yucatan: Cenote del Country Club and ?Cenote Xtolok.
References.--121, 500.

PHYLUM ANNELIDA
Order Branchiobdellida

Family Branchiobdellidae

66. Cambarincola macrodonta Ellis
Mexico records.--San Luis Potosí: Cueva Chica.
References.--309, 410, 485, 558, 560, 643.

Order Oligochaeta

Family indeterminable

67. Unidentified genus and species
Mexico records.--Yucatán: Cueva de Sambulhá (Mérida).
References.--516.

Family Acanthodrilidae

68. Balanteodrilus pearsei Pickford
Mexico records.--Yucatán: Cueva Gongora and Cueva San Isidro.
References.--149, 239, 241, 500, 516.

69. Eodrilus albus Gates
Mexico records.--Tamaulipas: Cueva de la Capilla.
References.--241.

70. Eodrilus mexicanus Gates
Eodrilus sp.
Mexico records.--San Luis Potosí: Sótano de Tlamaya.
References.--240, 241, 547.

71. Eodrilus oxkutzcabensis Pickford
Mexico records.--Yucatán: Cueva Puz, Cueva San Isidro, and Cueva del Camino de San Roque n. 1.
References.--149, 239, 240, 241, 500, 516.

Family Aelosomatidae

72. Aelosoma sp.
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--75, 485.

Family Lumbricidae

73. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2 and Cueva de los Cuchos.
References.--86.
Comment.--The family name is here probably used under a broad sense and this material actually belongs under one of the other families.

Family Octochaetidae

74. Dichogaster affinis (Michaelsen)
Mexico records.--Yucatán: Cueva de Balaam Canché and Cueva Muruztún.
References.--149, 239, 500, 516.

75. Dichogaster bolau (Michaelson)

Mexico records.--Yucatán: Cueva de Hochtún and Cueva de Sazich.
References.--149, 239, 500, 516.

Family Tubificidae

76. Aulophorus sp.

Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--485.

Order Arhynchobdellae

Family Erpobdellidae

77. Erpobdella triannulata Moore

Mexico records.--Yucatán: Cenote Xtolok.
References.--468, 496, 500.

Order Rhynchobdellae

Family Glossiphoniidae

78. Glossiphonia magnidiscus Moore

Mexico records.--Yucatán: Cueva de Sambulhá (Motul).
References.--440, 469, 500.

79. Helobdella lineata (Verrill)

Mexico records.--Yucatán: Cenote Grande de Xanabá.
References.--468, 496, 500.

Family Ichthyobdellidae

80. Cystobranchus sp.

Mexico records.--Yucatán: Cenote Ciruak, Cenote Pisté, Cueva de Sambulhá (Motul), and Cenote Tikimul.
References.--468, 495, 496, 500.

Family Piscicolidae

81. Piscicola platense Cordero

Mexico records.--Yucatán: Cueva de Sambulhá (Mérida) and Cueva de Sambulhá (Motul).
References.--469, 500.

PHYLUM ARTHROPODA

CLASS CRUSTACEA

Order Arguloidea

Family Argulidae

82. Argulus chromidis Kroyer

Mexico records.--Yucatán: Cenote Chica de Xanabá.
References.--495, 500, 643, 697.

83. Argulus rhamdiae WilsonArgulus cenotae Wilson

Mexico records.--Yucatán: Cenote Scan Yui.
References.--495, 600, 643, 697.

Order Eucopepoda

Family Canthocamptidae

84. Canthocamptus sp.
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--75, 485.
85. Nitocra sp.
Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos.
References.--410, 485, 567.
86. Nitocra pusilla Sars
Mexico records.--Yucatán: Cueva de Sambulhá (Motul).
References.--500, 697.
87. Nitocra simplex Schmeil
Mexico records.--Yucatán: Cenote Ciruak.
References.--500, 697.
88. Nitocra spinipes Boeck
Mexico records.--Yucatán: Cenote Ixil.
References.--500, 697.
89. Nitocra typica Boeck
Mexico records.--Yucatán: Cenote Pisté.
References.--697.
90. Nitocrella subterranea (Chappuis)
Nitocra subterranea Chappuis
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--500, 502, 567, 700.
- Family Cyclopidae
91. Cyclops (Acanthocyclops) robustus Sars
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--485, 567.
92. Eucyclops sp.
Mexico records.--Yucatán: Cenote Yuncu.
References.--697.
93. Eucyclops serrulatus (Fischer)
Eucyclops serrullatus (Fischer)
Mexico records.--San Luis Potosí: ?Cueva Chica and ?Cueva de Los Sabinos;
Yucatán: Cueva de Hochtún, Cueva Luchil, Cueva de Sambulhá (Mérida),
Cueva de Sambulhá (Motul), Cueva San Isidro, Cueva Xconsacab, and
Cueva Yunchen.
References.--410, 485, 500, 502, 567.
94. Eucyclops (Tropocyclops) prasinus (Fischer)
Eucyclops praxinus (Fischer)
Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos;
Yucatán: Cenote Chotch, Cenote del Country Club, Cenote Geiser,
Cenote Huntún, Cueva Luchil, Cenote Mukuyche, Cueva San Isidro, Cueva

Santa Elena, Cenote de Thompson, Cenote Uki, Cenote Grande de Xanabá,
and Cenote Xtolok.

References.--75, 410, 485, 500, 502, 567, 697.

95. Macrocylops sp.

Mexico records.--Yucatán: Cenote Conchita.

References.--697.

96. Macrocylops albidus (Jurine)

Mesocylops albidus (Jurine)

Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos;

Yucatán: Cueva de Balaam Canché, Cenote del Country Club, Cenote Ixil,

Cueva de Sambulhá (Motul), Cenote Grande de Xanabá, and Cenote Xtolok.

References.--75, 410, 485, 500, 502, 567, 697.

97. Mesocylops sp.

Mexico records.--Yucatán: Cenote Hotún, Cenote Manzanilla, Cenote Niagra,
Cenote Pisté, and Cenote Scan Yui.

References.--697.

98. Mesocylops leuckarti (Claus)

Mexico records.--Yucatán: Cueva de Balaam Canché, Cenote de Carlos Morales

Escuela, Cenote Ciruak, Cenote del Country Club, Cenote Geiser, Cenote

Halal, Cueva de Hochtún, Cenote Ixil, Cueva Luchil, Cueva de Sambulhá

(Mérida), Cueva de Sambulhá (Motul), Cueva San Isidro, Cenote Santa Ana,

Cenote Sisal, Cenote Uki, Cenote Chica de Xanabá, Cenote Grande de

Xanabá, Cueva Xconsacab, Cenote Xix, Cenote Xtolok, and Cueva Yunchen.

References.--496, 500, 502, 567, 697.

99. Mesocylops tenuis (Marsh)

Mexico records.--Yucatán: Cenote de Carlos Morales Escuela, Cenote Ciruak,

Cueva Luchil, Cueva San Isidro, Cenote Chica de Xanabá, Cenote Grande de

Xanabá, Cenote Xlaka, and Cenote Xtolok.

References.--500, 502, 567, 697.

100. ?Paracyclops sp.

Mexico records.--Yucatán: Cueva Luchil.

References.--697.

101. Paracyclops fimbriatus (Fischer)

Mexico records.--San Luis Potosí: ?Cueva Chica and Cueva de Los Sabinos;

Yucatán: Cenote Ciruak and Cenote Geiser.

References.--410, 485, 596, 500, 567, 697.

102. Thermocylops inversus Kiefer

Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos.

References.--75, 410, 485, 567.

Family Diaptomidae

103. Attheyella sp. cf. pilosa Chappuis

Attheyella pilosa Chappuis

Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos;

Yucatán: Cueva Luchil.

References.--97, 410, 475, 485, 496, 500, 567, 697.

104. Diaptomus albuquerquensis Herrick
Mexico records.--Yucatán: Cenote Ciruak.
References.--500, 697.
105. Diaptomus novamexicanus Herrick
Mexico records.--Yucatán: Cenote Chotch, Cenote Ciruak, Cenote Huntún,
Cenote Ixil, Cenote Santa Ana, Cenote Scan Yui, Cenote Sisal, Cenote
Chica de Xanabá, and Cenote Grande de Xanabá.
References.--496, 500, 697.
- 106.*Diaptomus (Microdiaptomus) cokeri Osorio Tafall
Diaptomus sp.
Microdiaptomus sp.
Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos.
References.--2, 54, 75, 410, 475, 484, 485, 486, 567, 643, 699.
107. Moraria cristata Chappuis
Mexico records.--Yucatán: Unnamed cave at cienga (Progreso).
References.--475.
Comment.--This species is erroneously listed as from a cave; it is
an epigean collection.

Order Podocopa

Family Cypridae

108. Candona sp.
Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos.
References.--75, 410, 485.
109. Cypridopsis inaudita Furtos
Mexico records.--Yucatán: Cueva Santa Elena.
References.--235, 475, 500.
110. Cypridopsis mexicana Furtos
Mexico records.--Yucatán: Cueva Santa Elena.
References.--236, 475, 500, 567, 640.
111. Cypridopsis niagranensis Furtos
Mexico records.--Yucatán: Cenote Niagra.
References.--235, 475, 500.
112. Cypridopsis viduella Sars
Mexico records.--Yucatán: Cenote Uki.
References.--235, 500.
113. Cypridopsis yucatanensis Furtos
Mexico records.--Yucatán: Cueva de Balaam Canché, Cenote Huntún,
Cenote Ixil, Cenote Xix, and Cenote Yuncu.
References.--235, 236, 475, 496, 500, 640.
114. Cypris sp.
Cypria sp.
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--485, 567.

115. Eucypris serrato-marginata Furtos
Mexico records.--Yucatán: Cenote Xix.
References.--235, 475, 500.
116. Metacypris americana Furtos
Mexico records.--Yucatán: Cenote Xlaka.
References.--235, 475, 500.
117. Physocypris xanabanica Furtos
Mexico records.--Yucatán: Cenote Grande de Xanabá.
References.--235, 475, 500, 640.
118. Stenocypris malcolmsoni (Brady)
Mexico records.--Yucatán: Cenote Conchita.
References.--235, 500.
119. Strandesia intrepida Furtos
Mexico records.--Yucatán: Aguada Halal.
References.--235, 475, 500.
Comment.--This species, which is not known from a cave or cenote, is included because it is listed by Nicholas as a troglobite.

Family Darwinulidae

120. Darwinula stevensoni (Brady and Robertson)
Mexico records.--Yucatán: Cenote Xlaka.
References.--235 500.

Family Entocytheridae

121. Ankylocythere sinuosa (Rioja)
Entocythere cambaria Marshall
Entocythere sinuosa Rioja
Entocythere (Cytherites) heterodonta sinuosa Rioja
Entocythere (Cytherites) sinuosa Rioja
Mexico records.--San Luis Potosí: Cueva Chica.
References.--294, 309, 410, 485, 557, 558, 559, 562, 567, 640.
122. Entocythere claytonhoffi Rioja
Entocythere cambaria Marshall
Entocythere sp.
Mexico records.--San Luis Potosí: Cueva Chica.
References.--2, 54, 294, 309, 410, 485, 557, 558, 559, 562, 567, 640.
- 123.*Sphaeromicola cirolanae Rioja
Sphaeromicola sp.
Mexico records.--San Luis Potosí: Sótano del Arroyo and Cueva de Los Sabinos; Tamaulipas: Cueva del Pachón and Grutas de Quintero.
References.--294, 475, 545, 562, 567, 643.

Order Cladocera

Family Chydoridae

124. Alona sp.
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--75, 485, 567.

Family Daphnidae

125. Ceriodaphnia cornuta Sars
Mexico records.--Yucatán: Cenote Yuncu.
References.--500, 697.
126. Ceriodaphnia lacustris Birge
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--485, 567.
127. Daphnia galeata Leydig
Mexico records.--Yucatán: Cenote Grande de Xanabá.
References.--500, 697.
128. Daphnia hyalina Leydig
Mexico records.--Yucatán: Cueva Santa Elena, Cenote Grande de Xanabá,
Cenote Xix, and Cenote Xtolok.
References.--500, 697.
129. Daphnia longispina (Mueller)
Mexico records.--Yucatán: Cenote Grande de Xanabá.
References.--500, 697.
130. Daphnia pulex DeGeer
Mexico records.--Yucatán: Cenote Scan Yui.
References.--500, 697.
131. Moina affinis Birge
Mexico records.--Yucatán: Cenote Xtolok.
References.--697.
132. Simocephalus serrulatus (Koch)
Mexico records.--Yucatán: Cenote de Carlos Morales Escuela.
References.--500, 697.

Order Isopoda

Family Armadillidae

133. Cubaris mirandai Rioja
Armadillo (Cubaris) mirandai (Rioja)
Mexico records.--Veracruz: Cueva de Ojo de Agua Grande.
References.--471, 475, 571.
134. Venezillo articulatus (Mulaik)
Armadillo (Venezillo) articulatus Mulaik
Mexico records.--Guerrero: Grutas de Juxtlahuaca.
References.--471, 475.
135. Venezillo boneti (Mulaik)
Armadillo (Venezillo) boneti Mulaik
Mexico records.--Guerrero: Grutas de Juxtlahuaca.
References.--471, 475.

136. Venezillo cacahuamilpensis (Bilimek)
Armadillo cacahuamilpensis Bilimek
Armadillo (Venezillo) cacahuamilpensis Bilimek
Sphaeroniscus cacahuamilpensis (Bilimek)
Cubaris cacahuamilpensis (Bilimek)
Cubaris sp.
Mexico records.--Guerrero: Grutas de Acuitlapán, Grutas de Cacahuamilpa, and Grutas de Juxtlahuaca; México: Grutas de la Estrella.
References.--34, 68, 302, 348, 441, 471, 475, 487, 488, 556, 567, 571, 649, 702.
137. Venezillo chiapensis Rioja
Armadillo (Venezillo) chiapensis (Rioja)
Mexico records.--Chiapas: Grutas de Zapaluta.
References.--471, 475, 572.
138. Venezillo llamasi Rioja
Armadillo (Venezillo) llamasi (Rioja)
Mexico records.--Puebla: Cueva de Patla.
References.--471, 475, 571.
139. Venezillo osorioi (Mulaik)
Armadillo (Venezillo) osorioi Mulaik
Mexico records.--Guerrero: Grutas de Acuitlapán; Nuevo León: Grutas del Palmito.
References.--471, 475.
140. Venezillo pleogoniophorus (Rioja)
Armadillo (Venezillo) pleogoniophorus (Rioja)
Cubaris pleogoniophorus Rioja
Cubaris sp.
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--471, 475, 564, 567, 571.
141. Venezillo tanneri (Mulaik and Mulaik)
Mexico records.--Nuevo León: Grutas del Palmito.
References.--534, 595.

Family Asellidae

142.*Asellus sp.Caecidotea sp.

Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--138, 190, 498, 500, 567.

Family Cirolanidae

143.*Conilera stygia PackardMexico records.--Nuevo León: Well (Monterrey).

References.--34, 75, 95, 173, 348, 475, 488, 489, 544, 556, 567, 568, 576, 643, 649.

144.*Creaseriella anops (Creaser)Cirolana anops CreaserCirolana sp.Mexico records.--Yucatán: Cueva Amil, Cueva Chac Mol, Cueva Góngora, Cueva de Kaua, Cenote del Pochote, Cueva de Sambulhá (Motul), Cueva San Isidro, Cueva Santa Elena, Cueva Spukil, and Cueva Xconsacab.

References.--5, 75, 87, 95, 138, 140, 174, 189, 190, 348, 475, 485, 496, 498, 500, 567, 568, 576, 643, 649, 674.

145.*Sphaerolana affinis Cole and MinckleyMexico records.--Coahuila: Pozo 20.3 km. S, 5.5 km. E Cuatro Ciénegas.

References.--174, 323.

146.*Sphaerolana interstitialis Cole and MinckleyMexico records.--Coahuila: Pozo 8.2 km. S, 4.7 km. W Cuatro Ciénegas.

References.--174, 323.

147. Speocirolana sp.Cirolana sp.

Mexico records.--Caves.

References.--464, 486.

148.*Speocirolana bolivari (Rioja)Cirolana (Speocirolana) bolivari RiojaCirolana (Speocirolana) n.sp.Mexico records.--Tamaulipas: Grutas de Quintero.

References.--95, 173, 447, 475, 532, 545, 562, 567, 568, 570, 576, 643, 674.

149.*Speocirolana pelaezi (Bolivar)Cirolana (Speocirolana) pelaezi BolívarCirolana sp.Mexico records.--San Luis Potosi: Sótano del Arroyo, Cueva Chica, Sótano de Ferrocarril, Cueva de la Lagunita, Sótano de Pichijumo, Cueva de los Sabinos, and Sotano de la Tinaja; Tamaulipas: Cueva del Pachón and Grutas de Quintero.

References.--54, 75, 87, 95, 173, 294, 447, 475, 484, 485, 532, 536, 545, 562, 567, 568, 570, 576, 595, 643, 674.

150.*Speocirolana thermydronis Cole and MinckleyMexico records.--Coahuila: Pozo 12 km. SW Cuatro Ciénegas, West Laguna of Mojarral, and Pozos de la Becerra.

References.--173, 174, 323, 447.

Family Oniscidae

151. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2, Cueva del Aire, Cueva del Jobo, and Cueva de la Laja.

References.--86.

Comment.--The use of the family name Oniscidae for this unidentified specimens is almost certainly used in the broad sense and includes the entire Oniscoidea.

152. Hoctunus vespertilio MulaikMexico records.--Yucatán: Cueva de Hoctún.

References.--471, 475.

Family Porcellionidae

153. Porcellio gertschi Van NameMexico records.--Coahuila: Cueva de los Lagos.

References.--595.

154. Porcellio laevis LatreillePorcellio mexicanus SaussureMexico records.--Guerrero: Grutas de Cacahuamilpa; Yucatán: Cenote Ixil.

References.--302, 471, 500.

155. Porcellionides sp.Mexico records.--Yucatán: Cueva Chac Mol, Cueva de Hochtún, Cueva de Sambulhá (Motul), Cueva San Isidro, Cueva Spukil, and Cueva Ziz.

References.--190, 500, 567.

Family Sphaeroniscidae

156.*Spherarmadillo cavernicola MulaikMexico records.--San Luis Potosí: Cueva de Los Sabinos; Tamaulipas: Cave (Rancho del Cielo).

References.--471, 475, 598.

Family Squamiferidae

157.*Trichorhina atoyacensis MulaikMexico records.--Veracruz: Grutas de Atoyac.

References.--142, 471, 475.

158.*Trichorhina boneti RiojaMexico records.--San Luis Potosí: Cueva del Ahuate n. 2.

References.--142, 471, 475, 547, 573.

159.*Trichorhina pearsei (Creaser)Trichorhina yucatanensis MulaikPorcellio pearsei CreaserPorcellio sp.Mexico records.--Yucatán: Cueva de Balaam Canché, Cueva de Gorgosa, Cueva Puz, Cueva de Sambulhá (Motul), Cueva del Camino de San Roque n. 1, Cueva Sazich, and Cueva Spukil.

References.--142, 190, 471, 475, 498, 500, 567.

160. Trichorhina vandeli RiojaMexico records.--Chiapas: Cueva Cerro Hueco.

References.--142, 471, 475, 572.

Family Trichoniscidae

161. Brackenridgia sp.Protrichoniscus sp.

References.--551, 570.

Comment.--The genus Protrichoniscus is a synonym of Brackenridgia; therefore the following species of Protrichoniscus are herein removed to that genus.

- 162.*Brackenridgia acostai (Rioja) NEW COMBINATION
Protrichoniscus acostai Rioja
 Mexico records.--Chiapas: Cueva del Tío Ticho and Grutas de Zapaluta.
 References.--471, 475, 563, 565, 567, 572, 574.
- 163.*Brackenridgia bridgesi (Van Name) NEW COMBINATION
Protrichoniscus bridgesi Van Name
Protrichoniscus potosinus Mulaik
 Mexico records.--San Luis Potosí: Boca del Abra, Sótano del Arroyo, Cueva Chica, Ventana Jabalí, Cueva de Los Sabinos, Sótano del Tigre, and Sótano de la Tinaja; Tamaulipas: Cueva del Pachón and Grutas de Quintero.
 References.--75, 86, 96, 410, 471, 475, 532, 545, 561, 563, 567, 574, 597, 642, 650, 674.
 Comment.--A record of this species for Grutas de Atoyac, Veracruz, is certainly in error.
- 164.*Brackenridgia palmitensis (Mulaik) NEW COMBINATION
Protrichoniscus palmitensis Mulaik
 Mexico records.--Nuevo León: Grutas del Palmito.
 References.--96, 471, 475, 544, 645.
- 165.*Brackenridgia villalobosi (Rioja) NEW COMBINATION
Protrichoniscus villalobosi Rioja
 Mexico records.--Veracruz: Cueva del Carbón and Cueva de Ojo de Agua Grande.
 References.--471, 475, 561, 563, 566, 567, 574, 644, 645.
- 166.*Cylindroniscus cavicolus (Mulaik)
Antroniscus cavicola Mulaik
 Mexico records.--Nuevo León: Grutas del Palmito.
 References.--471, 475, 597.
- 167.*Cylindroniscus maya Rioja
Antroniscus balamensis Mulaik
 Mexico records.--Yucatán: Cueva de Balaam Canché and Cenote de Sambulhá' (Motul).
 References.--471, 475, 574, 575, 597.
- 168.*Cylindroniscus vallesensis Schultz
 Mexico records.--San Luis Potosí: Cueva Pinta.
 References.--597.
- 169.*Mexiconiscus laevis (Rioja)
Cordioniscus laevis Rioja
Mexiconiscus tlamayaensis Schultz
Xilitloniscus laevis (Rioja)
 ?Protrichoniscus sp.
 Mexico records.--San Luis Potosí: Cueva de la Hoya, Sótano de Huitzmolotitla, Cueva de la Luz, Sótano de la Navidad, Cueva de la Porra, Cueva de Potrerillos, and Cueva de la Selva.
 References.--86, 96, 465, 471, 475, 535, 547, 573, 594, 595, 596, 597, 646.

170. Trichoniscus hoctuni Mulaik
Mexico records.--Yucatán: Cueva de Hochtún.
References.--471, 475.
- 171.*Typhlotricholigioides aquaticus Rioja
Mexico records.--Veracruz: Cueva de Ojo de Agua Grande.
References.--471, 475, 566, 570, 574, 644, 645.

Order Amphipoda

Family Bogidiellidae

- 172.*Bogidiella tabascensis Villalobos
Mexico records.--Tabasco: Gruta del Coconá.
References.--202, 323, 324, 475, 678.

Family Gammaridae

- 173.*Mexiweckelia colei Holsinger and Minckley
Mexico records.--Coahuila: Small spring 7.45 km. S, 5.42 km. W of Cuatro Ciénegas; Seep 7.45 km. S, 5.50 km. W of Cuatro Ciénegas; Small laguna 7.92 km. W, 9.42 km. S of Cuatro Ciénegas; Spring 8.15 km. S, 2.29 km. W of Cuatro Ciénegas; Spring-pool 8.84 km. S, 3.96 km. W of Cuatro Ciénegas; and Pozos Bonitos (Laguna Churince).
References.--323.

- 174.*Mexiweckelia particeps Holsinger
Mexico records.--Coahuila: Small spring 7.45 km. S, 5.42 km. W of Cuatro Ciénegas.
References.--323.

Family Hyallellidae

175. Hyallela azteca (Saussure)
Mexico records.--Yucatán: Cenote Ixil, Cenote Santa Ana, and Cenote Grande de Xanabá.
References.--189, 500.

Order Mysidacea

Family Lepidopsidae

- 176.*Speleomysis quinterensis (Villalobos)
Typhlolepidomysis quinterensis Villalobos
Typhlolepidomysis sp.
Mexico records.--San Luis Potosí: Sótano de la Tinaja; Tamaulipas: Grutas de Quintero.
References.--418, 475, 532, 545, 567, 570, 574, 643, 674.

Family Mysidae

- 177.*Antromysis cenotensis Creaser
Antromysis sp.
Mexico records.--Yucatán: Well (Hacienda Calcehtok), Well (Iron mill at Oxtutzcab), Cueva de Balaam Canché, Cueva Chac Mol, Cueva de Hochtún, Cueva de Kaua, Cueva Luchil, Cueva Oxolodt, Cueva de Sambulhá (Motul), Cueva San Isidro, Cueva Xconsacab, and Cueva Yunchen.
References.--5, 138, 140, 189, 190, 475, 496, 498, 500, 567, 574, 643, 674.

Order Decapoda

Family Astacidae

178. Procambarus acutus cuevachicae (Hobbs)
Cambarus blandingii cuevachicae Hobbs
Cambarus sp.
 Mexico records.--San Luis Potosí: Cueva Chica.
 References.--2, 75, 98, 309, 410, 485, 557, 558, 559, 560, 567, 640,
 643, 675, 677.
179. Procambarus mirandai Villalobos
Procambarus n.sp.
 Mexico records.--Chiapas: Cueva Cerro Hueco.
 References.--567, 676.
180. Procambarus pilosimanus (Ortmann)
 Mexico records.--Chiapas: Grutas de Zapaluta.
 References.--567, 675, 676.
- 181.*Procambarus rodriguezii Hobbs
 Mexico records.--Veracruz: Cueva de Ojo de Agua Grande.
 References.--310, 475, 567, 675, 676.
182. Procambarus villalobosi Hobbs
 Mexico records.--San Luis Potosí: Cueva del Agua.
 References.--311.

Family Atyidae

- 183.*Typhlatya pearsei Creaser
Typhlatya sp.
 Mexico records.--Yucatán: Cueva de Balaam Canché, Cueva de Hochtún,
 Cueva del Pochote, Cueva del Ponte, and Cueva Santa Elena.
 References.--138, 150, 151, 189, 190, 326, 475, 496, 498, 500, 567,
 643, 674.

Family Palaemonidae

- 184.*Creaseria morleyi (Creaser)
Palaemon morleyi Creaser
Palaemon sp.
 Mexico records.--Yucatán: Cueva Amil, Cueva de Balaam Canché, Cueva
 Chac Mol, Cueva Gongora, Cueva de Hochtún, Cueva del Pochote, Cueva
 de Sambulhá (Motul), Cueva San Isidro, Cueva Spukil, ?Cueva
 Xconsacab, and Cueva Yunchen.
 References.--5, 138, 140, 150, 189, 190, 325, 326, 475, 496, 498,
 500, 567, 574, 643, 674.
185. Macrobrachium carcinus (L.)
Macrobrachium jamaicensis (Herbst)
 Mexico records.--San Luis Potosí: Cueva Chica.
 References.--98, 485.

186.*Troglocubanus sp.

Mexico records.--San Luis Potosí: Sotano de la Tinaja.
References.--545.

Family Potamidae

187. Unidentified genus and species

Mexico records.--Tabasco: Cave (Arroyo del Solpho).
References.--273.

Family Pseudothelphusidae

188.*Potamocarcinus (Typhlopseudothelphusa) mocinoi (Rioja)

Typhlopseudothelphusa mocinoi Rioja

Typhlopseudothelphusa n.gen. et n.sp.

Mexico records.--Chiapas: Cueva del Tío Ticho.
References.--475, 565, 567, 570, 602, 643.

189. Pseudothelphusa sp.

Mexico records.--Sonora: Mina La Aduana.
References.--224.

CLASS ARACHNIDA
Order Scorpionida

Family Buthidae

190. Centrurus yucatanus Chamberlin and Ivie

Mexico records.--Yucatán: Cueva de Loltún.
References.--164, 500.

Family Chactidae

191.*Typhlochactas reddelli Mitchell

Mexico records.--Veracruz: Cueva del Ojo de Agua de Tlilapan.
References.--453.

192.*Typhlochactas rhodesi Mitchell

Mexico records.--Tamaulipas: Mine Cave.
References.--453.

Order Chelonethida

Family undetermined

193. Unidentified genus and species

Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí: Cueva del Ahuate n. 2, Cueva del Aire, Cueva de los Cuchos, Cueva de la Hoya, and Cueva del Jobo.
References.--86.

Family Chernetidae

194. Lustrochernes minor Chamberlin

Mexico records.--Yucatán: Cueva Gongora and Cueva Xkyc.
References.--152, 156, 475, 500.

195. Parazaona cavicola Chamberlin
 Mexico records.--Yucatán: Cueva de Kaua and Cueva de Sambulhá (Motul).
 References.--152, 156, 475, 500.

Family Chthoniidae

- 196.*Tyrannochthonius troglobius Muchmore
 Mexico records.--Tamaulipas: Mine Cave.
 References.--470.

Family Hyidae

- 197.*Undescribed genus and species
 Mexico records.--Nuevo León: Cueva del Carrizal.
 References.--544.

- 198.*Leucohya heteropoda Chamberlin

Mexico records.--Nuevo León: Grutas del Palmito.
 References.--153, 156, 470, 544.

Comment.--A record of this species from "caves" in Yucatán is unquestionably in error.

- 199.*Troglohya carranzai Beier

Mexico records.--Oaxaca: Cueva de Monteflor.
 References.--54, 56, 156, 470.

Family Ideoroncidae

200. Albiorex bolivari Beier

Mexico records.--Guerrero: Grutas de Acuitlapán.
 References.--54, 57, 470.

Family Syarinidae

201. Pachychitra maya Chamberlin

Mexico records.--Yucatán: Cueva del Camino de San Roque n. 1.
 References.--152, 156, 475, 500.

Family Tridenchthoniidae

202. Tridenchthonius juxtlahuaca Chamberlin and Chamberlin

Mexico records.--Guerrero: Grutas de Juxtlahuaca.
 References.--155, 156.

Family Vachoniidae

- 203.*Paravachonium sp.

Mexico records.--Tamaulipas: Sótano de Gomez Farias.
 References.--546.

- 204.*Paravachonium bolivari Beier

Mexico records.--Tamaulipas: Grutas de Quintero.
 References.--54, 56, 156, 470, 532.

- 205.*Vachonium boneti Chamberlin

Mexico records.--Yucatán: Cueva de Sabacá.
 References.--154, 156, 470.

Comment.--A record of this species from Grutas del Palmito, Nuevo León, is unquestionably in error.

206. *Vachonium maya Chamberlin
 Mexico records.--Yucatán: Cueva de Balaam Canché.
 References.--154, 156, 470.

Order Uropygida

Family Thelyphonidae

207. Mastigoproctus giganteus Lucas
 Mexico records.--San Luis Potosí: Cueva de la Barranca and Ventana Jabalí.
 References.--86, 410.

Order Schizomida

Family Schizomidae

208. Schizomus sp.
 Mexico records.--Nuevo Leon: Grutas de San Bartolo; San Luis Potosí:
 Cueva Grande, Sótano de Huitzmolotitla, and Ventana Jabalí.
 References.--410, 454, 459, 544, 545, 547.

209. Schizomus cavernicolens Chamberlin and Ivie
 Mexico records.--Yucatán: Cueva Chac Mol, Cueva Gongora, Cueva de Kaua,
 Cueva de Sabaca, Cueva de Sambulha (Mérida), Cueva San Isidro, Cueva
 Sazich, Cueva Xkyc, and Cenote Xtolok.
 References.--138, 164, 475, 500, 643.

Order Amblypygida

Family Tarantulidae

210. Tarantula sp.
 Mexico records.--Nuevo Leon: Caves; San Luis Potosí: Cueva de Taninul
 n. 1; Tabasco: Cave (Arroyo del Solpho); Tamaulipas: Grutas de Quintero.
 References.--273, 410, 454, 459, 532, 544.

211. Tarantula fuscimana (C.L.Koch)
Hemiphrynus raptator Pocock
Phrynus cacahuamilpensis Herrera
Phrynus mexicanus Bilimek
 Mexico records.--Guerrero: Grutas de Cacahuamilpa; Tabasco: Cueva de
 Teapa; Yucatan: Cueva de Balaam Canché, Cueva Chac Mol, Cueva Ebizt,
 Cueva Gongora, Cueva de Hochtún, Cueva de Kaua, Cueva de Loltún,
 Cueva Muruztún, Cueva Oxolodt, Cueva Puz, Cueva de Sabacá, Cueva de
 Sambulha (Mérida), Cueva de Sambulha (Motul), Cueva San Isidro,
 Cueva Spukil, Cueva Xconsacab, Cueva Xkyc, Cueva de Xmahit, Cenote
 Xtolok, and Cueva Ziz.
 References.--60, 68, 138, 164, 302, 487, 488, 500, 583, 643, 702.

Order Araneae

Family undetermined

212. Unidentified genus and species
 Mexico records.--San Luis Potosí: Cueva de los Cuchos, Cueva de la Hoya,
 Cueva del Jobo, and Cueva de Potrerillos.
 References.--86.

Family Agelenidae

213. Tegenaria mexicana Roth
Mexico records.--Michoacán: Cueva de la Calera; Morelos: Shallow cave Cuernavaca.
References.--580.
214. Tegenaria mexicana gertschi Roth
Mexico records.--Coahuila: Gruta de Cuevacillas and ?Cueva de las Vigas; Nuevo León: Resumidero de Pablillo.
References.--580.
215. Tegenaria mexicana mexicana Roth
Mexico records.--Guerrero: Cave (Taxco).
References.--580.
216. Tegenaria mexicana selva Roth
Mexico records.--San Luis Potosi: Sótano (Valle de los Fantasmos) and Cueva de la Selva.
References.--580.
217. Tegenaria mexicana tlaxcala Roth
Mexico records.--Hidalgo: ?Cueva de El Ocote; Tlaxcala: Underground water conduits (Tlaxcala); Veracruz: ?Volcanic caves (Jalapa).
References.--580.

Family Argiopidae

218. Leucauge loltuna Chamberlin and Ivie
Mexico records.--Yucatan: Cueva de Loltún.
References.--165, 475, 500.
219. Micrathena sagittata (Walckenaer)
Mexico records.--Yucatán: Cueva del Camino de San Roque n. 1.
References.--165, 500.
220. Wendilgarda mexicana Keyserling
Mexico records.--San Luis Potosí: Cueva Chica; Yucatán: Cenote Xtolok.
References.--21, 410.

Family Aviculariidae

221. Aphonopelma sp.
Mexico records.--San Luis Potosí: Sótano de Manuel; Tamaulipas: Wet Cave.
References.--410, 537.

Family Barychelidae

222. Zygopelma meridana Chamberlin and Ivie
Mexico records.--Yucatan: Cueva San Isidro.
References.--165, 500.

Family Clubionidae

223. Anachemmis sp.
Mexico records.--Yucatán: Cueva de Sambulhá (Motul) and Cueva Xkyc.
References.--165, 500.

224. Strotarchus sp.Mexico records.--Tamaulipas: Cueva del Abra.

References.--532.

225. Trachelas sp.Mexico records.--Yucatán: Cueva Xkyc.

References.--165, 500.

Family Ctenidae

226. Ctenus sp.Mexico records.--Nuevo Leon: Caves; San Luis Potosí: Caves (Xilitla),
Ventana Jabalí, and Cueva de Taninul n. 1; Tamaulipas: Grutas de
Quintero and Wet Cave.

References.--410, 454, 532, 537, 544, 545, 546, 547.

Family Dictynidae

227. Titanoeca tizamina Chamberlin and IvieMexico records.--Yucatán: Cueva Muruztun.

References.--165, 475, 500.

Family Dipluridae

228. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Salitre.

References.--86.

229. Euagrus sp.Mexico records.--Yucatán: Cueva de Xmahit.

References.--165, 500.

Family Gnaphosidae

230. Drassodes pallidipalpis (Bilimek)Drassus cacahuamilpensis HerreraDrassus pallidipalpis BilimekMexico records.--Guerrero: Grutas de Cacahuamilpa.

References.--68, 302, 487, 488, 510, 702.

231. Zelotes mayanus Chamberlin and IvieMexico records.--Yucatán: Cueva de Sabaca.

References.--165, 475, 500.

Family Leptonetidae

232.*Leptoneta sp.Mexico records.--Tamaulipas: Wet Cave.

References.--537, 546.

Family Nesticidae

233. Nesticus sp.Mexico records.--Hidalgo: Cueva de El Ocote; San Luis Potosí: Ventana
Jabalí.

References.--299, 410.

234. Nesticus pallidus Emerton
 Mexico records.--Chihuahua: Cueva del Diablo; Yucatan: Cueva de Sambulhá (Merida).
 References.--165, 500, 608.
- Family Oonopidae
- 235.*Wanops coecus Chamberlin and Ivie
 Mexico records.--Yucatan: Cueva de Balaam Canche.
 References.--165, 475, 500.
- Family Pholcidae
236. Unidentified genus and species
 Mexico records.--San Luis Potosí: Cueva de Potrerillos; Tamaulipas: Crystal Cave.
 References.--86, 537.
- 237.*Anopsicus pearsei Chamberlin and Ivie
 Mexico records.--Yucatan: Cueva Oxolodt.
 References.--165, 475, 500.
238. Metagonia sp.
 Mexico records.--Nuevo Leon: Cueva de la Boca, Cueva del Carrizal, and Grutas de Villa de García; San Luis Potosí: Caves (Sierra del Abra) and Sótano de Tlamaya; Tamaulipas: Caves.
 References.--544, 545, 546, 547.
239. Metagonia maya Chamberlin and Ivie
 Mexico records.--Yucatan: Cueva Chac Mol, Cueva Chakxix, Cueva Gongora, Cueva Luchil, Cueva Muruztún, and Cenote Xtolok.
 References.--165, 475, 500.
240. Metagonia viabilis Chamberlin and Ivie
 Mexico records.--Yucatan: Cueva Puz, Cueva Xkyc, and Cueva Ziz.
 References.--165, 475, 500.
241. Metagonia yucatanana Chamberlin and Ivie
 Mexico records.--Yucatan: Cueva de Loltun.
 References.--165, 475, 500.
242. Modisimus sp.
 Mexico records.--Nuevo Leon: Cueva de la Boca and Grutas de Villa de García; San Luis Potosí: Caves (Sierra del Abra); Tamaulipas: Caves (Sierra del Abra) and Harrison Sinkhole.
 References.--537, 544, 545, 546.
243. Modisimus inornatus Cambridge
 Mexico records.--Yucatan: Cueva de Xmahit.
 References.--165, 500.
244. Modisimus texanus Banks
 Mexico records.--San Luis Potosí: Cueva Chica.
 References.--410.

245. Pholcus cordatus Bilimek
Pholcus cacahuamilpensis Herrera
Nesticus cordatus (Bilimek)
 Mexico records.--Guerrero: Grutas de Cacahuamilpa.
 References.--34, 68, 302, 475, 487, 488, 510, 515, 702.
246. Physocyclus globosus (Taczanowski)
 Mexico records.--Yucatan: Cueva de Sambulhá (Merida).
 References.--165, 500.
247. Physocyclus hoogstraali Gertsch and Davis
 Mexico records.--Coahuila: Cave; Nuevo León: Cueva de las Animas, Cueva del Diablo, Grutas de San Bartolo, and Grutas de Villa de García.
 References.--245, 475, 544, 551, 679.
248. Psilochorus sp.
 Mexico records.--Chihuahua: Cueva del Diablo; Tamaulipas: Cueva del Nacimiento del Río Frío.
 References.--546, 608.
249. Spermophora speophila Chamberlin and Ivie
 Mexico records.--Yucatán: Cueva Chac Mol and Cueva Gongora.
 References.--165, 475, 500.
- Family Pisauridae
250. Tinus nigrinus F.
 Mexico records.--Yucatán: Cenotes.
 References.--496.
- Family Scytodidae
251. Loxosceles sp.
 Mexico records.--Tamaulipas: Cueva del Abra and Grutas de Quintero.
 References.--532.
252. Loxosceles bolivari Gertsch
 Mexico records.--Nuevo León: Grutas de Villa de García; San Luis Potosí: Cueva de Los Sabinos.
 References.--243, 679.
253. Loxosceles colima Gertsch
 Mexico records.--Colima: Cueva de la Finca.
 References.--243.
254. Loxosceles yucataana Chamberlin and Ivie
 Mexico records.--Yucatan: Cueva del Cinco de Mayo, Cueva Ebizt, Cueva de Kaua, Cueva de Ioltun, Cueva Puz, Cueva de Sabaca, Cueva de Sambulha (Merida), Cenote Seco, Cueva Xkyc, Cenote Xtolok, and Cueva Ziz.
 References.--165, 243, 500.
255. Scytodes fusca Walckenaer
 Mexico records.--Yucatan: Cueva de Ioltun.
 References.--165, 500.

256. Scytodes itzana Chamberlin and Ivie
Mexico records.--Yucatán: Cenote Xtolok.
References.--165, 475, 500.
257. Scytodes meridana Chamberlin and Ivie
Mexico records.--Yucatán: Cueva de Sambulhá (Mérida).
References.--165, 475, 500.

Family Symphytognathidae

258. Maymena sp.
Mexico records.--San Luis Potosí: Caves (Xilitla).
References.--547.
259. Maymena chica Gertsch
Mexico records.--Nuevo León: Grutas del Palmito.
References.--244.
260. Maymena mayana (Chamberlin and Ivie)
Nesticus mayanus Chamberlin and Ivie
Mexico records.--Tabasco: Gruta de Coconá; Veracruz: Grutas de
Atoyac; Yucatán: Cueva de Balaam Canché, Cueva de Hochtun, and
Cueva Oxolodt.
References.--165, 244, 475, 500.
261. Maymena misteca Gertsch
Mexico records.--Guerrero: Grutas de Acuitlapán.
References.--244, 475.

Family Theraphosidae

262. Eurypelma sp.
Mexico records.--Yucatán: Cueva de Balaam Canche and Cueva Góngora.
References.--165, 500.

Family Theridiidae

263. Euryopsis spinigera O.P.-Cambridge
Mexico records.--San Luis Potosí: Cueva Chica.
References.--388, 410.
264. Stemmops sp.
Mexico records.--Tamaulipas: Crystal Cave.
References.--537.
265. Thymoites deprus (Levi)
Sphyrotinus deprus Levi
Mexico records.--San Luis Potosí: Cueva Chica.
References.--390.
266. Thymoites spukilum (Chamberlin and Ivie)
Spelobion spukilum Chamberlin and Ivie
Sphyrotinus spukilum (Chamberlin and Ivie)
?Sphyrotinus luculentus Simon
Mexico records.--Yucatán: Cueva Spukil.
References.--165, 390, 391, 475, 500.

267. Tidarren fordum (Keyserling)
Mexico records.--Yucatán: Cenote Seco.
References.--389.

Family Thomisidae

268. Xysticus robinsoni Gertsch
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--242.

Family Uloboridae

269. Uloborus signatus Cambridge
Mexico records.--Yucatán: Cueva de Loltún.
References.--165, 500.

Order Ricinuleida

Family Ricinoididae

270. Cryptocellus sp.
Mexico records.--Durango: Cueva del Guano and Cueva de los Riscos; San Luis Potosí: Cave (Sierra del Abra).
References.--455, 542.
271. Cryptocellus boneti Bolívar
Mexico records.--Guerrero: Grutas de Acuitlapán and Grutas de Cacahuamilpa.
References.--55, 71, 74, 79, 186, 226, 542, 643.
272. Cryptocellus osorioi Bolivar
Mexico records.--San Luis Potosí: Cueva de Los Sabinos, Cueva de Taninúl n. 1, and Sotano del Tigre; Tamaulipas: Cueva de la Florida and Sótano de El Venadito.
References.--2, 54, 55, 74, 76, 186, 360, 410, 455, 458, 459, 518, 532, 542, 545.
273. Cryptocellus pearsei Chamberlin and Ivie
Mexico records.--Yucatán: Cueva de Balaam Canche, Cueva de Kaua, Cueva Oxolodt, and Cueva de Sabacá.
References.--5, 55, 71, 74, 138, 140, 164, 186, 246, 500, 542, 590, 643.
274. Cryptocellus pelaezi Coronado
Cryptocellus n.sp.
Mexico records.--San Luis Potosí: Sótano de Manuel, Cueva de Taninúl n. 1, and Sotano del Toro; Tamaulipas: Cueva de la Florida.
References.--122, 186, 221, 410, 455, 456, 457, 458, 459, 518, 542, 545, 705.

Order Opilionida

Family Cosmetidae

275. Cosmetinae gen. et sp.
Mexico records.--San Luis Potosí: Cueva de la Hoya.
References.--86.

276. Vonones compressus (Cambridge)

Tecavonones clavipes Goodnight and Goodnight
Mexico records.--Yucatán: Cueva de Sabacá.
References.--264, 268.

Family Phalangidae

277. Unidentified genus and species

Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí: Cueva
de Potrerillos.
References.--86.

Family Phalangodidae

278. Phalangodinae gen. et sp.

Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2 and Cueva
de Potrerillos.
References.--86.

279. Cynortina minutus (Goodnight and Goodnight)

Guerrobunus minutus Goodnight and Goodnight
Mexico records.--Guerrero: El Resumidero del Río de San Jeronimo.
References.--266, 268.

280. Hoplobunus sp.

References.--262.

281.*Hoplobunus boneti (Goodnight and Goodnight)

Serrobunus boneti Goodnight and Goodnight
Mexico records.--San Luis Potosí: Cueva Pinta, Cueva de Los Sabinos,
Sótano de la Tinaja, and Sotano de Yerbanis.
References.--263, 266, 268, 460.

282.*Hoplobunus osorioi (Goodnight and Goodnight)

Chinquipellobunus osorioi Goodnight and Goodnight
Mexico records.--Nuevo León: Cueva del Carrizal, Grutas del Palmito,
and Grutas de Villa de García.
References.--265, 266, 268, 544.

Order Acarina

Family Acaridae

283. Rhizoglyphinae gen. et sp.

Mexico records.--San Luis Potosí: Cueva de los Cuchos, Cueva del Jobo,
and Cueva del Salitre.
References.--86.

284. Acarus sp.

Mexico records.--San Luis Potosí: Cueva de la Hoya.
References.--86.

285. Caloglyphus armipes longisetosus Nesbitt

Mexico records.--Michoacán: Cueva de la Calera.
References.--474.

286. Caloglyphus longipilus Nesbitt
Mexico records.--Guerrero: Grutas de Juxtlahuaca; Nuevo León: Cueva del Carrizal.
References.--474.
287. Caloglyphus paranomalus Nesbitt
Mexico records.--Michoacán: Cueva de la Calera; Nuevo León: Cueva del Carrizal; Veracruz: Grutas de Atoyac.
References.--474.
- Family Argasidae or Ixodidae
288. Unidentified genus and species
Mexico records.--Yucatán: Cueva del Camino de San Roque n. 1 and Cenote Xtolok.
References.--688.
- Family Argasidae
289. Antricola sp.
Mexico records.--Tamaulipas: Cueva de la Florida.
References.--459.
290. Antricola coprophilus (McIntosh)
Ornithodoros coprophilus McIntosh
Mexico records.--Chiapas: Cueva de la Chepa; Jalisco: Cueva "El Chico"; Tamaulipas: Cueva de los Cuarteles; Veracruz: Cuevas de Laguna Encantada; Yucatán: Cueva de Hochtún.
References.--183, 320, 368, 436.
291. Antricola mexicanus Hoffmann
Mexico records.--Guerrero: Grutas de Juxtlahuaca.
References.--317, 320, 368.
292. Ornithodoros sp.
Mexico records.--Chiapas: Cueva de la Chepa; Guerrero: Grutas de Cacahuamilpa; Nuevo León: Cueva del Carrizal.
References.--3, 70, 436.
293. Ornithodoros (Alectorobius) azteci Matheson
Mexico records.--Morelos: Cueva Poza de Moctezuma.
References.--320.
294. Ornithodoros (Alectorobius) dyeri Cooley and Kohls
Mexico records.--Chiapas: Cueva de la Chepa; Colima: Cueva de la Fábrica; Nuevo León: Cueva del Diablo; San Luis Potosí: Cueva de Taninul n. 1.
References.--320, 368.
295. Ornithodoros (Alectorobius) talaje (Guérin-Ménéville)
Ornithodoros sp.
Mexico records.--Guerrero: Grutas de Cacahuamilpa; Yucatán: Cueva de Balaam Canché, Cueva de Sabacá, Cenote Xtolok, and Cenote Yuncu.
References.--320, 495, 500, 688.

296. Ornithodoros (Alectorobius) yumatensis Cooley and Kohls
Mexico records.--Chiapas: Grutas de Zapaluta.
References.--368.

297. Ornithodoros (Pavlovskyella) nicollei Mooser
Mexico records.--Morelos: Cuevas de Hua.jintlan.
References.--320.

Family Arrenuridae

298. Arrenurus sp.

Arrhenurus sp.

Mexico records.--Yucatán: Cenote Scan Yui and Cenote Grande de Xanabá.
References.--417, 500.

Family Belbidae

299. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2, Cueva del Aire, Cueva de los Cuchos, Cueva de la Hoya, Cueva del Jobo, and Cueva del Salitre.

References.--86.

Family Carabodidae

300. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva de los Cuchos.

References.--86.

Family Cunaxidae

301. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2.

References.--86.

Family Eremaeidae

302. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2.

References.--86.

Family Ereynetidae

303. Ereynetes sabinensis Baker

Mexico records.--San Luis Potosí: Cueva de Los Sabinos.

References.--24.

Family Erythraeidae

304. Erythraeus bisetosa Wharton

Erythraeus bisetosa Wharton

Mexico records.--Yucatán: Cueva San Isidro.

References.--475, 500, 688.

Family Galumnidae

305. Galumna sp.

Galumnidae gen. et sp.

Mexico records.--Yucatán: Cenote Manzanilla and Cenote Scan Yui.

References.--495, 500.

306. Galumna jacoti WhartonMexico records.--Yucatán: Cueva de Sambulha (Motul).

References.--500, 688.

Family Glyciphagidae

307. Unidentified genus and species

Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí: Cueva del Ahuate n. 2 and Cueva de los Cuchos.

References.--86.

Family Hermanniidae

308. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Salitre.

References.--86.

Family Hydrachnidae

309. Hydrachna sp.Mexico records.--Yucatán: Cenote Chotch.

References.--417, 500.

Family Hydrodromidae

310. Diplodontus despiciens (Mueller)Mexico records.--Yucatán: Cueva de Balaam Canché and Cenote Xtolok.

References.--417, 500.

Family Hypochthoniidae

311. Unidentified genus and species

Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí: Cueva del Salitre.

References.--86.

Family Ixodidae

312. Amblyomma cajennense (Fabricius)Mexico records.--Yucatán: Cueva Chac Mol, Cueva de Loltún, Cueva Puz, Cueva del Camino de San Roque n. 2, and Cenote Xtolok.

References.--320, 500, 688.

313. Amblyomma dissimile (Koch)Mexico records.--Yucatán: Cueva de Balaam Canché, Cenote Mukuyche, Cueva de Sambulhá (Motul), Cueva del Camino de San Roque n. 2, and Cueva Yunchen.

References.--320, 495, 500, 688.

Family Laelaptidae

314. Laelaptinae gen. et sp.

Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2, Cueva del Aire, Cueva de los Cuchos, Cueva de la Hoya, Cueva del Jobo, and Cueva del Salitre.

References.--86.

315. Haemolaelaps glasgowi (Ewing)Atricholaelaps glasgowi EwingMexico records.--Yucatán: Cueva de Balaam Canché and Cueva Spukil.

References.--500, 688.

Family Limnesiidae

316. Limnesia paucispina WolcottLimnesia paucispina WolcottMexico records.--Yucatán: Cueva de Balaam Canché, Cenote de Carlos Morales Escuela, Cenote Geiser, Cenote Manzanilla, Cenote Niagra, Cenote Olivut, and Cueva Santa Elena.

References.--417, 496, 500.

Family Macrochelidae

317. Macrocheles sp.Mexico records.--San Luis Potosí: Cueva del Jobo.

References.--86.

318. Macrocheles coprophila WomersleyMexico records.--San Luis Potosí: Cueva de la Hoya.

References.--86.

Family Mideopsidae

319. Mideopsis orbicularis (Mueller)Mexico records.--Yucatán: Cenote Pisté and Cenote Yuncu.

References.--417, 500.

Family Notaspidae

320. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Salitre.

References.--86.

Family Oribatellidae

321. Unidentified genus and species

Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí: Cueva del Ahuate n. 2, Cueva del Jobo, and Cueva del Salitre.

References.--86.

322. Oribatella monospicus WhartonMexico records.--Yucatán: Cueva de Sambulhá (Motul).

References.--500, 688.

Family Oribatulidae

323. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Jobo.

References.--86.

324. Scheloribates luchili WhartonMexico records.--Yucatán: Cueva Luchil.

References.--500, 688.

Family Paramegistidae

325. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva de los Cuchos and Cueva del Salitre.

References.--86.

Family Phthyracaridae

326. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Aire and Cueva del Salitre.
References.--86.

Family Pionidae

327. Piona pearsei Marshall

Piona sp.

Mexico records.--Yucatán: Cenote Santa Ana and Cenote Grande de Xanabá.
References.--417, 500.

Family Poecilochiridae

328. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2.
References.--86.

Family Polyaspidae

329. Dipolyaspis sp.

Mexico records.--San Luis Potosí: Cueva de la Hoya, Cueva del Jobo,
and Cueva del Salitre.
References.--86.

Family Prodynichidae

330. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Aire and Cueva de la Hoya.
References.--86.

Family Rhodacaridae

331. Unidentified genus and species

Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí:
Cueva del Jobo.
References.--86.

Family Spelaeorhynchidae

332. Spelaeorhynchus sp.

Sphaerorhynchus sp.

Mexico records.--Yucatán: Cueva de Kaua.
References.--590.

Family Spinturnicidae

333. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva de la Barranca.
References.--86.

334. Periglischrus iheringi Oudemans

Spinturnix ewingia Wharton

Mexico records.--Yucatán: Cueva del Camino de San Roque n. 2.
References.--500, 581, 688.

335. Periglischrus vargasi Hoffmann

Mexico records.--Chiapas: Cave (Teopisca); Tabasco: Cueva de Teapa.
References.--581, 583.

336. Spinturnix carloshoffmanni Hoffmann
Mexico records.--Tamaulipas: Cueva de los Cuarteles.
References.--581.
- Family Trematurellidae
337. Trematurella sp.
Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí: Cueva de la Hoya, Cueva del Jobo, and Cueva del Salitre.
References.--86.
- Family Trombiculidae
338. Eltonella (Coecicula) boneti (Hoffmann)
Trombicula (Trombicula) boneti Hoffmann
Mexico records.--Tamaulipas: Grutas de Quintero.
References.--54, 115, 314, 652.
339. Hannemania hylae (Ewing)
Mexico records.--San Luis Potosí: Cueva de Potrerillos.
References.--86, 314.
340. Myotrombicula (Perates) anophthalma (Hoffmann)
Trombicula (Trombicula) anophthalma Hoffmann
Mexico records.--México: Grutas de la Estrella.
References.--54, 318, 654.
341. Tecomatlana (Tecomatlana) sandovali Hoffmann
Mexico records.--Puebla: Cuevas de matamoros.
References.--312, 653.
342. Trombicula sp.
Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2.
References.--86.
343. Trombicula camilla Wharton
Mexico records.--Yucatán: Cueva de Balaam Canché, Cueva Oxolodt, Cueva San Isidro, and Cueva Xkyc.
References.--115, 475, 500, 688.
344. Trombicula myops Vitzhum
Mexico records.--Yucatán: Cueva Chakxix.
References.--115, 500, 688.
345. Trombicula (Eutrombicula) acuitlapanensis Hoffmann
Mexico records.--Guerrero: Grutas de Acuitlapan.
References.--54, 115, 316.
346. Whartonia guerrerensis Hoffmann
Mexico records.--Guerrero: Grutas de Cacahuamilpa.
References.--319.
347. Whartonia nudosetosa (Wharton)
Hannemania nudosetosa Wharton
Mexico records.--Yucatán: Cueva Chakxix and Cueva del Camino de San Roque n. 2.
References.--114, 115, 313, 475, 500, 688.

Family Trombidiidae

348. Microtrombidiinae gen. et sp.

Mexico records.--San Luis Potosí: Cueva del Aire, Cueva de los Cuchos,
and Cueva de la Laja.

References.--86.

349. Monunguis streblida Wharton

Mexico records.--Yucatán: Cueva del Cinco de Mayo.

References.--475, 643, 688.

350. Platyseta yucatanicus Wharton

Mexico records.--Yucatán: Cueva Sazich.

References.--475, 500, 688.

Family Unionicolidae

351. Koenikea indistincta Marshall

Mexico records.--Yucatán: Cenote Scan Yui.

References.--417, 500.

352. Neumania cenotea Marshall

Mexico records.--Yucatán: Cenote del Country Club, Cenote Santa Ana, and
Cenote Grande de Xanabá.

References.--417, 500.

Family Uropodidae

353. Uropoda pearsei Wharton

Mexico records.--Yucatán: Cenote de Sambulhá (Motul).

References.--475, 500, 688.

CLASS PAUROPODA

Family Pauropidae

354. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Jobo.

References.--86.

CLASS CHILOPODA

Order Lithobiomorpha

Family Lithobiidae

355. *Garcibius osorioi Chamberlin

Mexico records.--Nuevo León: Grutas de Villa de García.

References.--159, 160, 475, 544.

356. Nuevobius cavicolens Chamberlin

Mexico records.--Nuevo León: Cueva de la Boca.

References.--158, 188.

Family Watobiidae

357. Cruzobius atoyacus Chamberlin

Mexico records.--Veracruz: Grutas de Atoyac.

References.--159, 160.

Order Scolopendromorpha

Family Scolopendridae

358. Newportia pelaezi Chamberlin
Mexico records.--Nuevo León: Grutas del Palmito.
References.--159, 160, 475.
359. Newportia sabina Chamberlin
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--159, 160, 475.
360. Scolopendra sumichrasti Saussure
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--159, 160.

Order Scutigermorpha

Family Scutigeridae

361. Pselliodes sabinorum Chamberlin
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--159, 160, 475.
362. Scutigera cacahuamilpensis Herrera
Mexico records.--Guerrero: Grutas de Cacahuamilpa.
References.--302, 488.
363. Scutigera carrizala Chamberlin
Mexico records.--Nuevo León: Cueva del Carrizal.
References.--159, 160, 475.
364. Scutigera linzeci (Wood)
Mexico records.--Guerrero: Grutas de Cacahuamilpa and Grutas de
Juxtlahuaca; Veracruz: Grutas de Atoyac.
References.--159, 160.

CLASS DIPLOPODA

Order Glomerida

Family Glomeridae

- 365.*Glomeroides caecus Causey
Mexico records.--San Luis Potosí: Sótano de Huitzmolotitla and Sótano
de Tlamaya.
References.--145, 394, 547.
- 366.*Glomeroides promiscus Causey
Mexico records.--Tamaulipas: Sótano de Gómez Farías, Cueva de Rancho
del Cielo n. 3, and Cueva de Rancho del Cielo n. 7.
References.--145, 394, 537, 546.

Order Chordeumida

Family Cleidogonidae

367. Unidentified genus and species
Mexico records.--Tamaulipas: Crystal Cave.
References.--537.

368. Cavota crucis ChamberlinMexico records.--Veracruz: Grutas de Atoyac.

References.--159, 161, 394, 475.

Family Trichopetalidae

369.*Mexiterpes sabinus CauseyMexico records.--San Luis Potosí: Sótano del Arroyo, Cueva Pinta, and Sótano de la Tinaja.

References.--143, 146, 147, 394, 535, 545.

370.*Poterpes egeo CauseyMexico records.--San Luis Potosí: ?Sótano de los Lobos and Cueva de El Puente.

References.--147.

371.*Poterpes fishi CauseyMexico records.--San Luis Potosí: Cueva de la Luz.

References.--147.

Order Polydesmida

Family Chelodesmidae

372. Chondrodesmus sabachanus ChamberlinMexico records.--Yucatán: Cueva de Sabacá.

References.--157, 163, 394, 475, 500.

Family Oniscodesmidae

373.*Bonetesmus verus ChamberlinMexico records.--Veracruz: Grutas de Atoyac.

References.--159, 161, 394, 475.

Family Paradoxosomatidae

374. Orthomorpha sp.Mexico records.--San Luis Potosí: Cueva de la Laja.

References.--86.

Family Rhachodesmidae

375. Undescribed genus and species

Mexico records.--San Luis Potosí: Sótano de Huitzmolotitla and Sótano de Tlamaya; Tamaulipas: Crystal Cave, Harrison Sinkhole, Sótano de El Molino, Cueva de Rancho del Cielo n. 3, Cueva de Rancho del Cielo n. 7, and Wet Cave.

References.--537, 546, 547.

376. Aceratophallus spp.Mexico records.--Yucatán: Cueva de Sabacá and Cueva San Isidro.

References.--157, 500.

377. Aceratophallus calcehtokanus ChamberlinMexico records.--Yucatán: Cueva Sazich, Cueva Spukil, and Cueva Xkyc.

References.--157, 394, 475, 500.

378. Aceratophallus hoctunanus Chamberlin
Mexico records.--Yucatán: Cueva de Hoctún.
References.--157, 394, 475, 500.
379. Aceratophallus oxkutzcabus Chamberlin
Mexico records.--Yucatán: Cueva Góngora, Cueva Puz, and Cueva de Xmahit.
References.--157, 394, 475, 500.
380. Pararhachistes sp.
Parachistes sp.
Mexico records.--Tamaulipas: Cueva de Rancho del Cielo n. 7.
References.--537.
- 381.*Pararhachistes amblus Chamberlin
Mexico records.--Guerrero: Grutas de Juxtlahuaca.
References.--159, 161, 394, 475.
382. Strongylodesmus sp.
Mexico records.--San Luis Potosí: Cueva de la Hoya and Cueva de la Laja.
References.--86.
- 383.*Strongylodesmus palmitonus (Chamberlin)
Ceuthauxus palmitonus Chamberlin
Mexico records.--Nuevo León: Grutas del Palmito.
References.--159, 161, 394, 475, 544.
- Family Sphaeriodesmidae
384. Cylionus kauanus Chamberlin
Mexico records.--Yucatán: Cueva de Kaua.
References.--157, 394, 475, 500.
- 385.*Sphaeriodesmus sp.
Mexico records.--Tamaulipas: Crystal Cave, Sótano de Gómez Farías, Cueva de Rancho del Cielo n. 3, Cueva de Rancho del Cielo n. 7, and Wet Cave.
References.--537, 546.
- Family Stylodesmidae
386. Undescribed genus and species
Mexico records.--San Luis Potosí: Caves (Sierra del Abra); Tamaulipas: Caves (Sierra del Abra), Crystal Cave, Sótano de Gómez Farías, and Cueva del Nacimiento del Río Frio.
References.--537, 545, 546.
387. Bolivaresmus sabinus Chamberlin
Mexico records.--San Luis Potosí: Cueva Chica and Cueva de Los Sabinos.
References.--159, 161, 394, 410, 475, 545.
- 388.*Ceratesmus clarus Chamberlin
Mexico records.--Veracruz: Grutas de Atoyac.
References.--159, 161, 394, 475.

- 389.*Ilyma colotlipa Chamberlin
Mexico records.--Guerrero: Grutas de Juxtlahuaca.
References.--159, 161, 394, 475.
390. Yucodesmus alienus Chamberlin
Mexico records.--Yucatán: Cueva de Hochtún.
References.--157, 394, 475, 500.
391. Yucodesmus isidricus Chamberlin
Mexico records.--Yucatán: Cueva San Isidro.
References.--157, 394, 475, 500.
392. Yucodesmus muruztunicus Chamberlin
Mexico records.--Yucatan: Cueva Muruztún and ?Cueva Oxolodt.
References.--157, 394, 475, 500.
393. Yucodesmus viabilis Chamberlin
Mexico records.--Yucatan: Cueva Góngora, Cueva Luchil, Cueva San Isidro,
Cueva Sazich, and Cueva Spukil.
References.--157, 394, 475, 500.

Order Polyzonida

Family Siphonophoridae

394. Siphonophora sp.
Mexico records.--Tamaulipas: Crystal Cave.
References.--537.
395. Siphonophora sabachana Chamberlin
Mexico records.--Yucatán: Cueva de Sabaca.
References.--157, 394, 475, 500.

Order Spirobolida

Family Rhinocricidae

396. Rhinocricus motulensis Chamberlin
Mexico records.--Yucatan: Cueva de Sambulhá (Motul).
References.--157, 162, 394, 475, 500.
397. Yucatabolus spukilensis Chamberlin
Mexico records.--Yucatan: Cueva Spukil.
References.--157, 394, 475, 500.

Order Spirostreptida

Family Cambalidae

- 398.*Cambala speobia subsp.
Mexico records.--Coahuila: Cueva de los Lagos.
References.--146, 394, 534.
399. Mexicambala sp.
Cambala sp.
References.--146, 465.

400. *Mexicambala russelli Causey
Cambala russelli (Causey)
 Cambalidae sp.
 Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2, ?Cueva de la Hoya, ?Cueva de la Laja, Cueva de la Porra, Cueva de Potrerillos, Cueva del Salitre, and Sótano de Tlamaya.
 References.--86, 144, 394, 547, 600.
 Comment.--Bonet reports Cambalidae sp. in Cueva de la Hoya and Cueva de la Laja; this species is the only cambalid found in the Xilitla region so this is almost certainly the species represented in these two caves.
401. *Mexicambala russelli subsp.
Cambala russelli subsp.
 Mexico records.--Tamaulipas: Crystal Cave, Sótano de Gómez Farias, Harrison Sinkhole, Sótano de la Joya de Salas, Cueva de los Leones, and Cueva del Nacimiento del Río Frio.
 References.--537, 546.
- Family Spirostreptidae
402. Orthoporus sp.
 Mexico records.--San Luis Potosí: Sótano del Tigre; Yucatán: Cueva Góngora, Cueva de Hochtún, Cueva Luchil, Cueva de Sambulhá (Mérida), Cueva de Sambulhá (Motul), Cueva San Isidro, Cueva Spukil, and Cueva Ziz.
 References.--146, 157, 459, 500.
403. Orthoporus guerreronus (Chamberlin)
Gymnostreptus guerreronus Chamberlin
 Mexico records.--Guerrero: Grutas de Juxtlahuaca.
 References.--159, 161, 394, 475.
404. Orthoporus hoctunicolens Chamberlin
 Mexico records.--Yucatán: Cueva de Hochtún.
 References.--157, 162, 394, 500.
405. Orthoporus kiemi Loomis
 Mexico records.--Yucatán: Cave (Hacienda San Bernardo).
 References.--393, 394, 475.
406. Orthoporus lenonus Chamberlin
 Mexico records.--Tamaulipas: Cueva de la Florida.
 References.--475, 459.
407. Orthoporus luchilicolens Chamberlin
 Mexico records.--Yucatán: Cueva Luchil.
 References.--157, 394, 500.
408. Orthoporus solicolens Chamberlin
 Mexico records.--Yucatán: Cueva de Hochtún.
 References.--157, 394, 500.

409. Orthoporus tizamensis Chamberlin
Mexico records.--Yucatan: Cueva Muruztun.
References.--157, 394, 500.

410. Orthoporus zizicolens (Chamberlin)
Gymnostreptus zizicolens Chamberlin
Mexico records.--Yucatan: Cueva Ziz.
References.--157, 394, 500.

CLASS INSECTA
Order Thysanura

Family Nicoletiidae

411. Unidentified genus and species
Mexico records.--San Luis Potosí: Caves (Sierra del Abra); Tamaulipas:
Grutas de Quintero.
References.--532, 545.

412.*Anelpistina anophthalma (Bilimek)
Lepisma anophthalma Bilimek
Lepisma cacahuamilpensis Herrera
Nicoletia (Anelpistina) anophthalma (Bilimek)
Nicoletia sp.
Mexico records.--Guerrero: Grutas de Cacahuamilpa.
References.--54, 68, 70, 302, 348, 487, 488, 643, 702, 707, 708.

413. Anelpistina boneti (Wygodzinsky)
Nicoletia (Anelpistina) boneti Wygodzinsky
Mexico records.--Guerrero: Grutas de Juxtlahuaca.
References.--707, 708.

Order Diplura

Family Campodeidae

414. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2; Tamaulipas:
Crystal Cave, Cueva de Rancho del Cielo n. 3, and Cueva de Rancho
del Cielo n. 7.
References.--86, 537.

415. Campodea (Campodea) chica Wygodzinsky
Mexico records.--San Luis Potosí: Cueva Chica.
References.--177, 410, 475, 490, 545, 706.

416.*Juxtlacampa juxtlahuacensis Wygodzinsky
Mexico records.--Guerrero: Grutas de Juxtlahuaca.
References.--177, 475, 490, 643, 706.

417.*Parallocampa (Parallocampa) cavernicola Wygodzinsky
Meiocampa (Remycampa) cavernicola (Wygodzinsky)
Mexico records.--Nuevo Leon: Grutas de Villa de García.
References.--177, 475, 490, 544, 643, 706.

418.*Paratachycampa boneti Wygodzinsky
Plusiocampa (Stygiocampa) boneti (Wygodzinsky)
 Mexico records.--Nuevo León: Grutas de Villa de García.
 References.--177, 475, 490, 544, 643, 706.

419.*Plusiocampa (Litocampa) atoyacensis Wygodzinsky
Litocampa (Cocytocampa) atoyacensis (Wygodzinsky)
 Mexico records.--Veracruz: Grutas de Atoyac.
 References.--177, 475, 490, 706.

Family Japygidae

420. Japyx sp.
 Mexico records.--Yucatán: Cueva Spukil.
 References.--491, 499, 500.

421. Parajapyx mexicanus Silvestri
 Mexico records.--Yucatán: Cueva de Carroza.
 References.--490, 601.

Order Collembola

Family Entomobryidae

422.*Cyphoderus innominatus Mills
 Mexico records.--Yucatán: Cueva de Góngora, Cueva Muruztún, Cueva de Sambulhá (Motul), and Cueva del Camino de San Roque n. 2.
 References.--444, 475, 500.

423. Isotomurus sp.
 Mexico records.--Yucatán: Cueva Yunchen.
 References.--444, 500.

424. Lepidocyrtus sp.
 Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí:
 Cueva de los Cuchos, Cueva del Jobo, and Cueva del Salitre.
 References.--86.

425. Lepidocyrtus pearsei Mills
 Mexico records.--Yucatán: Cueva Góngora, Cueva Muruztún, Cueva de Sambulhá (Motul), and Cueva del Camino de San Roque n. 2.
 References.--444, 475, 500.

426. Proisotoma centralis Denis
 Mexico records.--Yucatán: Cueva Yunchen.
 References.--444, 500.

427.*Pseudosinella sp.
 Mexico records.--San Luis Potosí: Cueva de la Barranca, Cueva de la Hoya, Cueva del Jobo, Cueva de la Laja, and Cueva de Potrerillos.
 References.--86.

428.*Sulcuncus falciferus Mills
 Mexico records.--Yucatán: Cueva Sazich.
 References.--444, 475, 500.

- 429.*Troglopedetes maya (Mills)
Trogolaphysa maya Mills
 Mexico records.--Yucatán: Cueva de Balaam Canché and Cueva Xkyc.
 References.--80, 444, 475, 500.
- Family Hypogastruridae
- 430.*Acherontides atoyacense Bonet
 Mexico records.--Veracruz: Grutas de Atoyac.
 References.--83, 475, 627.
- 431.*Acherontides potosinus Bonet
 Mexico records.--San Luis Potosí: Cueva del Aire, Cueva de los Cuchos,
 Cueva de la Hoya, Cueva del Jobo, and Cueva del Salitre.
 References.--34, 86, 465, 475, 547, 627.
432. Acherontiella sabina Bonet
 Mexico records.--Nuevo León: Cueva de la Boca; San Luis Potosí: Cueva
 de los Sabinos; Tamaulipas: Cueva del Abra, Cueva de los Cuarteles,
 and Cueva de El Pachón.
 References.--83, 84, 475, 545, 627.
433. Brachystomella parvula (Schaeffer)
 Mexico records.--San Luis Potosí: Cueva de la Hoya.
 References.--86.
434. Willemia persimillis bulbosa Bonet
 Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
 References.--83.
- Family Isotomidae
435. Folsomia sp.
 Mexico records.--San Luis Potosí: Cueva de la Hoya.
 References.--86.
436. Folsomina onychiurina Denis
 Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2 and Cueva del
 Jobo.
 References.--86.
- Family Neelidae
437. Megalothorax minimus Willem
 Mexico records.--Nuevo León: Grutas del Palmito; Yucatán: Cueva de Hochtún
 and Cueva de Santa Elena.
 References.--85.
438. Neelus murinus Folsom
 Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
 References.--85.
439. Neelus murinus bolivari Bonet
 Mexico records.--Yucatán: Cueva Santa Elena.
 References.--85.

Family Oncopoduridae

440.*Oncopodura atoyacense BonetMexico records.--Veracruz: Grutas de Atoyac.

References.--81, 475.

441.*Oncopodura prietoi BonetOncopodura n.sp.Mexico records.--Nuevo Leon: Grutas del Palmito.

References.--3, 81, 475.

Family Onychiuridae

442. Mesaphorura foveata BonetMexico records.--San Luis Potosí: Cueva Chica.

References.--82, 410.

443. Mesaphorura krausbaueri BornerMexico records.--San Luis Potosí: Cueva del Ahuate n. 2, Cueva de los Cuchos, and Cueva del Salitre.

References.--86.

444. Onychiurus sp.Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2 and Cueva de la Hoya.

References.--86.

Family Poduridae

445.*Spelaeogastrura guerrerense BonetMexico records.--Guerrero: Grutas de Cacahuamilpa.

References.--83, 475.

446. Xenylla yucatanana MillsMexico records.--Yucatán: Cueva de Sambulhá (Motul).

References.--444, 475, 500.

Family Smynthuridae

447.*Pararrhopalites anops Bonet and TellezMexico records.--Nuevo Leon: Grutas del Palmito.

References.--90, 475, 544.

448.*Smynthurus n.sp.Mexico records.--San Luis Potosí: Cueva de los Cuchos, Cueva de la Hoya, and Cueva del Jobo.

References.--86.

Order Odonata

Family Agrionidae

449. Acanthagrion gracile RamburMexico records.--Yucatán: Cenote Grande de Xanabá, Cenote Xlaka, and Cenote Xtolok.

References.--500, 696.

450. Argia (Chalcargia) gaumeri (Calvert)
Mexico records.--Yucatán: Cenote Chapultepec, Cenote Chotch, Cenote Ciruak, Cenote Huntún, Cenote Ixil, Cenote Scan Yui, Cenote Xlaka, and Cenote Xtolok.
References.--496, 500, 696.
451. Argia (Chalcargia) translata (Selys)
Mexico records.--Yucatán: Cenote Xtolok.
References.--500, 696.
452. Protoneura corculum Calvert
Mexico records.--Yucatán: Cenote Xlaka.
References.--500, 696.
453. Telebasis filiola (Perty)
Mexico records.--Yucatán: Cenote Santa Ana.
References.--500, 696.
454. Telebasis salva (Hagen)
Mexico records.--Yucatán: Cenote Hotún, Cenote Xlaka, and Cenote Xtolok.
References.--496, 500, 696.
- Family Libellulidae
455. Brachymesia furcata (Hagen)
Mexico records.--Yucatán: Cenote Xtolok.
References.--500, 696.
456. Cannaphila funerea Carpenter
Mexico records.--Yucatán: Cenote Grande de Xanaba, Cenote Xlaka, and Cenote Xtolok.
References.--500, 696.
457. Dythemis sterilis Hagen
Mexico records.--Yucatán: Cenote Conchita, Cenote del Country Club, Cueva de Sambulhá (Motul), Cenote Santa Ana, Cenote Uki, Cenote Xlaka, and Cenote Xtolok.
References.--496, 499, 696.
458. Erythemis plebeja Burmeister
Mexico records.--Yucatán: Cenote Xlaka.
References.--696.
459. Erythemis simplicicollis (Say)
Mexico records.--Yucatán: Cenote Huntún and Cenote Xlaka.
References.--696.
460. Erythrodiplax connata (Burmeister)
Mexico records.--Yucatán: Cenote Xlaka.
References.--696.
461. Libellula gagei Gloyd
Belonia croceipennis (Selys)
Mexico records.--Yucatán: Dzadz Cenote.
References.--249, 500, 696.

462. Micrathyria debilis (Hagen)
Mexico records.--Yucatan: Cenote Xlaka.
References.--500, 696.
463. Micrathyria hagenii Kirby
Mexico records.--Yucatan: Cenote Chotch.
References.--500, 696.
464. Orthemis ferruginea (Fabricius)
Mexico records.--Yucatan: Cenote Chotch, Cenote Geiser, Cenote Piste, and Cenote Uki.
References.--496, 500, 696.
465. Orthemis levis Calvert
Mexico records.--Yucatan: Cenote Xtolok.
References.--500, 696.
466. Perithemis domitia (Drury)
Perithemis dromita (Drury)
Mexico records.--Yucatan: Cenote Manzanilla, Cenote Xlaka, and Cenote Xtolok.
References.--496, 696.

Order Dermaptera

Family Labiduridae

467. Euborellia annulipes (Lucas)
Mexico records.--Guerrero: Grutas de Juxtlahuaca.
References.--552.

Order Blattodea

Family Blaberidae

468. Blaberus atropos (Stoll)
Mexico records.--Yucatan: Cueva de Xmahit.
References.--499, 500, 579.
469. Blaberus craniifer Burmeister
Mexico records.--Guerrero: Grutas de Juxtlahuaca; Yucatan: Cueva de Cinco de Mayo, Cueva de Kaua, and Cueva Puz.
References.--499, 500, 578, 579.

Family Blattidae

470. Periplaneta sp.
Mexico records.--San Luis Potosí: Cueva de Taninul n. 4.
References.--410.

Family Polyphagidae

471. Holocompsa zapoteca Saussure
Mexico records.--Yucatan: Cueva del Cinco de Mayo, ?Cueva Ebizt, Cueva Puz, ?Cueva del Camino de San Roque n. 1, ?Cueva Spukil, and ?Cenote Xtolok.
References.--499, 500, 579.

472. Homoeogamia mexicana (Burmeister)
Homalogamia mexicana (Burmeister)
Polyphaga mexicana Burmeister
Polyphaga cacahuamilpensis Herrera
 Mexico records.--Guerrero: Grutas de Cacahuamilpa.
 References.--68, 302, 487, 702.

Order Mantodea

Family Mantidae

473. Unidentified genus and species
 Mexico records.--Yucatán: Cueva de Sabaca.
 References.- 499, 500.

Order Saltatoria

Family Gryllidae

474. Phalangopsinae gen. et sp.
 Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí: Cueva del Ahuate n. 2, Cueva de los Cuchos, Cueva de la Hoya, and Cueva de la Laja.
 References.--86.
475. Amphiacusta azteca Saussure
 Mexico records.--Morelos: Cave (Tepoztlán).
 References.--167, 387, 643.
476. Amphiacusta bolivari Chopard
 Mexico records.--Veracruz: Grutas de Atoyac.
 References.--54, 167, 387, 643.
477. Amphiacusta maya Hubbell
 Mexico records.--Chiapas: Cueva de Berriozabal.
 References.--167, 387.
478. Amphiacusta yucatanana Hubbell
 Mexico records.--Yucatan: Cueva de Balaam Canche, Cueva Chac Mol, Cueva Chakxix, Cueva del Cinco de Mayo, Cueva Ebizt, Cueva Góngora, Cueva de Hochtún, Cueva de Kaua, Cueva de Loltún, Cueva Muruztún, Cueva Oxolodt, Cueva Puz, Cueva de Sabaca, Cueva de Sambulhá (Motul), Cueva San Isidro, Cueva del Camino de San Roque n. 1, Cueva Sazich, Cueva Spukil, Cenote de Thompson, Cueva Xconsacab, Cueva Xkyc, Cueva de Xmahit, Cenote Xtolok, and Cueva Ziz.
 References.--167, 333, 387, 500.
479. Miogryllus sp.
 Mexico records.--San Luis Potosí: Cueva de Taninul n. 4.
 References.--410.

480. Paracophus sp.
 Mexico records.--San Luis Potosí: Sotano del Pozo and Sotano de Tlamaya; Tamaulipas: Cueva de la Florida, Harrison Sinkhole, Sotano de la Joya de Salas, Sotano de El Molino, Cueva del Nacimiento del Río Frio, and Sotano de las Pinas.
 References.--459, 537, 546, 547.
481. Paracophus apterus Chopard
 Mexico records.--San Luis Potosí: Caves (Xilitla), Cueva Chica, and Cueva de Los Sabinos; Tamaulipas: Caves (Sierra del Abra) and Cueva de Rancho del Cielo n. 3.
 References.--54, 167, 387, 410, 537, 544, 545, 546, 547.
 Comment.--A record of this species in caves in Nuevo León is in error; P. subapterus is intended.
482. Paracophus subapterus Chopard
 Mexico records.--Nuevo León: Cueva del Carrizal and Grutas del Palmito.
 References.--54, 167, 387, 544.
- 483.*Tohila atelomma Hubbell
 Mexico records.--Yucatan: Cueva de Balaam Canche, Cueva Chac Mol, Cueva Luchil, Cueva Oxolodt, Cueva San Isidro, and Cenote Xtolok.
 References.--167, 333, 387, 475, 500, 643.
- Family Rhabdiphoridae
484. Undescribed genus and species
 Mexico records.--Nuevo León: Cueva de las Fisuras and Grutas del Palmito; San Luis Potosí: Caves (Xilitla).
 References.--544, 547.
485. Ceuthophilus sp.
 Mexico records.--Nuevo León: Cueva del Carrizal and Grutas del Palmito.
 References.--544.
486. Ceuthophilus (Ceuthophilus) variegatus Scudder
Ceuthophilus mexicanus Scudder
 Mexico records.--Chihuahua: Caves; Coahuila: Cueva de Candelaria.
 References.--332, 539, 599.
487. "Phalangopsis" annulata Bilimek
Arachnomimus annulata (Bilimek)
Phalangopsis cacahuamilpensis Herrera
 Mexico records.--Guerrero: Grutas de Cacahuamilpa.
 References.--34, 68, 302, 348, 365, 487, 488, 702.
 Comment.--This species is placed in the Rhabdiphoridae at the suggestion of Theodore H. Hubbell.
- Family Stenopelmatidae
488. Stenopelmatus sp.
 Mexico records.--Tamaulipas: Crystal Cave.
 References.--537.

Family Tettigoniidae

489. Dichopetala sp.

Mexico records.--San Luis Potosí: Cueva de Taninul n. 4.
References.--410.

Order Psocoptera

Family undetermined

490. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva de los Cuchos.
References.--86.

Family Psyllipsocidae

491. Psyllipsocus yucatan Gurney

Psyllipsocus sp. nr. ramburii Selys-Longchamps
Mexico records.--Yucatán: Cenote Xtolok.
References.--281, 499, 500.

Family Troctopsocidae

492. Protroctopsocus enigmaticus Mockford

Mexico records.--Nuevo León: Small caves (Cuesta de Chipinque).
References.--461.

Order Hemiptera

Family Belostomatidae

493. Unidentified genus and species

Mexico records.--Tabasco: Cave (Arroyo del Solpho).
References.--273.

494. Belostoma sp.

Mexico records.--Yucatán: Cenote Uki.
References.--339.

495. Belostoma confusum Lauck

Belostoma minor (Palisot de Beauvois)
Mexico records.--Yucatán: Cenote Xtolok.
References.--339, 385, 500.

496. Belostoma subspinosum cupreomicans (Stal)

Belostoma boscii (L. and S.)
Mexico records.--Yucatán: Cenote Chotch.
References.--339, 384.

497. Lethocerus delpontei De Carlos

Mexico records.--Yucatán: Cenote de Thompson, Cenote Grande de Xanabá,
and Cenote Xtolok.
References.--339, 500.

Family Cimicidae

498. Cimex hemipterus Fabricius

Mexico records.--Yucatán: Cueva de Cinco de Mayo and Cueva San Isidro.
References.--499, 500.

499. Primicimex cavernis Barber
 Mexico records.--Michoacán: Cueva de Janitzio; Yucatan: Cueva
 Valladolid.
 References.--641.

Family Cydnidae

500. Galgupha mayana McA. and M.
 Mexico records.--Yucatan: Cueva Spukil.
 References.--499, 500.
501. Pangaeus (Pangaeus) docilis (Walker)
 Mexico records.--San Luis Potosí: Ventana Jabalí.
 References.--410, 545.
502. Pangaeus (Pangaeus) piceatus Stal
 Mexico records.--Yucatán: Cueva Xkyc.
 References.--499, 500.

Family Gerridae

503. Limnogonus guerini L. and S.
 Mexico records.--Yucatán: Cenote Grande de Xanabá and Cenote Xtolok.
 References.--339, 500.
504. Rheumatobates creaseri Hungerford
 Mexico records.--Yucatan: Cenote Niagra and Cenote Xtolok.
 References.--339, 340, 500.
505. Rheumatobates minutus Hungerford
 Mexico records.--Yucatán: Cenote Niagra.
 References.--339, 500.
506. Trepobates n.sp.
 Mexico records.--Yucatan: Cenote de Escuela Carlos Morales, Cenote
 Chapultaptec, Cenote Chotch, Cenote Ciruak, Cenote Geiser, Cenote
 Huntún, Cenote Manzanilla, Cenote Scan Yui, Cenote Uki, and
 Cenote Chica de Xanabá.
 References.--339, 496, 500.

Family Hebridae

507. Unidentified genus and species
 Mexico records.--Yucatan: Cueva de Balaam Canché.
 References.--499.

Family Hydrometridae

508. Hydrometra exilis Bueno
 Mexico records.--Yucatán: Cenote Ixil and Cenote Santa Ana.
 References.--339, 500.

Family Mesoveliidae

509. Mesovelgia mulsanti B. White
 Mexico records.--Yucatan: Cenote Santa Ana.
 References.--339.

Family Naucoridae

510. Pelocoris femoratus (Palisot-Beauvois)
 Mexico records.--Yucatán: Cenote Santa Ana.
 References.--339, 500.

Family Nepidae

511. Ranatra annulipes Stal
 Mexico records.--Yucatán: Cenote Ixil and Cenote Xtolok.
 References.--339, 500.

512. Ranatra quadridentata Stal
 Mexico records.--Yucatan: Cenote Xtolok.
 References.--339.

Family Notonectidae

513. Buenoa pallens (Champ.)
 Mexico records.--Yucatán: Cenote Ixil and Cenote de Thompson.
 References.--339, 500.

514. Buenoa pallipes (Fabr.)
 Mexico records.--Yucatán: Cenote Scan Yui, Cenote Uki, Cenote Grande
 de Xanaba, and Cenote Xtolok.
 References.--339, 500.

515. Plea harnedi Drake
 Mexico records.--Yucatán: Cenote Santa Ana.
 References.--339, 500.

Family Ochteridae

516. Ochterus aeneifrons (Champ.)
 Mexico records.--Yucatán: Cenote Grande de Xanaba.
 References.--339, 500.

Family Ortheziidae

517. Unidentified genus and species
 Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2.
 References.--86.

Family Reduviidae

518. Reduviinae gen. et sp.
 Mexico records.--San Luis Potosí: Cueva de los Cuchos.
 References.--86.

519. Stenopodinae gen. et sp.
 Mexico records.--Yucatán: Cueva del Cinco de Mayo and Cueva de Kaua.
 References.--499.

520. Ploiaria n.sp.
 Mexico records.--Yucatán: Cueva Puz, Cueva del Camino de San Roque n. 1,
 and Cueva del Camino de San Roque n. 2.
 References.--499, 500.

521. Triatoma sp.
Mexico records.--Yucatán: Cueva de la Carroza and Cueva de Caxcuy.
References.--138.
522. Triatoma dimidiata maculipennis (Stal)
Mexico records.--Yucatan: Cave (Ticul)
References.--251.
523. Triatoma hegneri Mazzotti
Mexico records.--Quintana Roo: Cave (Rancho Santa Rita).
References.--251.

Family Veliidae

524. Microvelia albonotata Champion
Mexico records.--Yucatan: Cenote de Thompson.
References.--339.
525. Microvelia pulchella Westw.
Mexico records.--Yucatan: Cenote Uki.
References.--339.

Order Homoptera

Family Fulgoridae

526. Aethus compactus Uhl.
Mexico records.--Yucatan: Cueva San Isidro.
References.--499, 500.
527. Cixius sp.
Mexico records.--Yucatan: Cueva Góngora.
References.--499, 500.

Order Neuroptera

Family Myrmeleontidae

528. Eremoleon longior Banks
Mexico records.--Yucatán: Cueva Chakxix, Cueva Ebizt, Cueva Puz,
Cueva de Sambulhá (Mérida), Cueva del Camino de San Roque n. 2,
and Cenote Xtolok.
References.--33, 500, 643.

Order Coleoptera

Family undetermined

529. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva del Jobo and Cueva del Salitre.
References.--86.

Family Alleculidae

530. Unidentified genus and species
Mexico records.--Yucatán: Cueva Góngora, Cueva de Sambulhá (Motul),
and Cueva Xkyc.
References.--499.

531. Lobopoda subcuneata Casey
Mexico records.--San Luis Potosí: Sótano del Pozo.
References.--539.
- Family Carabidae
532. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva del Aire, Cueva de la Hoya,
Cueva del Jobo, and Cueva de la Laja.
References.--86.
533. ?Aephnidius sp.
Mexico records.--Yucatán: Cueva de Kaua and Cueva Sazich.
References.--499, 500.
534. Agonum (Platynus) umbripenne (Casey)
Agonum (Platynus) bilimeki Bolívar and Hendrichs
Mexico records.--Guerrero: Grutas de Acuitlapan, Grutas de Cacahuamilpa,
Cueva del Diablo, and Cueva Chica de la Gruta del Mogote; México:
Grutas de la Estrella.
References.--41, 49, 54, 79.
- 535.*Antroforceps bolivari Barr
Mexico records.--Tamaulipas: Sótano de la Joya de Salas.
References.--41, 44.
536. Ardistomis sp.
Mexico records.--San Luis Potosí: Caves (Xilitla).
References.--41, 547.
537. Clivina sp.
Mexico records.--Caves.
References.--41.
538. Colpodes sp.
Mexico records.--San Luis Potosí: Caves (Xilitla).
References.--41, 547.
539. Laemosthenes sp.
Lemostenus sp.
Mexico records.--Yucatán: Cueva de Kaua and Cueva Sazich.
References.--79, 299, 499, 500.
540. Mexaphaenops sp.
References.--43.
- 541.*Mexaphaenops elegans Barr
Mexaphaenops sp.
Trechini n.sp.
Mexico records.--Queretaro: Sótano de Tejamanil.
References.--41, 46, 547, 643.

- 542.*Mexaphaenops fishi Barr
Mexaphaenops sp.
 Mexico records.--San Luis Potosí: Cave (Valle de los Fantasmos).
 References.--41, 46.
- 543.*Mexaphaenops prietoi Bolívar
Mexicaphaenops prietoi Bolívar
 Mexico records.--Nuevo León: Grutas del Palmito.
 References.--3, 41, 44, 46, 54, 72, 73, 544.
544. Mexisphodrus spp.
 Mexico records.--Oaxaca: Sótano de San Agustín; Queretaro: Sótano de Camposantos and Cueva de las Tablas; San Luis Potosí: Cave (Valle de los Fantasmos).
 References.--41, 43.
- 545.*Mexisphodrus gertschi Hendrichs and Bolívar
 Mexico records.--Hidalgo: Cueva de El Ocote.
 References.--41, 54, 299.
- 546.*Mexisphodrus profundus Barr
Mexisphodrus sp.
 Mexico records.--Tamaulipas: Sinkhole (Rancho del Cielo) and Sótano de la Joya de Salas.
 References.--41, 42, 44, 537, 546.
547. Mexisphodrus tlamayaensis Barr
Mexisphodrus xilitloniscus Moller (nomen nudem)
 Mexico records.--San Luis Potosí: Sótano de Tlamaya.
 References.--41, 42, 48, 465, 547.
- 548.*Mexisphodrus veraecrucis Barr
 Mexico records.--Veracruz: Sótano del Profesor.
 References.--40, 41, 42, 44, 299.
549. Pachyteles urrutiai Bolívar
 Mexico records.--San Luis Potosí: Cueva de Los Sabinos and Sótano de la Tinaja.
 References.--41, 54, 76, 545.
- 550.*Paratrechus (Hygroduvalius) pallescens Barr
Trechini n.sp.
 Mexico records.--Queretaro: Sótano de Tejamanil.
 References.--41, 46, 547.
551. Pterostichus (Ithytolus) sp.
 Mexico records.--San Luis Potosí: Caves (Sierra del Abra).
 References.--41.
552. Rhadine sp.
 References.--43.

553. Rhadine araizai araizai (Bolívar)
Spelaeorhadine araizai Bolívar
Comstockia n.sp.
Rhadine sp.
Mexico records.--Nuevo León: Grutas del Palmito.
References.--3, 39, 41, 54, 72, 73, 78, 475, 533, 544, 643.
554. Rhadine boneti (Bolívar and Hendrichs)
Agonum (Rhadine) boneti Bolívar and Hendrichs
Rhadine n.sp.
Mexico records.--Nuevo León: Cueva de la Boca.
References.--3, 54, 78, 284, 544.
555. Rhadine medellini (Bolívar and Hendrichs)
Agonum (Rhadine) medellini Bolívar and Hendrichs
Mexico records.--San Luis Potosí: Cueva del Carnicero.
References.--41, 54, 78.
556. Rhadine pelaezi (Bolívar and Hendrichs)
Agonum (Rhadine) pelaezi Bolívar and Hendrichs
Rhadine n.sp.
Mexico records.--Nuevo León: Grutas de Villa de García.
References.--3, 54, 78, 284, 544.
557. Rhadine rotgeri (Bolívar and Hendrichs)
Agonum (Rhadine) rotgeri Bolívar and Hendrichs
Mexico records.--Coahuila: Gruta de Cuevacillas; San Luis Potosí:
Sumidero de Matehuala.
References.--41, 54, 78.
558. Selenophorus sp.
Mexico records.--Caves.
References.--41.
559. Tachys sp.
Mexico records.--San Luis Potosí: Caves (Xilitla).
References.--41, 547.
560. Tachys (Tachys) proximus Say
Mexico records.--Coahuila: Cueva de los Lagos.
References.--50, 539.
561. Tachys (Tachyura) unistriatus (Bilimek)
Bembidium unistriatum Bilimek
Tachys cacahuamilpensis Herrera
Mexico records.--Guerrero: Grutas de Cacahuamilpa; México: Grutas de
la Estrella.
References.--41, 68, 79, 302, 488, 702.
- Family Catopidae
562. Proptomaphagus sp.
Mexico records.--San Luis Potosí: Cave.
References.--505.

563. Ptomaphagus sp.
 Mexico records.--Nuevo Leon: Resumidero de Pablillo; San Luis Potosí:
 Sotano de Manuel; Yucatan: Cueva de Sabaca and Cueva Spukil.
 References.--410, 499, 500, 504, 545.
564. Ptomaphagus (Adelops) cavernicola Schwarz
 Mexico records.--Nuevo Leon: Grutas del Palmito.
 References.--503, 504, 544.
565. Ptomaphagus (Adelops) spelaeus (Bilimek)
Choleva spelaea Bilimek
Choleva cacahuamilpensis Herrera
Adelops spelaeus (Bilimek)
 Mexico records.--Guerrero: Grutas de Cacahuamilpa.
 References.--68, 70, 79, 302, 348, 475, 488, 504, 702.
- 566.*Ptomaphagus (Adelops) troglomexicanus Peck
 Mexico records.--Tamaulipas: Cueva de la Capilla.
 References.--504.
- Family Colydiidae
567. ?Nematidium sp.
 Mexico records.--Yucatan: Cueva Ziz.
 References.--499.
- Family Dermestidae
568. Dermestes carnivorus F.
 Mexico records.--San Luis Potosí: Ventana Jabali.
 References.--410.
- Family Dytiscidae
569. Cybister flavocinctus Aube
 Mexico records.--Yucatan: Cenote Dzadz, Cenote Grande de Xanaba,
 and Cenote Xtolok.
 References.--203, 500.
570. Hydaticus rimosus Aube
 Mexico records.--Yucatan: Cenote Xtolok.
 References.--203, 500.
571. Megadytes gigantea Laporte
 Mexico records.--Yucatan: Cenote Grande de Xanaba.
 References.--203, 500.
572. Megadytes laevigata (Olivier)
 Mexico records.--Yucatan: Cenote Scan Yui, Cenote Grande de Xanaba,
 and Cenote Xtolok.
 References.--203, 500.
573. Thermonectes sp.
 Mexico records.--Yucatan: Cenote de Sambulha (Motul).
 References.--499, 500.

574. Thermonectes circumscripta (Latreille)
Mexico records.--Yucatán: Cenote Grande de Xanaba.
References.--203.
- Family Elateridae
575. Unidentified genus and species
Mexico records.--Yucatán: Cueva del Camino de San Roque n. 2.
References.--499.
576. Orthosethus sp.
Mexico records.--Yucatán: Cueva Chac Mol and Cueva de Kaua.
References.--499, 500.
- Family Endomychidae
577. Rhymbus sp.
Mexico records.--Yucatán: Cueva de Sambulhá (Mérida).
References.--499, 500.
- Family Gyrinidae
578. Dineutes solitarius Aubé
Mexico records.--Yucatán: Cenote Xtolok.
References.--203, 500.
- Family Histeridae
579. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva de los Cuchos.
References.--86.
580. Gnathoncus sp.
Mexico records.--Yucatán: Cueva de Hochtún.
References.--499, 500.
581. Oxarthrius n.sp. nr. hematicallis Sharp
Mexico records.--Yucatán: Cueva de Hochtún.
References.--499, 500.
582. Phelister sp.
Mexico records.--Yucatán: Cueva de Hochtún.
References.--499, 500.
583. Platysoma sp.
Platosoma sp.
Mexico records.--Yucatán: Cueva del Cinco de Mayo.
References.--499, 500.
584. Plegaderus sp.
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--499, 500.
585. Saprinus spp.
Mexico records.--Yucatán: Cueva de Hochtun, Cueva de Sabacá, Cueva de Sambulhá (Motul), and Cueva Xconsacab.
References.--499, 500.

Family Hydrophilidae

586. Enochrus (Lumetus) sp. nr. aequalis Sharp
Mexico records.--Yucatán: Cenote Xlaka.
References.--203.
587. Helochares (Hydrobaticus) bipunctata Sharp
Mexico records.--Yucatán: Cenote Santa Ana.
References.--203, 500.
588. Tropisternus apicipalpis Chevrolat
Mexico records.--Yucatán: Cueva Yunchen.
References.--499.
589. Tropisternus (Cyphostethus) chalybeus Laporte
Mexico records.--Yucatán: Cenote Grande de Xanabá.
References.--203.

Family Melyridae

590. Unidentified genus and species
Mexico records.--Yucatán: Cenote Xtolok.
References.--499.

Family Platypodidae

591. Platypus rugulosus Chapuis
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--499, 500, 643.

Family Pselaphidae

592. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva del Aire.
References.--86.

Family Ptinidae

593. Niptus absconditus Spilman
Mexico records.--Hidalgo: Grutas de Xoxafi.
References.--609.

Family Scarabaeidae

594. Unidentified genus and species
Mexico records.--Yucatán: Cueva del Camino de San Roque n. 2.
References.--499.
595. Coelosis biloba L.
Mexico records.--Yucatán: Cueva Muruztún.
References.--499, 500.
596. Cotinis viridicyanea Perbosc.
Mexico records.--Yucatán: Cueva Xkyc.
References.--499, 500.
597. Onthophagus sp.
Onthophagini gen. et sp.
Mexico records.--San Luis Potosí: Cueva de los Cuchos.
References.--86, 330.

598. Onthophagus vespertilio Howden, Cartwright, and Halffter
Mexico records.--Guerrero: Grutas de Acuitlapán.
References.--330.

Family Scydmaenidae

599. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva de los Cuchos and Cueva del Jobo.
References.--86, 499, 500.

Family Silvanidae

600. Cathartus quadricollis Guer.
Mexico records.--Yucatán: Cueva Chac Mol.
References.--499, 500.

Family Staphylinidae

601. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva de la Hoya and Cueva del Jobo.
References.--86.

602. Belonuchus sp. nr. moquinus Casey
Mexico records.--Nuevo León: Grutas del Palmito; Tamaulipas: Crystal Cave; Yucatán: Cueva del Cinco de Mayo and Cueva de Sabacá.
References.--499, 500, 537, 544, 546.

603. Biocrypta magnolia Blatchley
Mexico records.--San Luis Potosí: Sótano del Arroyo.
References.--539.

604. Ischnopoda (Atheta) sp.
Atheta sp.
Mexico records.--Yucatán: Cueva del Cinco de Mayo.
References.--499, 500.

- 605.*Stenopholea reddelli Herman
Mexico records.--Tamaulipas: Mine Cave.
References.--300.

606. Stilicolina condei Jarrige
Mexico records.--Nuevo León: Cueva de la Boca; San Luis Potosí: Cave (San Francisco), Sótano del Arroyo, Cueva del Desierto, Sótano del Tigre, Sótano de la Tinaja, and Sótano de Tlamaya; Tamaulipas: Cave (Rancho del Cielo), Bee Cave, Cueva Abaja de Carreterra, and Sótano de las Piñas.
References.--50, 301, 539, 545, 547.

Family Tenebrionidae

607. Unidentified genus and species
Mexico records.--Querétaro: Cueva del Madroño.
References.--86.

608. Anaedus sp.
Mexico records.--Yucatán: Cueva Spukil.
References.--499, 500.

609. Blapstinus sp.
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--499, 500.
610. Cryptoglossa mexicana mexicana Champ.
Mexico records.--Chihuahua: Caves; Coahuila: Caves; Durango: Caves;
Nuevo León: Caves.
References.--552.
611. Eleodes hispilabris (Say)
Mexico records.--Coahuila: Cueva de los Lagos.
References.--539.
612. Liodema sp. nr. kirschi Bates
Mexico records.--San Luis Potosí: Ventana Jabalí; Tamaulipas: Cueva
del Abra.
References.--410, 532.
613. Rhinandrus ?elongatus Horn
Mexico records.--Yucatán: Cueva Ebizt, Cueva de Kaua, Cueva del
Camino de San Roque n. 1, Cueva del Camino de San Roque n. 2,
Cueva Xkyc, and Cueva Ziz.
References.--499, 500.
614. Zophobas atratus (Fabricius)
Mexico records.--San Luis Potosí: Ventana Jabalí.
References.--410, 545.

Order Lepidoptera

Family Phalaenidae

615. Unidentified genus and species
Mexico records.--San Luis Potosí: Cueva de la Hoya; Yucatán: Cueva
de Balaam Canché, Cueva Ebizt, and Cueva Oxolodt.
References.--86, 499, 500.
616. Latebraria amphipyroides Guen.
Mexico records.--San Luis Potosí: Cueva de los Cuchos, Cueva de la
Laja, and Cueva de Potrerillos; Yucatán: Cueva Chakxix, Cueva del
Cinco de Mayo, Cueva Góngora, Cueva Puz, Cueva Sazich, Cueva
Xconsacab, and Cueva Ziz.
References.--86, 499, 500.

Family Tineidae

617. Unidentified genus and species
Mexico records.--Yucatán: Cueva de Balaam Canché, Cueva de Hochtún,
Cueva Luchil, Cueva Oxolodt, and Cueva Spukil.
References.--499, 500.
618. Ornix impressipenella Bilimek
Ornix cacahuamilpensis Herrera
Mexico records.--Guerrero: Grutas de Cacahuamilpa.
References.--68, 302, 488, 702.

619. Tinea sp.
 Mexico records.--Yucatan: Cueva de Kaua.
 References.--499, 500.

Order Diptera

Family undetermined

620. Unidentified genus and species
 Mexico records.--San Luis Potosí: Cueva del Jobo.
 References.--86.

Suborder Nematocera - Family undetermined

621. Unidentified genus and species
 Mexico records.--San Luis Potosí: Cueva del Salitre.
 References.--86.

Family Agriomyzidae

622. Unidentified genus and species
 Mexico records.--Yucatan: Cueva Xkyc.
 References.--499.

Family Ceratopogonidae

623. Dasyhelea sp.
 Mexico records.--Yucatan: Cueva Gongora.
 References.--499, 500.

624. Forcipomyia sp.
 Mexico records.--Yucatan: Cueva Chac Mol.
 References.--499, 500.

Family Chironomidae

625. Unidentified genus and species
 Mexico records.--Yucatan: Cueva de Balaam Canché.
 References.--499.

626. Chironomus sp.
 Mexico records.--Yucatan: Cueva Ziz.
 References.--499.

627. Chironomus viridicollis Van der Wolp
 Mexico records.--Yucatan: Cenote Chapultapec, Cenote Niagra, and
 Cenote Yuncu.
 References.--494.

628. Chironomus ?viridis Macquart
 Mexico records.--Yucatan: Cenote de Escuela Carlos Morales.
 References.--494.

629. Pseudochironomus sp.
 Mexico records.--Yucatan: Cueva Sazich.
 References.--499.

630. Tanypus sp.
Mexico records.--Yucatan: Cenote del Country Club and Cenote Mukuyche.
References.--494.
631. Tendipes fulvipilus Rempel
Mexico records.--Tabasco: Cave (Arroyo del Solpho).
References.--273.
- Family Chloropidae
632. Hippelates ?pusio Lw.
Mexico records.--Yucatan: Cueva Chac Mol and Cueva Yunchen.
References.--499, 500.
633. Oscinella sp.
Mexico records.--Yucatan: Cueva Chakxix.
References.--499, 500.
- Family Culicidae
634. Aedes sp.
Mexico records.--Yucatan: Cueva de Kaua, Cueva de Loltun, Cueva Sazich, Cenote Xtolok, and Cueva Yunchen.
References.--499.
635. Aedes angustivittatus D. and K.
Mexico records.--Yucatan: Cenote Chotch, Cenote Ciruak, and Cueva Sazich.
References.--499, 500.
636. Aedes euplocamus Dyar
Mexico records.--Yucatan: Cueva Sazich.
References.--499, 500.
637. Aedes taeniorhynchus (Wd.)
Mexico records.--Yucatan: Cueva de Balaam Canche, Cenote Halal, Cueva de Kaua, Cueva de Loltun, Cueva Luchil, Cueva Muruztun, Cueva Puz, Cueva de Santa Elena, Cueva Sazich, Cueva Xconsacab, Cenote Xtolok, and Cueva Yunchen.
References.--495, 496, 499, 500.
638. Culex sp.
Mexico records.--Yucatan: Cueva de Loltun.
References.--499.
639. Haemagogus sp.
Mexico records.--Yucatan: Cueva de Balaam Canche.
References.--499.
640. Isostomyia sp.
Mexico records.--Yucatan: Cenote Xtolok.
References.--499, 500.

641. Mochlonyx sp.Mexico records.--Yucatan: Cueva Santa Elena.

References.--495, 500.

642. Psorophora sp.Mexico records.--Yucatan: Cueva Chac Mol and Cenote Xtolok.

References.--499.

Family Drosophilidae

643. Drosophila sp.Mexico records.--Yucatan: Cueva de Hoctun, Cueva Luchil, Cueva Sazich,
and Cueva Xconsacab.

References.--499, 500.

644. Drosophila repleta Woll.Mexico records.--Yucatan: Cueva Xconsacab.

References.--499, 500.

Family Empididae

645. Drapetis sp.Mexico records.--Yucatan: Cueva Chac Mol.

References.--499, 500.

Family Lonchaeidae

646. Carpolonchaea pendula Bez.Mexico records.--Yucatan: Cenote Xtolok.

References.--499, 500.

Family Metopiidae

647. Unidentified genus and species

Mexico records.--Yucatan: Cueva del Cinco de Mayo, Cueva Sazich, and
Cenote Xtolok.

References.--499, 500.

648. Lucilia serricata Mg.Mexico records.--Yucatan: Cueva de Balaam Canché.

References.--499, 500.

Family Muscidae

649. Unidentified genus and species

Mexico records.--Yucatan: Cueva de Balaam Canché.

References.--499.

650. Coenosia sp.Mexico records.--Yucatan: Cueva del Camino de San Roque n. 2.

References.--499, 500.

651. Synthesiomyia nudiseta Van der WolpMexico records.--Yucatan: Cueva de Balaam Canché.

References.--499, 500.

Family Ochthiphilidae

652. Leucopsis sp. nr. simplexMexico records.--Yucatan: Cueva Ebizt and Cueva de Hochtun.

References.--499, 500.

Family Phoridae

653. Unidentified genus and species

Mexico records.--Yucatan: Cueva de Balaam Canche, Cueva Luchil,
and Cueva Oxolodt.

References.--499, 500.

654. Megaselia sp.Mexico records.--Yucatan: Cueva Gongora, Cueva Oxolodt, Cueva de
Sabaca, and Cueva Spukil.

References.--499, 500.

655. Megaselia scalaris Lw.Mexico records.--Yucatan: Cueva de Balaam Canche, Cueva Gongora,
Cueva Oxolodt, and Cueva del Camino de San Roque n. 2.

References.--499, 500.

Family Phyllomyzidae

656. Desmometopa sp.Mexico records.--Yucatan: Cueva de Balaam Canche and Cueva Oxolodt.

References.--499, 500.

657. Milichia sp.Mexico records.--Yucatan: Cueva de Balaam Canche, Cueva Gongora,
Cueva de Hochtun, Cueva de Loltun, Cueva Luchil, Cueva Muruztun,
and Cueva Spukil.

References.--499, 500.

658. Pholeomyia dampfi SabroskyMexico records.--Tabasco: Cave (Teapa).

References.--584.

659. Pholeomyia indecora LoweMexico records.--San Luis Potosí: Cueva Chica.

References.--98.

660. Pholeomyia leucozona BilimekPholeomyia cacahuamilpensis HerreraMexico records.--Guerrero: Grutas de Cacahuamilpa.

References.--68, 302, 487, 488, 584, 702.

Family Psychodidae

661. Unidentified genus and species

Mexico records.--Queretaro: Cueva del Madroño.

References.--86.

662. Nemopalpus sp.Mexico records.--Yucatan: Cueva del Camino de San Roque n. 2.

References.--499, 500.

663. Psychoda sp.
Mexico records.--San Luis Potosí: Cueva Chica.
References.--98.
664. Telmatoscopus albipunctatus (Will.)
Mexico records.--Tabasco: Cueva de Teapa.
References.--583.
- Family Sciaridae
665. Sciara sp.
Mexico records.--Yucatán: Cueva de Sabaca, Cueva de Sambulhá (Motul),
and Cueva Spukil.
References.--499, 500.
- Family Sphaeroceridae
666. Leptocera sp.
Mexico records.--Yucatan: Cueva Chac Mol.
References.--499, 500.
- Family Stratiomyidae
667. Cyphomyia sp.
Mexico records.--Yucatan: Cueva Góngora, Cueva Luchil, and Cueva de
Sambulhá (Motul).
References.--499, 500.
668. Hermetia sp.
Mexico records.--Yucatán: Cueva del Camino de San Roque n. 2.
References.--499, 500.
- Family Streblidae
669. Aspidoptera clovisi Pessoa and Guimaraes
Mexico records.--Mexico: Grutas de la Estrella.
References.--315.
670. Euctenodes mirabilis Waterhouse
Mexico records.--Guerrero: Grutas de Acuitlapan; San Luis Potosí:
Cueva del Aire, Cueva de Huichihuayan, and Cueva de Potrerillos;
Yucatan: Cueva Jih, Cueva Oxolodt, Cueva Xconsacab, Cueva de
Xmahit, and Cenote Xtolok.
References.--86, 295, 315, 499, 500.
671. Euctenodes tonatiae Kessel
Mexico records.--Yucatán: Cueva Xconsacab and Cenote Xtolok.
References.--499, 500.
672. Megistopoda araneae (Coq.)
Pterellipsis araneae Coq.
Mexico records.--San Luis Potosí: Cueva de Los Sabinos; Yucatán:
Cueva Chakxix, Cueva del Cinco de Mayo, Cueva Ebizt, and Cueva Puz.
References.--315, 499, 500, 688.

673. Metelasmus pseudopterus Coquillett
Mexico records.--San Luis Potosí: Cueva de Los Sabinos.
References.--315.
674. Nycterophilia coxata Ferris
Mexico records.--Baja California: Cuevas de Santiago; Chiapas: Cueva de la Chepa; Colima: Cuevas de la Finca; Guerrero: Grutas de Cacahuamilpa and Gruta de Calicanto; Tamaulipas: Cueva de los Cuarteles; Yucatan: Cueva de Balaam Canché.
References.--315, 400, 500.
675. Speiseria ambigua Kessel
Mexico records.--Tamaulipas: Cueva de los Cuarteles.
References.--315.
676. Strebla vespertilionis (Fabricius)
Mexico records.--México: Grutas de la Estrella.
References.- 315.
677. Trichobius sp. nr. dugesii Townsend
Trichobius blandus Curran
Mexico records.--San Luis Potosí: Cueva del Jobo.
References.--86, 315.
678. Trichobius adamsi Augustson
Mexico records.--Baja California: Cuevas de Santiago; Colima: Cuevas de la Finca; Guerrero: Grutas de Cacahuamilpa and Gruta de Calicanto.
References.--315.
679. Trichobius caecus Edw.
Mexico records.--Guerrero: Grutas de Cacahuamilpa; San Luis Potosí: Cueva Grande; Tamaulipas: Cueva de los Cuarteles and Cueva de El Pachón; Yucatan: Cueva de Balaam Canché and Cueva de Hochtún.
References.--315, 499, 500.
680. Trichobius dugesii Townsend
Mexico records.--San Luis Potosí: Cueva de Los Sabinos; Yucatan: Cave (Yocat), Cueva del Cinco de Mayo, Cueva Ebizt, Cueva de Hochtún, Cueva Puz, Cueva Spukil, and Cueva de Xmahit.
References.--295, 315, 499, 500, 688.
681. Trichobius hirsutululus Bequaert
Mexico records.--Yucatan: Cueva Lara.
References.--295.
682. Trichobius major Coquillett
Mexico records.--Nuevo León: Cueva del Carrizal.
References.--315.
683. Trichobius mixtus Curran
Mexico records.--San Luis Potosí: Cueva de Potrerillos.
References.--86.

684. Trichobius parasiticus Gervais
 Mexico records.--Guerrero: Grutas de Acuitlapán and Cueva del Borrego;
San Luis Potosí: Cueva del Aire, Cueva de la Barranca, Cueva de
 Huichihuayan, and Cueva de Los Sabinos; Tabasco: Cueva de Teapa;
Yucatán: Cueva Jih, Cueva de Sambulhá (Motul), and Cenote Xtolok.
 References.--52, 86, 295, 315, 499, 500, 583.

685. Trichobius sphaeronotus Jobling
 Mexico records.--Baja California: Cuevas de Santiago; Chiapas: Cueva
 de la Chepa; Nuevo León: Cueva de la Boca; Sonora: Cueva del Tigre.
 References.--315, 577.

Family Tabanidae

686. Tabanus haemagogus Will.
 Mexico records.--Yucatán: Cueva Chac Mol.
 References.--499, 500.

Family Tachinidae

687. Archytas sp.
 Mexico records.--Yucatán: Cueva del Camino de San Roque n. 2.
 References.--499.

688. Exorista sp.
 Mexico records.--Yucatán: Cueva de Balaam Canche.
 References.--499.

Family Therevidae

689. Psilocephala sp.
 Mexico records.--Yucatán: Cueva Chac Mol, Cueva del Cinco de Mayo,
 Cueva Góngora, Cueva de Kaua, Cueva de Loltun, Cueva Puz, Cueva de
 Sambulhá (Motul), Cueva del Camino de San Roque n. 2, Cueva Sazich,
 and Cueva Xkyc.
 References.--428, 499, 500.

Order Siphonaptera

Family Hystrichopsyllidae

690. Anomiopsyllus traubi Barrera
 Mexico records.--Hidalgo: Cueva de Belen.
 References.--51.

Family Pulicidae

691. Xenopsylla cheopis (Rothschild)
 Mexico records.--Yucatán: Cueva de Balaam Canché.
 References.--498, 499, 500.

Order Hymenoptera

Family Bethylidae

692. Apanesia n.sp.
Cleistepyris n.sp.
 Mexico records.--Yucatán: Cueva de Kaua.
 References.--499, 500.

Family Braconidae

693. Apanteles sp.Mexico records.--Yucatán: Cueva de Sambulha (Motul).

References.--499, 500.

Family Chalcididae

694. Brachymeria sp.Mexico records.--Yucatán: Cueva Puz.

References.--499, 500.

695. Stomatoceras n.sp.Mexico records.--Yucatán: Cueva San Isidro.

References.--499, 500.

Family Figitidae

696. Eucolia sp.Mexico records.--Yucatán: Cueva del Cinco de Mayo.

References.--499.

Family Formicidae

697. Unidentified genus and species

Mexico records.--San Luis Potosí: Cueva del Ahuate n. 2 and Cueva del Jobo.

References.--86.

698. Acromyrmex octospinosus ekchuah WheelerAcromyrmex octospinosus echinator ForelMexico records.--Yucatán: Cueva Góngora, Cueva Luchil, Cueva Puz, Cueva de Sambulha (Mérida), Cueva Xkyc, and Cueva Ziz.

References.--500, 689, 690.

699. Atta cephalotes opaca ForelMexico records.--Yucatán: Cueva Muruztun.

References.--500, 690.

700. Brachymyrmex cavernicola WheelerMexico records.--Yucatán: Cueva de Balaam Canche.

References.--500, 690, 698.

701. Dolichoderus (Monacis) bispinosus (Olivier)Mexico records.--Yucatán: Cueva Xconsacab.

References.--500, 690.

702. Erebomyrma urichi (Wheeler)Spelaeomyrma urichi WheelerMexico records.--Yucatán: Cueva de Sambulha (Motul).

References.--500, 690.

703. Euponera sp.Mexico records.--San Luis Potosí: Ventana Jabalí.

References.--410.

704. Forelius maccooki Forel
Mexico records.--Yucatan: Cueva San Isidro.
References.--500, 690.
705. Neoponera latreillei Forel
Mexico records.--Yucatan: Cueva del Cinco de Mayo, Cueva Puz, and Cueva del Camino de San Roque n. 2.
References.--500, 690.
706. Neoponera villosa inversa F. Smith
Mexico records.--Yucatan: Cueva del Cinco de Mayo.
References.--500, 690.
707. Odontomachus haematoda (L.)
Mexico records.--Yucatan: Cueva del Camino de San Roque n. 2.
References.--690.
708. Pachycondyla harpax montezumia F. Smith
Mexico records.--San Luis Potosí: Cueva Chica; Tamaulipas: Caves;
Yucatan: Cueva Góngora.
References.--410, 500, 552, 690.
709. Paratrechina (Nylanderia) pearsei (Wheeler)
Nylanderia pearsei Wheeler
Mexico records.--Yucatan: Cueva de Balaam Canche, Cueva Chac Mol, and Cueva Muruztun.
References.--500, 690, 698.
710. Pheidole sp.
Mexico records.--San Luis Potosí: Cueva Grande.
References.--410.
711. Pheidole sp. (flavens group)
Mexico records.--Yucatan: Cueva de Sambulhá (Mérida).
References.--500, 690.
712. Pheidole punctatissima Mayr
Mexico records.--Yucatan: Cueva de Sambulhá (Motul) and Cueva Spukil.
References.--500, 690.
713. Ponera ergatandria Forel
Mexico records.--Yucatan: Cueva de Sambulhá (Motul).
References.--500, 690.
714. Ponera opaciceps Mayr
Mexico records.--Yucatan: Cueva de Sambulhá (Motul) and Cueva San Isidro.
References.--500, 690.
715. Solenopsis geminata (Fabr.)
Mexico records.--Yucatan: Cueva Góngora, Cueva Puz, and Cueva San Isidro.
References.--500, 690.

Family Halictidae

716. Pseudaugochloropsis sordiscutis (Vachal)
Mexico records.--Yucatán: Cueva Sazich.
References.--499, 500.

Family Pompilidae

717. Psammocharinae gen. et sp.
Mexico records.--Yucatán: Cueva Puz.
References.--499.

Family Sphecidae

718. Chorion (Ammobia) caliginosum (Erichson)
Mexico records.--Yucatán: Cueva del Cinco de Mayo.
References.--499, 500.

719. Crabro sp.
Mexico records.--Yucatán: Cueva de Sambulhá (Mérida).
References.--499, 500.

720. Notogonidea sp.
Mexico records.--Yucatán: Cueva de Loltún.
References.--499, 500.

721. Podium brevicolle Kohl
Mexico records.--Yucatán: Cueva de Sambulhá (Mérida).
References.--499, 500.

PHYLUM MOLLUSCA
CLASS GASTROPODA
Order Neritoidea

Family Helicinidae

722. Helicina (Succincta) arenicola Morelet
Oligyra (Succincta) arenicola (Morelet)
Mexico records.--Yucatán: Cueva de Balaam Canché, Cenote Chotch,
Cueva Ebizt, Cueva Góngora, and Cueva Santa Elena.
References.--62, 63.

Order Mesogastropoda

Family Ampullariidae

723. Pomacea yucatanensis (Crosse and Fischer)
Ampullaria yucatanensis Crosse and Fischer
Mexico records.--Yucatán: Cenote de Kaua and Cenote Xtolok.
References.--25, 61.

Family Hydrobiidae

- 724.*Coahuilix hubbsi Taylor
Mexico records.--Coahuila: Pozos de la Becerra.
References.--623.

725. Potamopyrgus coronatus (Pfeiffer)

Mexico records.--Yucatán: Cueva Gongora, Cueva Luchil, Cenote Santa Ana, and Cenote Uki.

References.--62, 63, 496.

Family Neocyclotidae

726. Dicrista liobasis Thompson

Mexico records.--Jalisco: Sink (Pihuamo).

References.--638.

727. Neocyclotus dysoni berendti (Pfeiffer)

Potera (Neocyclotus) berendti (Pfeiffer)

Mexico records.--Yucatán: Cueva Ebizt, Cueva de Kaua, Cueva Lara, Cueva de Loltún, Cenote Scan Yui, and Cenote Xtolok.

References.--62, 63, 296, 500.

Family Pomatiasidae

728. Annularia (Choanopomops) cozumelensis (Richards)

Mexico records.--Quintana Roo: Sink (Isla de Cozumel).

References.- 554.

729. Annularia (Choanopomops) gaigei (Bequaert and Clench)

Choanopoma gaigei Bequaert and Clench

Mexico records.--Yucatán: Cenote Ixil and Cenote Scan Yui.

References.--62, 500.

730. Annularia (Choanopomops) largillierti (Pfeiffer)

Choanopoma largillierti (Pfeiffer)

Chondropoma largillierti (Pfeiffer)

Mexico records.--Yucatán: Cueva de Balaam Canché, Cueva Ebizt, Cueva Gongora, Cueva Has, Cueva de Kaua, Cueva Lara, Cueva de Loltún, Cueva Puz, Cueva del Camino de San Roque n. 2, Cueva Santa Elena, Cenote Scan Yui, Cenote de Thompson, Cenote Uki, Cenote Xal, and Cenote Xtolok.

References.--62, 63, 296.

Family Potamididae

731. Cerithidea costata (da Costa)

Mexico records.--Yucatán: Cenote (Talcha).

References.--63.

Family Thiaridae

732. Pachychilus corpulentus Thompson

Mexico records.--Tamaulipas: Cueva del Nacimiento del Río Mante.

References.--637.

Order Basommatophora

Family Ancyliidae

733. Laevapex excentricus (Morelet)

Ancylus excentricus Morelet

Mexico records.--Yucatán: Cenote Chotch, Cenote Grande de Xanabá, and Cenote Xtolok.

References.--25, 62, 500.

Family Physidae

734. Stenophysa spiculata abbreviata (Fischer and Crosse)
Aplexa spiculata abbreviata (Fischer and Crosse)
 Mexico records.--Yucatán: Cueva de Balaam Canché.
 References.--63, 500.
735. Stenophysa spiculata gracilis (Fischer and Crosse)
Aplexa spiculata gracilis (Fischer and Crosse)
 Mexico records.--Yucatán: Cenote Xtolok.
 References.--62, 500.

Family Planorbidae

736. Drepanotrema (Fossulorbis) kermatoides (d'Orbigny)
Planorbis (Spiralina) cultratus d'Orbigny
 Mexico records.--Yucatán: Cenote Grande de Xanaba.
 References.--62.
737. Planorbis caribaeus d'Orbigny
 Mexico records.--Yucatán: Cenote Xtolok.
 References.--25.
738. Planorbis (Tropicorbis) maya Morelet
 Mexico records.--Yucatán: Cueva Has.
 References.--61, 296.

Order Geophila

Family Achatinidae

739. Lamellaxis (Allopeas) gracilis (Hutton)
Opeas gracile (Hutton)
 Mexico records.--Yucatán: Cueva de Sambulhá (Mérida).
 References.--63.
740. Lamellaxis (Lamellaxis) martensi Pfeiffer
Leptinaria martensi (Pfeiffer)
 Mexico records.--Yucatán: Cueva de Balaam Canché.
 References.--62, 63.
741. Lamellaxis (Lamellaxis) micra (d'Orbigny)
Opeas micra (d'Orbigny)
 Mexico records.--Yucatán: Cueva de Balaam Canché, Cueva Góngora,
 Cueva de Hochtún, Cueva de Kaua, Cueva Muruztún, Cueva San Isidro,
 Cueva Xkyc, and Cueva Ziz.
 References.--63.
742. Opeas yucatanense Pilsbry
 Mexico records.--Yucatán: Cueva de Balaam Canché and Cueva Chac Mol.
 References.--63.
743. Subulina octona (Bruguière)
 Mexico records.--Yucatán: Cenote del Country Club.
 References.--62.

Family Bulimulidae

744. Bulimulus dealbatus schiedeanus (Pfeiffer)
Mexico records.--Coahuila: Frightful Cave.
References.--218.
745. Bulimulus unicolor (Sowerby)
Mexico records.--Yucatán: Cueva de Balaam Canche, Cueva Ebizt, and
Cueva de Loltun.
References.--62, 63.
746. Drymaeus cozumelensis Richards
Mexico records.--Quintana Roo: Sink (Isla de Cozumel).
References.--554.
747. Drymaeus serperastrus (Say)
Mexico records.--Yucatan: Cueva Ebizt and Cenote Scan Yui.
References.--62, 63.
748. Drymaeus shattucki Bequaert and Clench
Mexico records.--Yucatán: Cueva de Loltun and Cenote Xtolok.
References.--62, 63.
749. Drymaeus tropicalis (Morelet)
Mexico records.--Yucatan: Cueva Ebizt.
References.--63.
750. Orthalicus princeps (Sowerby)
Oxystyla princeps (Sowerby)
Mexico records.--Yucatán: Cueva Has, Cenote Ixil, and Cueva de Kaua.
References.--62, 63, 296.

Family Polygyridae

751. Praticolella griseola (Pfeiffer)
Mexico records.--Quintana Roo: Sink (Isla de Cozumel).
References.--554.

Family Spiraxidae

752. Euglandina cylindracea (Phillips)
Mexico records.--Yucatán: Cueva Ebizt, Cueva Has, Cueva Lara, Cueva de
Loltun, Cueva de Sambulhá (Motul), Cenote Scan Yui, and Cenote Xtolok.
References.--62, 63, 296.
753. Orizosoma tabiense (Pilsbry)
Streptostyla (Orizosoma) tabiense Pilsbry
Mexico records.--Yucatán: Cave (Tabí).
References.--61, 517.
754. Spiraxis cacahuamilpensis Herrera
Mexico records.--Guerrero: Grutas de Cacahuamilpa.
References.--302, 702.

755. Streptostyla meridana (Morelet)
Mexico records.--Yucatán: Cueva de Balaam Canché, Cenote Scan Yui,
and Cenote Uki.
References.--62, 63.
756. Streptostyla ventricosula (Morelet)
Mexico records.--Yucatan: Cueva Gongora, Cueva de Kaua, Cueva de
Loltún, and Cueva Xkyc.
References.--63.
- Family Urocoptidae
757. Brachypodella speluncae (Pfeiffer)
Cylindrella speluncae Pfeiffer
Mexico records.--Yucatán: Cave (Tabí), Cueva de Balaam Canche,
Cenote Chotch, Cueva Ebizt, Cenote Ixil, Cueva de Loltún, and
Cueva del Camino de San Roque n. 2.
References.--61, 62, 63.
758. Coelostemma marrsi Drake
Mexico records.--Chihuahua: Cueva del Diablo.
References.--219.
759. Holospira sp.
Mexico records.--Coahuila: Frightful Cave.
References.--218.
760. Microceramus concisus (Morelet)
Mexico records.--Yucatan: Cenote Ixil, Cueva Lara, and Cueva de Loltún.
References.--62, 63, 296.
- Family Vertiginidae
761. Bothriopupa variolosa (Gould)
Mexico records.--Yucatán: Cenote Chotch.
References.--62.
762. Pupisoma dioscoricola insigne Pilsbry
Pupisoma dioscoricola (C.B. Adams)
Mexico records.--Yucatán: Cenote Santa Ana.
References.--62.
- Family Xanthonychidae
763. Averellia (Trichodiscina) coactiliata (Deshayes)
Mexico records.--Yucatán: Cenote Xtolok.
References.--62.
764. Humboldtiana montezuma Pilsbry
Mexico records.--Coahuila: Frightful Cave.
References.--218.
765. Humboldtiana taylori Drake
Mexico records.--Coahuila: Spring Cave.
References.--218.

Family Zonitidae

766. Hawaiia minuscula (Binney)
 Mexico records.--Yucatan: Cueva Sazich.
 References.--63, 500.

PHYLUM CHORDATA
 CLASS TELEOSTOMI
 Order Cypriniformes

Family Characidae

- 767.*Astyanax sp.
Anoptichthys sp.
 Mexico records.--San Luis Potosí: Sotano de Pichijumo and Sotano del Tigre; Tamaulipas: Bee Cave.
 References.--1, 47, 66, 105, 111, 119, 191, 225, 229, 306, 307, 378, 454, 458, 464, 467, 486, 504, 509, 521, 522, 545, 546, 616, 632, 647, 684, 692.
- 768.*Astyanax antrobius (Alvarez)
Anoptichthys antrobius Alvarez
 Mexico records.--Tamaulipas: Cueva de El Pachón.
 References.--11, 12, 13, 38, 47, 87, 88, 94, 106, 111, 119, 122, 214, 230, 308, 351, 373, 374, 375, 376, 377, 418, 458, 459, 462, 475, 508, 511, 512, 513, 532, 545, 582, 585, 587, 588, 589, 592, 628, 629, 631, 634, 635, 636, 643, 648, 692, 693, 694, 695.
769. Astyanax fasciatus altior Hubbs
 Mexico records.--Yucatan: Cenote Chapultepec and Cenote Xlaka.
 References.--13, 215, 334.
- 770.*Astyanax hubbsi (Alvarez)
Anoptichthys hubbsi Alvarez
Astyanax (Anoptichthys) jordani hubbsi (Alvarez)
Anoptichthys sp.
 Mexico records.--San Luis Potosí: Sótano del Arroyo, Cueva de Los Sabinos, and Sótano de la Tinaja.
 References.--2, 11, 12, 13, 14, 38, 47, 74, 75, 76, 87, 88, 94, 100, 102, 105, 111, 118, 119, 122, 136, 214, 216, 274, 305, 308, 337, 338, 349, 351, 373, 374, 375, 377, 411, 458, 462, 475, 484, 485, 508, 513, 519, 526, 527, 528, 529, 545, 585, 587, 589, 592, 628, 629, 631, 634, 636, 643, 692, 693, 694, 695.
- 771.*Astyanax jordani (Hubbs and Innes)
Anoptichthys jordani Hubbs and Innes
Astyanax (Anoptichthys) jordani jordani (Hubbs and Innes)
Astyanax mexicanus (Philippi)
 Mexico records.--San Luis Potosí: Cueva Chica.
 References.--2, 4, 8, 11, 12, 13, 14, 22, 36, 38, 45, 47, 58, 64, 65, 67, 87, 89, 94, 98, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 112, 113, 117, 118, 119, 120, 123, 136, 168, 214, 215, 216, 231, 232, 233, 234, 269, 273, 274, 275, 276, 277, 279, 282, 283, 305, 308, 335, 336, 337, 338, 343, 346, 349, 351, 357, 358, 361, 362, 363,

371, 372, 373, 374, 375, 376, 377, 379, 380, 381, 382, 395, 396,
 397, 398, 399, 400, 401, 402, 403, 404, 410, 415, 416, 429, 430,
 431, 432, 433, 434, 435, 438, 458, 462, 467, 475, 476, 484, 485,
 492, 506, 508, 511, 513, 514, 519, 526, 527, 528, 529, 530, 531,
 535, 545, 553, 570, 582, 585, 586, 587, 589, 592, 593, 611, 612,
 613, 614, 617, 628, 629, 630, 631, 633, 634, 636, 643, 680, 683,
 692, 693, 694.

772. Astyanax mexicanus (Phillipi)

Astyanax sp.

Mexico records.--San Luis Potosí: Well near Cueva Chica.

References.--98.

Family Ictaluridae

773.*Prietella phreatophila Carranza

Mexico records.--Coahuila: Pozo "El Potrero".

References.--77, 139, 173, 341, 475, 622, 625, 643.

Family Pimelodidae

774. Rhamdia guatemalensis Günther

Rhamdia sp.

Mexico records.--Yucatán: Caves.

References.--5, 140, 381, 382, 683, 709.

775. Rhamdia guatemalensis decolor Hubbs

Rhamdia guatemalensis Günther

Mexico records.--Yucatán: Cenote Geiser, Cueva de Kaua, Cueva Oxolodt, Cueva de Sambulhá (Mérida), Cueva de Sambulhá (Motul), Cenote Scan Yui, and Cenote Uki.

References.--166, 214, 215, 334, 335, 414, 440, 468, 469, 475, 495, 500, 501, 620, 629, 643.

776. Rhamdia guatemalensis depressa Barbour and Cole

Rhamdia depressa Barbour and Cole

Rhamdia guatemalensis Günther

Rhamdia sp.

Mexico records.--Yucatán: Cenote Chiuok, Cenote Chotch, Cenote Ciruak, Cenote Halal, Cenote Hotún, Cenote Huntún, Cenote Ixil, Cueva Luchil, Cenote Mukuyche, Cenote Pisté, Cenote Santa Ana, Cenote Scan Yui, Cenote Sisal, Cenote Sodzil, Cenote Tikimul, Cenote Chica de Xanabá, Cenote Grande de Xanabá, and Cenote Yuncu.

References.--37, 60, 214, 215, 334, 335, 414, 468, 495, 496, 500, 629, 697.

777. Rhamdia guatemalensis sacrificii Barbour and Cole

Rhamdia sacrificii Barbour and Cole

Rhamdia guatemalensis subsp.

Mexico records.--Yucatán: Cenote Segrada and Cenote Xtolok.

References.--37, 60, 214, 215, 334, 335, 495, 496, 500, 629.

778. Rhamdia guatemalensis stygaea Hubbs
Rhamdia guatemalensis decolor Hubbs
 Mexico records.--Yucatán: Cueva Luchil and Cueva San Isidro.
 References.--166, 214, 215, 334, 335, 475, 495, 500, 629, 643.

Order Cyprinodontiformes

Family Poeciliidae

779. Gambusia yucatanana Regan
 Mexico records.--Yucatán: Cenote Chiuok, Cenote Halal, Cenote Manzanilla, Cenote de Miramar, Cenote Mukuyche, and Cenote Xlaka.
 References.--215, 334.
780. Platypoecilus sp.
 Mexico records.--San Luis Potosí: Well near Cueva Chica.
 References.--98.
781. Poecilia sphenops (Cuvier and Valenciennes)
Mollienesia sphenops Cuvier and Valenciennes
 Mexico records.--Tabasco: Cave (Arroyo del Solpho).
 References.--47, 273, 374, 376, 509, 519, 684, 695.
782. Poecilia sphenops altissima (Hubbs)
Mollienesia sphenops altissima Hubbs
 Mexico records.--Yucatán: Cenote Manzanilla.
 References.--215, 334.
783. Poecilia velifera (Regan)
Mollienesia velifera Regan
 Mexico records.--Yucatán: Cenote Chapultepec, Cenote Manzanilla, Cenote Niagra, and Cenote Xlaka.
 References.--334, 500.

Order Perciformes

Family Brotulidae

- 784.*Typhliasina pearsei (Hubbs)
Typhlias pearsei Hubbs
Typhlias sp.
 Mexico records.--Yucatán: Cenote (Muna), Cueva de Balaam Canché, and Cueva del Pochote.
 References.--5, 53, 67, 138, 140, 166, 214, 215, 276, 335, 382, 475, 485, 486, 498, 500, 576, 607, 629, 631, 643, 683, 691, 709.

Family Cichlidae

785. Cichlasoma meeki (Brind)
 Mexico records.--Yucatán: Cenote Chapultepec.
 References.--215, 334, 500.
786. Cichlasoma urophthalmus (Günther)
Heros urophthalmus Günther
 Mexico records.--Yucatán: Cenotes.
 References.--381, 382.

787. Cichlasoma urophthalmus conchitae Hubbs
Mexico records.--Yucatán: Cenote Conchita.
References.--214, 215, 334, 500, 629.
788. Cichlasoma urophthalmus ericymba Hubbs
Mexico records.--Yucatán: Cueva de Sambulhá (Mérida).
References.--214, 215, 277, 335, 475, 500, 629.
789. Cichlasoma urophthalmus mayorum Hubbs
Cichlasoma mayorum Hubbs
Heros urophthalmus Günther
Mexico records.--Yucatán: Cenote Segrada and Cenote Xtolok.
References.--37, 60, 214, 215, 222, 334, 335, 414, 495, 500, 629.
790. Cichlasoma urophthalmus zebra Hubbs
Mexico records.--Yucatán: Cenote Xlaka.
References.--214, 215, 334, 500, 629.

Order Symbranchiformes

Family Symbranchidae

- 791.*Symbranchus infernalis (Hubbs)
Pluto infernalis Hubbs
Furmastix infernalis (Hubbs)
Pluto sp.
Mexico records.--Yucatán: ?Cenote (Muna), Cueva de Hochtún, and Cueva del Pochote.
References.--5, 13, 53, 67, 138, 140, 214, 215, 335, 382, 439, 475, 485, 486, 500, 629, 643, 691.

CLASS AMPHIBIA

Order Urodela

Family Plethodontidae

792. Bolitoglossa mexicana mexicana Duméril, Bibron, and Duméril
Mexico records.--Yucatán: Cenote Seco.
References.--220.
793. Chiropetrotriton sp.
Mexico records.--Tamaulipas: Two small caves (El Chihue).
References.--523.
794. Chiropetrotriton arborea (Taylor)
Mexico records.--San Luis Potosí: Cueva de la Hoya.
References.--524.
795. Chiropetrotriton chondrostega (Taylor)
Mexico records.--Tamaulipas: Bell-shaped sink (Rancho del Cielo)
and Two shallow sinks (Rancho del Cielo).
References.--419, 537.
796. Chiropetrotriton magnipes Rabb
Plethodontidae sp.
Mexico records.--Queretaro: Cueva del Madroño; San Luis Potosí:
Cueva de Potrerillos.
References.--86, 524, 605.

797. Chiropterotriton mosaueri (Woodall)
Oedipus mosaueri Woodall
 Mexico records.--Hidalgo: Cave (Durango).
 References.--523, 524, 624, 704.
798. Chiropterotriton multidentata (Taylor)
 Mexico records.--Tamaulipas: Cave (Aserradero del Paraíso) and Fissure
 (Casa Piedras).
 References.--419, 523, 537.
799. Pseudoeurycea bellii (Gray)
 Mexico records.--Tamaulipas: Cave (Agua Linda), Balanced Rock Cave,
 and Crystal Cave.
 References.--419, 537.
800. Pseudoeurycea scandens Walker
 Mexico records.--Tamaulipas: Fissure (Casa Piedras), Cave (El Chihue),
 and Caves (Rancho del Cielo).
 References.--419, 523, 537, 605, 681.

Order Anura

Family undetermined

801. Unidentified genus and species
 Mexico records.--San Luis Potosí: Cueva de la Hoya and Cueva de Potrerillos.
 References.--86.

Family Bufonidae

802. Bufo marinus horribilis Wiegmann
Bufo marinus (L.)
 Mexico records.--Yucatán: Cenote Halal, Cenote Segrada, and Cenote Xtolok.
 References.--37, 237, 495, 603, 709.
803. Bufo valliceps Wiegmann
 Mexico records.--Yucatán: Cueva Luchil, Cenote Xtolok, and Cenote Yuncu.
 References.--37, 237.

Family Hylidae

804. Agalychnis callidryas (Cope)
 Mexico records.--Yucatán: Cenote de Thompson.
 References.--237, 500.
805. Tripurion petasatus (Cope)
Pharyngodon petasatus Cope
 Mexico records.--Yucatán: Cenote Pamanche and Cenote Santa Elena.
 References.--185, 364.

Family Leptodactylidae

806. Eleutherodactylus alfredi (Boulenger)
 Mexico records.--Quintana Roo: Caves (Pueblo Nuevo X-Can).
 References.--220.

807. Eleutherodactylus augusti augusti (Dugès)
Eleutherodactylus sp.
 Mexico records.--San Luis Potosí: Cueva del Jobo; Tamaulipas: Cave (El Carrizo), Cave (Sierra Gorda), and Cueva de El Pachón.
 References.--418, 419, 710.
808. Eleutherodactylus augusti cactorum Taylor
Eleutherodactylus cactorum Taylor
 Mexico records.--Puebla: Cave (Puebla).
 References.--606, 710.
809. Eleutherodactylus decoratus decoratus Taylor
 Mexico records.--Hidalgo: Cueva Piedra Ancho.
 References.--407.
810. Eleutherodactylus decoratus purpureus Lynch
Eleutherodactylus hidalgoensis Taylor
 Mexico records.--Tamaulipas: Cave (Aserradero del Paraíso), Cave (El Chihue), and Caves (Rancho del Cielo).
 References.--407, 419, 537.
811. Eleutherodactylus stuarti Lynch
 Mexico records.--Chiapas: Cueva Chica de Hunchenbien.
 References.--408.
812. Eleutherodactylus yucatanensis Lynch
 Mexico records.--Quintana Roo: Cave (Pueblo Nuevo X-Can).
 References.--406.
813. Syrrhophus dennisi Lynch
Syrrhophus longipes (Baird)
Syrrhophus latodactylus Taylor
Syrrhophus sp.
 Mexico records.--Tamaulipas: Cueva de El Pachón.
 References.--409, 418, 419, 710.
814. Syrrhophus longipes (Baird)
Syrrhophus latodactylus Taylor
 Mexico records.--Queretaro: Cueva de los Riscos; San Luis Potosí: Cave (Xilitla); Tamaulipas: Cave (Aserradero del Paraíso), Cave (El Chihue), Cave (Sierra Gorda), Bee Cave, and Crystal Cave.
 References.--409, 419, 523, 537, 710.
- Family Ranidae
815. Rana pipiens Schreber
 Mexico records.--Hidalgo: Cave (Durango); Quintana Roo: Cave (Felipe Carrillo Puerto); Tamaulipas: Dry sinkhole (Rancho del Cielo); Yucatán: Cenote (Chichén Itzá), Cenote de Miramar, Cenote Segrada, and Cenote Xtolok.
 References.--220, 364, 419, 427, 537, 704.

Family Rhinophrynidae

816. Rhinophrynus dorsalis Duméril and Bibron
 Mexico records.--Yucatán: Cenote Segrada.
 References.--364.

CLASS REPTILIA
 Order Chelonia

Family Kinosternidae

817. Kinosternon creaseri Hartweg
Cinosternon leucostomum Duméril and Bibron
 Mexico records.--Yucatán: Cenote Scan Yui and Cenote Segrada.
 References.--37, 220, 237.
818. Kinosternon cruentatum Duméril and Bibron
 Mexico records.--Yucatan: Cenote Tizimin.
 References.--220.
819. Kinosternon integrum LeConte
 Mexico records.--Puebla: Cave (Puebla).
 References.--606.

Order Squamata

Family Boidae

820. Constrictor constrictor imperator (Daudin)
 Mexico records.--Guerrero: Cueva de Tezoapa.
 References.--672.

Family Colubridae

821. Dryadophis melanolomus melanolomus (Cope)
Eudryas boddaerti melanolomus (Cope)
 Mexico records.--Yucatán: Cenote Xtolok.
 References.--237.
822. Elaphe flavirufa flavirufa (Cope)
 Mexico records.--Tamaulipas: Cueva de la Sepultura.
 References.--666, 672.
823. Rhadinaea crassa Smith
 Mexico records.--Tamaulipas: Cave (Gómez Farías).
 References.--419.
824. Tropidodipsas sartorii sartorii Cope
 Mexico records.--Quintana Roo: Cave (Pueblo Nuevo X-Can); Yucatán:
 Cueva de Loltún.
 References.--166, 214, 220, 238.

Family Crotalidae

825. Bothrops atrox asper (Garman)
Bothrops atrox Duméril, Bibron, and Duméril
 Mexico records.--San Luis Potosí: Cueva de Fer-de-Lance.
 References.--410, 672.

Family Gekkonidae

826. Coleonyx elegans elegans Gray

Mexico records.--Yucatán: Cueva Góngora, Cueva Puz, Cueva Xkyc, and Cueva Ziz.

References.--166, 214, 238, 500, 604, 620.

827. Thecadactylus rapicaudus (Houttuyn)

Mexico records.--Yucatán: Cueva Chakxix, Cueva Puz, Cueva del Camino de San Roque n. 1, and Cenote Seco.

References.--166, 220, 238, 500, 604.

Family Iguanidae

828. Anolis biporcatus Wiegmann

Mexico records.--Yucatán: Cenote de Thompson and Cenote Xtolok.

References.--237.

Family Xantusiidae

829. Lepidophyma micropholis Walker

Lepidophyma sp.

Mexico records.--Tamaulipas: Cueva de El Pachón.

References.--418, 605, 682.

CLASS AVES

Order Podicipitiformes

Family Podicipitidae

830. Podilymbus podiceps (L.)

Mexico records.--Yucatán: Cenote Xtolok.

References.--176.

Order Falconiformes

Family Cathartidae

831. Coragyps atratus (Bechstein)

Mexico records.--Yucatán: Cenote Segrada.

References.--176.

Order Strigiformes

Family Strigidae

832. Ciccaba virgata tamaulipensis (Phillips)

Ciccaba virgata (Cassin)

Mexico records.--Tamaulipas: Caves (Rancho del Cielo) and Cave (Sierra de Tamaulipas).

References.--293, 370, 420.

Family Tytonidae

833. Tyto alba (Scopoli)

Mexico records.--Tamaulipas: Cueva del Abra.

References.--322, 370.

834. Tyto alba pratincola (Bonaparte)
Mexico records.--Yucatán: Cenote Seco and Cenote Yuncu.
References.--500, 639.

Order Apodiformes

Family Apodidae

835. Chaetura vauxi tamaulipensis Sutton
Mexico records.--Tamaulipas: Cave No. 6 (Rancho del Cielo), Cave No. 14
(Rancho del Cielo), and Cave No. 19 (Rancho del Cielo).
References.--293.

Family Trochilidae

836. Campylopterus curvipennis curvipennis (Lichtenstein)
Mexico records.--Tamaulipas: Cave No. 13 (Rancho del Cielo).
References.--293.

837. Lampornis amethystinus amethystinus Swainson
Mexico records.--Tamaulipas: Cave No. 6 (Rancho del Cielo).
References.--293.

Order Coraciiformes

Family Momotidae

838. Eumomota superciliosa superciliosa (Swainson)
Eumomota superciliaris (Swainson)
Mexico records.--Yucatán: Caves.
References.--93, 138, 227, 496, 497.
839. Momotus momota coeruliceps (Gould)
Mexico records.--Tamaulipas: Cave No. 11 (Rancho del Cielo) and Cave
No. 13 (Rancho del Cielo).
References.--293.

Order Passeriformes

Family Hirundinidae

840. Petrochelidon fulva citata Van Tyne
Petrochelidon fulva (Vieillot)
Mexico records.--Yucatán: Cenote Ixil and Cenote Pisté.
References.--93, 184, 366, 651.
841. Stelgidopteryx ruficollis ridgwayi Nelson
Stelgidopteryx ridgwayi Nelson
Stelgidopteryx serripennis (Audubon)
Mexico records.--Yucatán: Cave (Chichén Itzá), Cave (Santa Cruz), and
Cenote Pisté.
References.--25, 138, 227, 366, 472, 496, 497, 500, 639.

Family Troglodytidae

842. Catherpes mexicanus (Swainson)
Mexico records.--Tamaulipas: Cave No. 20 (Rancho del Cielo).
References.--293.

Family Turdidae

843. Myadestes obscurus obscurus Lafresnaye
 Mexico records.--Tamaulipas: Cave No. 6 (Rancho del Cielo) and Cave
 No. 13 (Rancho del Cielo).
 References.--293.

844. Catharus mexicanus mexicanus (Bonaparte)
 Mexico records.--Tamaulipas: Cave No. 13 (Rancho del Cielo).
 References.--293.

CLASS MAMMALIA
 Order Marsupialia

Family Didelphidae

845. Didelphis marsupialis L.
 Mexico records.--Chiapas: Cueva Cerro Hueco.
 References.--666.

846. Didelphis marsupialis yucatanensis J.A. Allen
Didelphis yucatanensis yucatanensis J.A. Allen
Didelphis virginiana Kerr
 Mexico records.--Yucatán: Cueva Ebizt.
 References.--138, 500, 501.

Order Chiroptera

Family undetermined

847. Unidentified genus and species
 Mexico records.--San Luis Potosí: Cueva del Jobo and Cueva de
 Potrerillos.

Family Desmodontidae

848. Desmodus rotundus murinus Wagner
Desmodus rotundus (Geoffroy)
Desmodus rufus True
Desmodus sp.
 Mexico records.--Chiapas: Cueva de la Chepa and Grutas de Zapaluta;
Colima: Cueva de la Fábrica; Guerrero: Cave (Acahuizotla), Cave
 (Acapulco), Cave (Almolonga), Cueva del Borrego, Cueva del Cañon
 del Zopilote, Grutas de Cuetzala, Cueva del Puente de Dios, and
 Grutas de la Tranca de Ixcapaneca; Hidalgo: Cueva de la Mariposa;
Jalisco: Cueva D.C.B., Cueva de las Garrochas, and Cueva de Ginés;
México: Cave (Zacazonapan) and Grutas de la Estrella; Michoacán:
 Cave (Los Bancos), Cave (El Guayabo), Cueva de la Arena, Cueva del
 Cerro El Borrego, Cueva de la Colmena, Cueva de la Estancia, Cueva
 Los Monos, and Cueva Prieta; Morelos: Cave (Alpayuca), Cave
 (Cuernavaca), Cave (Jonacatepec), Cave (Zacoalpan Amilpas), Cueva
 de la Barranca de Apatlaco, Cueva 18 de Julio, Cueva de
 Oxtayohualolco, Cueva Poza de Moctezuma, and Cueva del Salitre
 (Tetecalita); Nuevo León: Cueva de Guadalupe and Puente de Dios
 (Galeana); Oaxaca: Cave (Mitla), Cave (Selva Alta Siempre Verde),
 and Cave (Tollosa); San Luis Potosí: Cave (El Pujal), Cueva del
 Aire, Cueva de la Barranca, Sotano de Ferrocarril, Cueva de

Huichihuayan, Cueva del Nacimiento del Río Coy, and Cueva de Los Sabinos; Sinaloa: Small cave (Chinacatera); Tabasco: Cueva del Rancho El Azufre and Cueva de Teapa; Tamaulipas: Cave (Jiménez), Cave (Rio Sabinas), Cave (Sierra de Tamaulipas), Cave (70 km. S Victoria), Cueva del Abra, Cueva La Esperanza, Cueva de Guadalupe, Cueva La Mula, Cueva de El Pachón, Grutas de Quintero, Cueva de la Sepultura, and Cueva de Los Troncones; Veracruz: Cave (Fortín), Cave (San Juan de la Punta), Cave (Tuxpilla), Grutas de Atoyac, Cueva del Boquerón, Cueva de los Murciélagos, Cueva del Ojo de Agua Grande, and Cueva de la Pesca; Yucatan: Cenote (Calle 24, No. 97, Mérida), Cueva de Hochtun, Cueva de Sambulha (Motul), Cenote Santa Ana, Cueva Spukil, Cueva Xconsacab, and Cenote Xtolok.

References.--15, 26, 29, 52, 86, 87, 124, 137, 138, 178, 179, 182, 194, 197, 199, 201, 205, 210, 211, 212, 217, 228, 278, 285, 287, 288, 295, 315, 318, 320, 327, 342, 345, 350, 368, 369, 405, 413, 421, 422, 423, 463, 464, 466, 482, 499, 500, 501, 532, 583, 591, 621, 626, 656, 662, 666, 667, 671, 672, 673, 686, 687, 701.

849. Diaemus youngi (Jentink)

Mexico records.--Tabasco: Gruta del Coconá.
References.--386, 665, 666.

850. Diphylla ecaudata Spix

Diphylla ecaudata centralis Thomas

Mexico records.--Oaxaca: Cave (Selva Alta Siempre Verde); Quintana Roo: Cueva de arena (Santa Rosa); San Luis Potosí: Cueva del Jobo, Cueva de Potrerillos, and Cueva de Los Sabinos; Tamaulipas: Cueva de El Pachón, Grutas de Quintero, and Cueva de la Sepultura; Veracruz: Grutas de Atoyac and Cueva del Ojo de Agua Grande; Yucatan: Cueva Jih and Cueva Oxolodt.

References.--15, 193, 194, 197, 272, 285, 287, 295, 298, 413, 418, 499, 500, 501, 532, 549, 591, 656, 661, 666, 672.

Family Emballonuridae

851. Balantiopteryx io Thomas

Mexico records.--Oaxaca: Cave (Matías Romero), Cave (Montebello), Cave (Selva Alta Siempre Verde), and Cave (Tollosa); Tabasco: Gruta del Coconá, Cueva de Don Luis, and Cueva La Murciélaguera; Veracruz: Caves (Jesús Carranza) and Grutas de Atoyac.
References.--29, 199, 285, 591, 666.

852. Balantiopteryx plicata plicata Peters

Balantiopteryx ochoterenai Martínez and Villa

Mexico records.--Colima: Cave (Manzanillo); Guerrero: Cave (Acahuizotla), Cave (Acapulco), Cueva del Canon del Zopilote, Grutas de Juxtlahuaca, and Cueva de la Laguna Honda; Michoacán: Caves (Apatzingan); Morelos: Cave (Amacuzac), Cueva Barranca de Apatlaco, and Cueva del Gallo; Nayarit: Cave (San Blas); Oaxaca: Cave (Tehuantepec), Cueva Lisa, and Cueva Pina del Colorado; Puebla: Cuevas del Río Nexapa; San Luis Potosí: Cueva de Los Sabinos; Sinaloa: Caves (Chinacatera), Cueva de Don Cristino, and Cueva de Ventanas; Sonora: Cave (San Bernardo); Tabasco: Gruta del Coconá and Cueva de Teapa; Veracruz: Caves (Puente Nacional), Cave (San Juan de la Punta), and Cave (Totutla).

References.--126, 131, 132, 134, 205, 210, 211, 212, 217, 285, 286, 288, 312, 345, 369, 405, 583, 653, 662, 666, 671.

853. Peropteryx kappleri kappleri Peters
 Mexico records.--Tabasco: Cueva de Don Luis and Cueva de Escorpión;
Veracruz: Cave (Jesús Carranza).
 References.--199, 285, 666.
854. Peropteryx macrotis macrotis (Wagner)
Peropteryx canina canina (Wied-Neuwied)
 Mexico records.--Tabasco: Gruta del Coconá; Veracruz: Caves (Jesús Carranza); Yucatán: Cueva Chakxix, Cueva de Ioltún, Cueva del Camino de San Roque n. 2, and Cueva Spukil.
 References.--114, 199, 285, 295, 298, 313, 500, 501, 666, 688.
855. Saccopteryx bilineata (Temminck)
 Mexico records.--Oaxaca: Cave (Selva Alta Siempre Verde).
 References.--591.
- Family Molossidae
856. Eumops perotis californicus (Merriam)
 Mexico records.--Coahuila: Cueva del Indio.
 References.--170, 286, 666.
857. Molossus ater nigricans Miller
Molossus nigricans Miller
Molossus sp.
 Mexico records.--Tabasco: Cueva de Don Luis; Yucatán: Cueva Ebizt.
 References.--138, 500, 501, 666.
858. Tadarida aurispinosa (Peale)
 Mexico records.--San Luis Potosí: Caves; Tamaulipas: Cueva del Abra.
 References.--15, 18, 141, 200, 355, 666.
859. Tadarida brasiliensis intermedia Shamel
Tadarida brasiliensis mexicana (Saussure)
 Mexico records.--Chiapas: Grutas de Zapaluta.
 References.--171, 182, 666.
860. Tadarida brasiliensis mexicana (Saussure)
Tadarida brasiliensis (Geoffroy)
Tadarida mexicana (Saussure)
 Mexico records.--Baja California: Cave (Las Cuevas); Chihuahua:
 Caves; Coahuila: Cave (El Chiflon), Cave (San Buenaventura), Cueva
 de Allende, and Cueva de Laguna Seca; Distrito Federal: Cave
 (Ixtacalco); Durango: Cueva del Guano; Jalisco: Cueva de las Garrochas;
Michoacán: Cueva de Janitzio; Nuevo León: Cueva de la Boca and Cueva
 del Rincón de la Virgen; San Luis Potosí: Ventana Jabalí; Sinaloa:
 Cave (Monte Largo) and Cueva de la Chinacatera; Sonora: Cueva del
 Tigre; Tamaulipas: Cueva del Abra and Cueva La Mula; Veracruz: Cave
 (Cofre de Perote) and Cave (Las Vigas); Yucatán: Cueva Valladolid.
 References.--15, 27, 171, 172, 180, 182, 183, 204, 205, 248, 250, 287,
 288, 342, 356, 392, 413, 450, 451, 532, 618, 619, 641, 659, 660,
 662, 663, 666, 669.

861. Tadarida laticaudata ferruginea GoodwinTadarida femorosacca (Merriam)Tadarida yucatanica MillerTadarida laticaudataMexico records.--Tamaulipas: Cave (Río Sabinas) and Cueva del Abra.
References.--15, 141, 198, 200, 271, 354, 418, 532, 663, 666, 672.

Family Natalidae

862. Natalus mexicanus mexicanus MillerNatalus stramineus mexicanus MillerNatalus sp.Mexico records.--Baja California: Cave (Las Cuevas); Guerrero: Cave (Acahuizotla) and Grutas de Juxtlahuaca; Jalisco: Cueva de Ginés;
Sonora: Cueva del Tigre.

References.--172, 180, 356, 405, 450, 666.

863. Natalus mexicanus saturatus Dalquest and HallNatalus stramineus saturatus Dalquest and HallNatalus mexicanus MillerNatalus stramineus GrayNatalus stramineus mexicanus MillerNatalus sp.Mexico records.--Chiapas: Cueva de la Chepa; Distrito Federal: Cueva de Xictli; Guerrero: Cueva de El Salitre; México: Grutas de la Estrella; Morelos: Cueva del Cerro and Cueva del Salitre (Tetecalita); Nuevo León: Cueva de la Boca; San Luis Potosí: Cueva Chica and Cueva del Nacimiento del Río Coy; Tabasco: Gruta del Coconá; Tamaulipas: Cave (Jiménez), Cave (Ojo de Agua), Cave (Sierra de Tamaulipas), Cueva del Abra, Cueva de los Cuarteles, Cueva de la Esperanza, Cueva de El Pachón, and Grutas de Quintero; Veracruz: Cave (Fortín), Cueva del Boquerón, Cueva del Infiernillo, and Cuevas de Tilapa; Yucatán: Cueva de Balaam Canché, Cueva de Hochtún, and Cueva Muruztún.

References.--15, 17, 69, 98, 128, 129, 130, 133, 134, 166, 172, 178, 179, 180, 192, 199, 208, 278, 285, 315, 342, 413, 418, 448, 478, 499, 500, 501, 532, 581, 620, 621, 666, 686.

Family Phyllostomidae

864. Anoura geoffroyi GrayMexico records.--Tamaulipas: Mine Cave.

References.--32.

865. Anoura geoffroyi lasiopyga PetersMexico records.--Chiapas: Cueva de Teopisca; Guerrero: Cueva de la Laguna Honda and Cueva Tlachilitla; México: Grutas de la Estrella; Morelos: Cueva de Otoyahualolco.

References.--19, 315, 666.

866. Artibeus aztecus AndersenArtibeus cinereus aztecus AndersenArtibeus cinereus TrueDermanura cinereum GervaisMexico records.--Chiapas: Cave (Teopisca) and Grutas de Zapaluta;
Guerrero: Cave (Cerra Companaria) and Cave (Omitemi); México: Cueva

- de la Barranca de los Idolos; Morelos: Cave (Cerro Frio); Tamaulipas: Cave (Rancho del Cielo).
References.--15, 209, 270, 405, 537, 621, 666, 686.
867. Artibeus cinereus phaeotis Miller
Mexico records.--Tabasco: Cave (Teapa).
References.--666.
868. Artibeus hirsutus Andersen
Mexico records.--Guerrero: Cueva de los Americanos, Grutas de Juxtlahuaca, Cueva de la Laguna Honda, and Cueva del Puente de Dios; Morelos: Cueva del Salitre (Tetecalita); Nayarit: Cueva del Tesoro.
References.--405, 666.
869. Artibeus jamaicensis triomylus Handley
Artibeus jamaicensis jamaicensis Leach
Mexico records.--Guerrero: Cave (Acahuizotla), Cueva Las Granadas, Cueva de la Laguna Honda, Cueva del Rincón, and Cuevas de Yerbabuena; Jalisco: Cueva D.C.B.; Morelos: Cueva del Salitre (Tetecalita).
References.--292, 405, 423, 477, 482, 666, 673.
870. Artibeus jamaicensis yucatanicus Allen
Artibeus jamaicensis Leach
Artibeus perspicillatus True
Artibeus sp.
Mexico records.--Chiapas: Cueva Cerro Hueco and Grutas de Zapaluta; San Luis Potosí: Cueva Chica, Cueva de Corinto, Sótano de Ferrocarril, Cueva del Nacimiento del Río Coy, and Cueva de Los Sabinos; Tabasco: Cueva La Murcielaguera; Tamaulipas: Cave (Río Sabinas), Cueva del Abra, Cueva de El Pachón, and Grutas de Quintero; Veracruz: Caves (Jesús Carranza), Cave (Plan del Rio), Caves (Tuxpilla), Cueva del Ojo de Agua Grande, Cueva de la Pesca, Cueva de Sala de Agua Grande, and Cueva del Tigre; Yucatán: Cave (Chochola), Cave (Yocát), Cueva Chakxix, Cueva del Cinco de Mayo, Cueva Coyok, Cueva Ebizt, Cenote de Hunucmá, Cueva de Kaua, Cueva de Loltún, Cueva Oxkintok, Cueva Oxkutzcab, Cueva Puz, Cueva Sabacá, and Cueva del Camino de San Roque n. 2.
References.--15, 98, 114, 138, 166, 178, 179, 194, 199, 200, 201, 205, 207, 285, 286, 292, 295, 298, 313, 315, 320, 345, 369, 418, 422, 463, 499, 500, 501, 532, 581, 621, 666, 688.
871. Artibeus lituratus palmarum J.A. Allen and Chapman
Mexico records.--Guerrero: Cave (Acahuizotla), Cave (Papayo), Grutas de Juxtlahuaca; San Luis Potosí: Caves (Xilitla), Cueva del Lobo, and Cueva del Nacimiento del Río Coy; Tamaulipas: Cave (Río Sabinas) and Grutas de Quintero.
References.--15, 194, 405, 666.
872. Artibeus planirostris planirostris (Spix)
Mexico records.--Michoacán: Cave (El Guayabo).
References.--287, 288.

873. Artibeus toltecus toltecus Saussure
Dermanura cinereum (True)
 Mexico records.--Chiapas: Cueva Cerro Hueco; Morelos: Cave (Cerro Frio); Veracruz: Grotte de Xilapa.
 References.--209, 211, 212, 657.
874. Artibeus turpis turpis Andersen
 Mexico records.--Tabasco: Cueva de Don Luis.
 References.--666.
875. Carollia castanea subrufa (Hahn)
 Mexico records.--Tabasco: Cueva de Don Luis.
 References.--666.
876. Carollia perspicillata azteca Saussure
Carollia brevicauda True
 Mexico records.--Chiapas: Cueva Cerro Hueco; Puebla: Cueva del Azufre; San Luis Potosí: Caves (Xilitla); Tabasco: Cueva de Don Luis and Cueva La Murcielaguera; Tamaulipas: Cueva de los Troncones; Veracruz: Cave (Fortín) and Cueva del Boquerón.
 References.--194, 199, 278, 285, 621, 666.
877. Choeronycteris mexicana Tschudi
Choeronycteris sp.
 Mexico records.--Coahuila: Cave (Bella Unión), Cave (El Chiflon), Cave (San Buenaventura), Cave (San Pedro de las Colonias), Cueva de Don Jesús, and Cueva de la Herradura; Durango: Fissures (La Pila); Guerrero: Cueva del Rincón; Jalisco: Cueva Hedionda; Michoacán: Cave (Patzcuaro); Morelos: Cave (Jonacatepec) and Cave (Xochicalco); San Luis Potosí: Cave (Hacienda Capulin); Tamaulipas: Cueva La Mula; Tlaxcala: Cave (Tlaxcala).
 References.--15, 23, 27, 28, 35, 194, 205, 210, 211, 212, 287, 288, 405, 666.
878. Chrotopterus auritus auritus Peters
 Mexico records.--Chiapas: Grutas de Zapaluta; Oaxaca: Cave (Los Limones) and Cueva del Nacimiento; Veracruz: Cave (Jesús Carranza).
 References.--181, 182, 199, 209, 285, 666.
879. Glossophaga morenoi Martínez and Villa
Glossophaga soricina alticola Davis
Glossophaga soricina morenoi Martínez and Villa
 Mexico records.--Distrito Federal: Cuevas de Teutli; Guerrero: Cueva de Alpíxafia and Cueva de Tía Juana; Morelos: Cave (Jonacatepec) and Cueva del Idolo; Oaxaca: Cave (Carretera Transistimica); Tlaxcala: Cave (Tlaxcala); Yucatán: Cenote de Chapultepec.
 References.--205, 210, 211, 212, 591, 655, 664, 666.
880. Glossophaga soricina leachii Gray
Glossophaga soricina True
 Mexico records.--Chiapas: Cueva Cerro Hueco and Cueva de la Chepa; Durango: Cave (Santa Ana); Guerrero: Cave (Acahuizotla), Cave Acapulco), Cueva de Alpíxafia, Grutas de Cuetzala, Grutas de Juxtlahuaca, and Cueva de El Salitre; Michoacán: Cave (Coalcomán)

and Cave (El Guayabo); Morelos: Cueva de Huajintlan and Cueva del Idolo; Nayarit: Cueva del Fuerte de San Blas; San Luis Potosí: Cave (Xilitla) and Cueva del Nacimiento del Río Coy; Sonora: Caves (Chinobampo) and Cave (San Bernardo); Tabasco: Cueva de Don Luis; Tamaulipas: Cave (Ojo de Agua), Cave (Sierra de Tamaulipas), Cueva de la Boca, Cueva de la Florida, Cueva de El Pachón, and Grutas de Quintero; Tlaxcala: Cave (Tlaxcala); Veracruz: Cave (Fortín) and Cueva del Boquerón; Yucatán: Cueva Muruztún, Cueva Spukil, and Cueva Xkyc.

References.--15, 16, 17, 125, 126, 166, 169, 194, 199, 205, 210, 211, 212, 217, 278, 285, 286, 287, 288, 295, 297, 298, 329, 345, 352, 405, 518, 424, 443, 457, 459, 500, 501, 532, 621, 655, 664, 666.

881. Hylonycteris underwoodi Thomas

Mexico records.--Tabasco: Cueva de Don Luis; Veracruz: Cave (Metlac) and Cave (Tlacotepec).

References.--10, 285, 666.

882. Leptonycteris nivalis nivalis Saussure

Leptonycteris sp.

Mexico records.--Chiapas: Cave (Teopisca) and Cueva de la Chepa; Chihuahua: Cave (Carimechi); Distrito Federal: Cueva del Teutli; Guerrero: Cave (Mexcala), Cave (Yerbabuena), Grutas de Cacahuamilpa, Cueva del Cañon del Zopilote, Grutas de Cuetzala, Grutas de Juxtlahuaca, and Cueva de la Laguna Honda; Jalisco: Cueva D.C.B.; Morelos: Caves (Huajintlán), Cueva del Cerro, Cueva del Salitre (Tetecalita), and Cueva del Salitre (Xochimancas); Sonora: Caves; Tamaulipas: Cave (Jiménez).

References.--15, 125, 126, 183, 210, 211, 212, 217, 320, 321, 405, 413, 482, 581, 655, 666, 671.

883. Leptonycteris yerbabuenae Martínez and Villa

Leptonycteris nivalis yerbabuenae Martínez and Villa

Leptonycteris nivalis sanborni Hoffmeister

Leptonycteris sanborni Hoffmeister

Mexico records.--Chiapas: Cueva de la Chepa and Hoyo de Don Nicho; Guerrero: Cave (Teloloapan), Grutas de Cuetzala, and Cuevas de Yerbabuena; Hidalgo: Grutas de Xoxafi; Jalisco: Cueva D.C.B.; Mexico: Cueva del Coyote; Morelos: Cueva del Cerro, Cueva del Salitre (Tetecalita), and Cueva del Salitre (Xochimancas); Sonora: Cueva del Tigre.

References.--19, 30, 172, 209, 331, 423, 424, 436, 450, 619, 666, 668.

884. Lonchorhina aurita aurita Tomes

Mexico records.--Oaxaca: Cave (Cerro Pinon); Tabasco: Cueva La Murcielaguera.

References.--181, 666.

885. Macrophyllum macrophyllum Schinz

Mexico records.--Tabasco: Cave (Teapa).

References.--386, 666.

886. Macrotus waterhousii bulleri H. Allen
 Mexico records.--Hidalgo: Cave (Pinalito); Nuevo León: Cueva de Guadalupe.
 References.- 286, 413, 666.
887. Macrotus waterhousii californicus Baird
Macrotus californicus Baird
Macrotus waterhousii Gray
Macrotus sp.
 Mexico records.--Baja California: Cave (Las Cuevas) and Caves (southern Baja California); Sonora: Cueva del Tigre.
 References.--180, 356, 449, 450, 473, 662, 666.
888. Macrotus waterhousii mexicanus Saussure
Macrotus mexicanus mexicanus Saussure
Macrotus waterhousii Gray
 Mexico records.--Guerrero: Cave (Acahuizotla), Cave (Mexcala), Cueva de Calicanto, Cueva del Canon del Zopilote, Cueva del Huarache o Palo Blanco, Cueva de la Mesa de las Choas, Cueva de la Penita, and Cueva de Tlachalitla; Jalisco: Cueva D.C.B.; Mexico: Cueva del Coyote; Morelos: Cave (Lake Tequesquitengo), Cueva de la Barranca de Apatlaco, Cueva del Cerro, Cueva de Huajintlán, Cueva de la Poza de Moctezuma, and Cueva del Salitre (Tetecalita).
 References.--20, 210, 211, 212, 280, 405, 413, 423, 473, 482, 666, 668, 673.
889. Micronycteris megalotis mexicanus Miller
Micronycteris megalotis (Gray)
 Mexico records.--Guerrero: Cave (Acahuizotla), Cave (Almolonga), Cueva Las Juntas, Cueva del Puente de Dios, and Cueva Tlachalitla; Morelos: Cueva de la Leona and Cueva de Xochitepec; San Luis Potosí: Cueva El Nilo; Tabasco: Cueva de Don Luis; Tamaulipas: Grutas de Quintero; Yucatán: Cueva Spukil, Cueva Xconsacab, and Cueva de Xmahit.
 References.--98, 134, 166, 211, 212, 405, 499, 500, 501, 620, 666, 686.
890. Micronycteris sylvestris (Thomas)
 Mexico records.--Jalisco: Cueva de las Garrochas; Veracruz: Cave (Tlacotepec) and Cave (Totutla).
 References.--199, 285, 659, 666.
891. Mimon bennettii cozumelae Goldman
Mimon cozumelae Goldman
 Mexico records.--Oaxaca: Cave (Los Limones); Veracruz: Cave (Presidio) and Caves (Jesús Carranza); Yucatán: Cenote (Tixpehual) and Cueva Tuz-ic.
 References.--181, 196, 285, 286, 298, 443, 666.
892. Mormoops megalophylla megalophylla Peters
Mormoops megalophylla senicula Rehn
Mormoops megalophylla Peters
Mormoops megaphylla Peters
Hormops megallophylla Peters

Aello megalophylla megalophylla (Peters)

Aello megalophylla senicula (Rehn)

Mormoops sp.

Mexico records.--Chiapas: Cueva de la Chepa; Chihuahua: Cave (Carimechi); Coahuila: Cave (Puerta Santana), Cueva del Buen Abrigo, and Cueva de la Herradura; Durango: Cueva del Guano; Guerrero: Cave (Acapulco), Grutas de Cacahuamilpa, and Grutas de Juxtlahuaca; Jalisco: Cueva D.C.B.; Morelos: Cueva del Salitre (Tetecalita) and Cueva del Salitre (Ticumán); Nuevo León: Cueva de la Boca, Cueva del Diablo, and Grutas de San Bartolo; Oaxaca: Cueva de Domingullo; San Luis Potosí: Cueva Chica and Cueva del Nacimiento del Río Coy; Sonora: Cave (Guaymas) and Cueva del Tigre; Tabasco: Cave (Arroyo del Solpho); Tamaulipas: Grutas de Quintero and Cueva de los Troncones; Veracruz: Cueva del Boquerón, Cueva del Infiernillo, Cueva de la Presa, and Cuevas de Tilapa.

References.--15, 27, 98, 125, 126, 172, 180, 199, 208, 217, 273, 278, 285, 302, 314, 319, 342, 450, 525, 532, 619, 621, 652, 658, 666, 670, 686, 702.

893. Pteronotus davyi fulvus (Thomas)

Pteronotus davyi Gray

Dermonotus davyi (Gray)

Pteronotus sp.

Mexico records.--Chiapas: Cave (Tuxtla Gutiérrez) and Cueva de la Chepa; Guerrero: Cave (Acapulco), Grutas de Cacahuamilpa, and Cueva de El Salitre; Jalisco: Cueva D.C.B.; Morelos: Cave (Lake Tequesquitengo), Cueva del Cerro, and Cueva del Salitre (Tetecalita); San Luis Potosí: Cueva del Nacimiento del Río Coy; Sinaloa: Cave (Monte Largo) and Cueva de la Chinacatera; Sonora: Cueva del Tigre; Tabasco: Cave (Arroyo del Solpho); Tamaulipas: Cueva de los Troncones; Veracruz: Cueva del Boquerón, Cueva del Infiernillo, and Cueva Laguna Encantada.

References.--17, 172, 178, 179, 180, 183, 194, 199, 209, 210, 217, 273, 278, 285, 315, 320, 342, 405, 413, 436, 437, 450, 479, 619, 662, 666, 673, 686.

894. Pteronotus psilotis Dobson

Chilonycteris psilotis (Dobson)

Chilonycteris personata Wagner

Mexico records.--Guerrero: Cave (Acapulco), Grutas de Juxtlahuaca, and Cueva de El Salitre; Morelos: Cave (Lake Tequesquitengo), Cueva del Cerro, and Cueva del Salitre (Tetecalita); San Luis Potosí: Cueva del Nacimiento del Río Coy; Sinaloa: Cueva de la Chinacatera; Sonora: Cueva del Tigre; Tabasco: Cueva La Murcielaguera; Veracruz: Cueva del Boquerón and Cueva Laguna Encantada.

References.--17, 30, 31, 178, 179, 199, 209, 217, 278, 285, 355, 413, 479, 666.

895. Pteronotus rubiginosa mexicana (Miller)
Chilonycteris rubiginosa mexicana Miller
Chilonycteris rubiginosa True
Chilonycteris parnelli mexicana Miller
Chilonycteris parnelli (Gray)
Chilonycteris rubigena True
 Mexico records.--Chiapas: Cueva de la Chepa; Chihuahua: Cave (Carimechi);
Guerrero: Cave (Acapulco), Cave (Mexcala), Grutas de Cacahuamilpa,
 Cueva de Calicanto, Grutas de Juxtlahuaca, Cueva de la Laguna Honda,
 Cueva de la Mesa de las Choas, and Cueva del Puente de Dios; Jalisco:
 Cueva D.C.B.; México: Cueva del Coyote; Morelos: Cave (Huajintlan),
 Cave (Lake Tequesquitengo), Cueva del Cerro, Cueva de Poza de
 Moctezuma, and Cueva del Salitre (Tetecalita); Nayarit: Cave (San
 Blas); San Luis Potosí: Cueva del Nacimiento del Río Coy; Sinaloa:
 Cave (Monte Largo) and Cueva de la Chinacatera; Sonora: Cave
 (Chinobampo), Cave (Guaymas), and Cueva del Tigre; Tabasco: Cave
 (Arroyo del Solpho), Gruta del Cocona, and Cueva La Murcielaguera;
Tamaulipas: Cave (Ojo de Agua), Cave (Río Sabinas), Cueva de la
 Florida, Cueva de El Pachón, and Cueva de Los Troncones; Veracruz:
 Cave (Jesús Carranza), Cueva del Boquerón, Cueva del Infiernillo,
 and Cueva Laguna Encantada.
 References.--15, 69, 125, 126, 172, 178, 179, 180, 199, 209, 210, 211,
 212, 217, 273, 278, 285, 286, 302, 342, 405, 418, 425, 442, 457, 459,
 479, 480, 482, 532, 555, 666, 668, 673, 686, 702.
896. Pteronotus suapurensis suapurensis J.A. Allen
 Mexico records.--Veracruz: Cueva Laguna Encantada.
 References.--209, 666.
897. Sturnira liliium parvidens Goldman
 Mexico records.--Puebla: Cueva El Azufre; Tabasco: Cueva La Murcielaguera.
 References.--666.
898. Trachops cirrhosus coffini Goldman
 Mexico records.--Oaxaca: Cave (Cerro Piñón); Veracruz: Caves (Jesús
 Carranza).
 References.--181, 285.
- Family Vespertilionidae
899. Antrozous pallidus pallidus (LeConte)
 Mexico records.--Chihuahua: Caves; Durango: Cave (Lerdo).
 References.--342, 666.
900. Eptesicus fuscus miradorensis H.Allen
Vesperugo scrotinus True
 Mexico records.--Tamaulipas: Grutas de Quintero; Veracruz: Cueva de
 Cuautlapa, Cueva de Tilapa, and Cueva de Tuxpango.
 References.--621, 666.
901. Eptesicus fuscus pallidus Young
 Mexico records.--Coahuila: Cave (San Buenaventura).
 References.--27.

902. Eptesicus gaumeri gaumeri (J.A. Allen)
Eptesicus brasiliensis propinquus Dalquest
 Mexico records.--Morelos: Cueva del Salitre (Tetecalita).
 References.--206, 353, 666.
903. Myotis sp.
 Mexico records.--Yucatán: Cueva Ebizt.
 References.--138.
904. Myotis californicus mexicanus (Saussure)
 Mexico records.--Tlaxcala: Cave (Tlaxcala).
 References.--205.
905. Myotis nigricans dalquesti Hall and Alvarez
Myotis nigricans extremus Miller and G.M. Allen
 Mexico records.--San Luis Potosí: Cave (El Salto); Tamaulipas:
 Cave (Ojo de Agua), Cave (Río Sabinas), and Grutas de El Puente;
Veracruz: Cave (Jalapa) and Cave (Jesús Carranza).
 References.--15, 199, 270, 285, 355, 666.
906. Myotis nigricans extremus Miller and G.M. Allen
 Mexico records.--Tabasco: Cueva de Don Luis; Yucatán: Cueva del
 Cinco de Mayo, Cenote de Hunucmá, and Cueva Lara.
 References.--295, 499, 500, 501, 666.
907. Myotis thysanodes aztecus Miller
 Mexico records.--México: Grutas de la Estrella.
 References.--666.
908. Myotis thysanodes thysanodes Miller
 Mexico records.--Chihuahua: Cave (Fern Canyon); Durango: Fissures
 and small caves (La Pila).
 References.--28, 359.
909. Myotis velifer incautus J.A. Allen
 Mexico records.--Coahuila: Cave (San Buenaventura), Cueva de la
 Bandurria, and Cueva de Don Jesús; Nuevo León: Cueva del Carrizal.
 References.--27, 666.
910. Myotis velifer peninsularis Miller
 Mexico records.--Baja California: Cave (Las Cuevas).
 References.--356.
911. Myotis velifer velifer J.A. Allen
 Mexico records.--Durango: Fissures and small caves (La Pila);
Jalisco: Cueva de las Garrochas; México: Cueva Barranca de los
 Idolos and Cueva de la Pena Blanca; Morelos: Cueva del Murciélago
 and Cueva del Salitre (Tetecalita); Puebla: Cueva del Salto de
 Alcececa; Sinaloa: Cave (Chinacatera) and Cave (Monte Largo);
Sonora: Cueva del Tigre; Tlaxcala: Cave (Tlaxcala); Veracruz:
 Cave (Las Vigas) and Cave (Jalapa).
 References.--9, 28, 180, 182, 205, 285, 342, 450, 482, 666, 685, 686.

912. Pipistrellus subflavus veraecrucis (Ward)
Vesperugo veraecrucis Ward
 Mexico records.--Veracruz: Cave (Las Vigas).
 References.--213, 285, 666, 685, 686.
913. Plecotus mexicanus (G.M. Allen)
Plecotus macrotis LeConte
Corynorhinus macrotis (LeConte)
 Mexico records.--Chihuahua: Cave (Mojarachic); México: Cave (Paso Oyamecalco); Michoacán: Cave (Patzcuaro); Morelos: Cueva del Murciélago; Veracruz: Cave (Las Vigas) and Caves (Zacualpilla); Zacatecas: Cave (Sierra de Valparaíso).
 References.--285, 291, 666, 685, 686.
914. Plecotus townsendii australis (Handley)
 Mexico records.--Coahuila: Cave (Bella Unión) and Cave (San Buenaventura); Guerrero: Cueva Tecabra; Hidalgo: Grutas de Xoxafi; Jalisco: Cueva de las Garrochas; México: Cueva del Diablo; Michoacán: Cueva de la Arena.
 References.--27, 290, 291, 666.
- Order Rodentia
- Family Cricetidae
915. Neotoma angustapalata Baker
Neotoma sp.
 Mexico records.--Tamaulipas: Cave (El Encino), Caves (Rancho del Cielo), and Cueva de El Pachón.
 References.--15, 328, 418.
916. Neotoma mexicana torquata Ward
 Mexico records.--Veracruz: Cave (Limón) and Cave (Las Vigas).
 References.--285.
917. Ototylomys phyllotis phyllotis Merriam
 Mexico records.--Yucatán: Cueva de Balaam Canché, Cueva Chac Mol, Cenote Seco, and Cenote Xtolok.
 References.--166, 214, 295, 499, 501.
918. Peromyscus mexicanus (Saussure)
 Mexico records.--Veracruz: Caves.
 References.--285.
919. Peromyscus yucatanicus yucatanicus J.A. Allen and Chapman
 Mexico records.--Yucatán: Cenote Seco and Cenote Xtolok.
 References.--295.
920. Sigmodon hispidus microdon V. Bailey
 Mexico records.--Yucatán: Cueva Ebizt.
 References.--214, 500.

Family Dasyproctidae

921. Cuniculus paca nelsoni (Goldman)
Cuniculus paca (True)
Mexico records.--Yucatán: Cueva de Balaam Canché.
References.--214, 297, 501.

Family Erithizontidae

922. Coendou mexicanus yucataniae Thomas
Mexico records.--Yucatán: Cueva Chac Mol.
References.--214, 500.

Family Heteromyidae

923. Heteromys gaumeri J.A. Allen and Chapman
Mexico records.--Yucatán: Cueva Ebizt.
References.--214, 500.

Order Carnivora

Family Canidae

924. Urocyon cinereoargenteus negrirostris
Mexico records.--Guerrero: Cave (Yerbabuena).
References.--666.

Family Mustelidae

925. Spilogale gracilis Merriam
Mexico records.--Sonora: Cueva del Tigre.
References.--662, 666.

Family Procyonidae

926. Nasua narica (L.)
Mexico records.--Morelos: Cave (Huajintlán).
References.--666.

AMCS Bulletin 3 Reprint

BIBLIOGRAPHY

1. Anonymous. 1940. Expedición para recoger peces ciegos en México. *Ciencia*, 1:221.
2. _____. 1942. Exploraciones biospeológicas en la región de Valles (San Luis Potosí, México). *Ciencia*, 3(7):221.
3. _____. 1942a. Exploraciones biospeológicas en Nuevo León (México). *Ciencia*, 3(8-9):265.
4. _____. 1945. Notes on the blind cave tetra. *Aquarium*, Philadelphia, 14(4):70.
5. _____. 1947. Expedición científica a Yucatán. *Ciencia*, 8(4-5):128-129.
6. Aguirre Pequeño, Eduardo. 1959. Aislamiento de Histoplasma capsulatum del guano de murciélago en cuevas del noreste de México. *Gac. Med. Méx.*, 89(4):243-253.
7. Alarcón, D.G. 1957. Histoplasmosis pulmonar epidémica. *Gac. Med. Méx.*, 87(10):745-750.
8. Allee, W.C., and K.P. Schmidt. 1951. Ecological animal geography, 2nd. ed. Based on Richard Hesse, Tiergeographie auf oekologischer gründlage. New York: John Wiley & Sons. 715 pp.
9. Allen, G.M. 1939. Bats. New York: Dover. 368 pp.
10. _____. 1942. Hylonycteris underwoodi in Mexico. *J. Mammal.*, 23:97.
11. Alvarez, Jose. 1946. Revisión del género Anoptichthys con descripción de una especie nueva (Pisc., Characidae). *Anal. Esc. Nac. Cienc. Biol.*, 4:263-282.
12. _____. 1947. Descripción de Anoptichthys hubbsi caracínido ciego de la Cueva de los Sabinos, S.L.P. *Rev. Soc. Mex. Hist. Nat.*, 8:215-219.
13. _____. 1950. Claves para la determinación de especies en los peces de las aguas continentales mexicanas. *Sec. Marina Direc. Gral. Pesca*. 143 pp.
14. _____. 1959. Nota preliminar sobre la ictiofauna del estado de San Luis Potosí. *Acta Cient. Potosina*, 3(1):71-88.
15. Alvarez, Ticul. 1963. The recent mammals of Tamaulipas, Mexico. *Univ. Kansas Publ., Mus. Nat. Hist.*, 14(15):363-473.
16. _____. 1966. Redescubrimiento de algunos tipos de murciélagos mexicanos que se suponían perdidos. *Rev. Soc. Mex. Hist. Nat.*, 27:191-197.
17. _____. 1968. Notas sobre una colección de mamíferos de la región costera del Río Balsas entre Michoacán y Guerrero. *Rev. Soc. Mex. Hist. Nat.*, 29:21-35.

18. _____, and C.E. Avina. 1964. Nuevos registros en México de la familia Molossidae. Rev. Soc. Mex. Hist. Nat., 25:243-254.
19. Anderson, Sydney. 1957. New records of the bat, Anoura geoffroyi lasiopyga. Chicago Acad. Sci. Nat. Hist. Misc., 159:1-3.
20. _____, and C.E. Nelson. 1965. A systematic revision of Macrotus (Chiroptera). Amer. Mus. Nov., 2212. 39 pp.
21. Archer, A.F. 1953. Studies in the orbweaving spiders (Argiopidae). 3. Amer. Mus. Nov., 1622. 27 pp.
22. Axelrod, H., C. Emmens, D. Sculthorpe, W. Vorderwinkler, R. Socolof, and N. Pronek. 1962. Exotic tropical fishes. New York: Sterling.
23. Axtell, R.W. 1962. An easternmost record for the bat Choeronycteris mexicana from Coahuila, Mexico. Southwestern Nat., 7(1):76.
24. Baker, E.W. 1945. Five mites of the family Ereyenetidae from Mexico. J. Washington Acad. Sci., 35:16-19.
25. Baker, F.C. 1895. A naturalist in Mexico, being a visit to Cuba, northern Yucatan and Mexico. Chicago: David Oliphant. 145 pp., 15 pls.
26. Baker, R.H. 1951. Mammals from Tamaulipas, Mexico. Univ. Kansas Publ., Mus. Nat. Hist., 5(12):207-218.
27. _____. 1956. Mammals of Coahuila, Mexico. Univ. Kansas Publ., Mus. Nat. Hist., 9(7):125-335.
28. _____. 1960. Mammals of the Guadiana Lava Field, Durango, Mexico. Michigan State Univ. Mus., Biol. Ser., 1(9):305-327.
29. _____, and J.K. Greer. 1960. Notes on Oaxacan mammals. J. Mammal., 41(3):413-415.
30. Baker, R.J. 1967. Karyotypes of bats of the family Phyllostomidae and their taxonomic implications. Southwestern Nat., 12(4):407-428.
31. _____, and Lee Christianson. 1966. Notes on bats from Sonora, Mexico. Southwestern Nat., 11(2):296-312.
32. _____, and Genaro Lopez. 1968. Notes on some bats of Tamaulipas. Southwestern Nat., 13(3):353-372.
33. Benks, N. 1938. A new myrmeleonid from Yucatan. Carnegie Inst. Washington Publ., 491:235.
34. Banta, A.M. 1907. The fauna of Mayfield's Cave. Carnegie Inst. Washington Publ., 67. 114 pp.
35. Barbour, Thomas. 1943. Naturalist at large. Boston: Little, Brown. 314 p.

36. _____. 1945. A naturalist in Cuba. Boston: Little, Brown. 317 pp.
37. _____, and L.J. Cole. 1906. Vertebrata from Yucatan. 4. Reptilia, Amphibia, and Pisces. Bull. Mus. Comp. Zool., 50(5):146-159.
38. Barr, T.C., Jr. 1956. Note on cave blindfish. SpeleoDigest, 1956(2):12-13.
39. _____. 1960. The cavernicolous beetles of the subgenus Rhadine, genus Agonum (Coleoptera: Carabidae). Amer. Midl. Nat., 64(1):45-65.
40. _____. 1965. A new cavernicolous sphodrine from Veracruz, Mexico. Coleopterists' Bull., 19:65-72.
41. _____. 1966. Mexican cave beetles of the family Carabidae. Assoc. Mex. Cave Stud. Newsletter, 2(6):182-185.
42. _____. 1966a. New species of Mexisphodrus from Mexican caves (Coleoptera: Carabidae). Psyche, 73(2):112-115.
43. _____. 1966b. A progress report on the study of the cave beetles of Texas and Mexico. (Abs.) Natl. Speleol. Soc. Bull., 28(2):97.
44. _____. 1967. Antroforceps, an eyeless cave scaritine from Mexico (Coleoptera: Carabidae). Coleopterists' Bull., 21(3):65-70.
45. _____. 1967a. Observations on the ecology of caves. Amer. Nat., 101:475-492.
46. _____. 1967b. Three new cave trechines from Mexico (Coleopt., Carab.). Ciencia, 25(5):161-166.
47. _____. 1968. Cave ecology and the evolution of troglobites. Evolutionary Biol., 2:35-102.
48. _____. 1970. Studies of the Mexican subgenus Platynella Casey (Coleoptera: Carabidae: Agonini). Psyche, 77(2):209-216.
49. _____, C. Bolívar Pieltain, and Jorge Hendrichs. 1968. Nota sinónimica sobre Agonum (Platynus) bilimeki Bolívar y Hendrichs. Ciencia, 26(3):107-108.
50. _____, and J.R. Reddell. 1967. The arthropod cave fauna of the Carlsbad Caverns region, New Mexico. Southwestern Nat., 12:253-274.
51. Barrera, Alfredo. 1951. Notas sobre sifonapteros, II. Descripción de Anomiopsyllus traubi nov. sp. (Siph., Hystrichops.). Ciencia, 11(7-9):197-200.
52. _____. 1958. Insectos parásitos de mamíferos salvajes de Omiltemi, Gro., y descripción de un nuevo sifonaptero: Pleochaetis soberoni nov. sp. Anal. Esc. Nac. Cienc. Biol., 9(1-4):89-96.

53. _____. 1962. La Península de Yucatán como provincia biotica. Rev. Soc. Mex. Hist. Nat., 23:71-105.
54. _____. 1968. La revista Ciencia y la obra entomologica del Dr. Candido Bolívar y Pieltain. Rev. Soc. Mex. Hist. Nat., 29:307-314.
55. Beck, Ludwig, and Herbert Schubart. 1968. Revision der gattung Cryptocecellus Westwood 1874 (Arachnida: Ricinulei). Senck. Biol., 49:67-78.
56. Beier, M. 1956. Neue troglobionte pseudoscorpione aus Mexico. Ciencia, 16(4-6):81-85.
57. _____. 1963. Eine neue art der pseudoscorpioniden-gattung Albiorex aus Hohle Acuitlapan, Gr., Mexico (Arachn.). Ciencia, 22:133-134.
58. Benn, J.H. 1945. Composite observations on cave life (with special reference to blind fishes). Bull. Natl. Speleol. Soc., 7:9-13.
59. Bequaert, J.C. 1933. Botanical notes from Yucatan. Carnegie Inst. Washington Publ., 431:505-524.
60. _____. 1933a. Contribution to the entomology of Yucatan. Carnegie Inst. Washington Publ., 431:547-574.
61. _____, and W.J. Clench. 1933. The non-marine mollusks of Yucatan. Carnegie Inst. Washington Publ., 431:525-545, pl. 68.
62. _____, and W.J. Clench. 1936. A second contribution to the molluscan fauna of Yucatan. Carnegie Inst. Washington Publ., 457:61-75, pl. 1-2.
63. _____, and W.J. Clench. 1938. A third contribution to the molluscan fauna of Yucatan. Carnegie Inst. Washington Publ., 491:257-260.
64. Berra, Tim. 1963. A study of Anoptichthys jordani. St. Louis Univ. Grotto Newsletter, 2(2):44-45. Reprinted in: SpeleoDigest, 1963(2):125-126.
65. _____. 1964. Obstacle avoidance in the blind Mexican cave fish, characin. St. Louis Grotto Newsletter, 3(2):12-19. Reprinted in: SpeleoDigest, 1964(2):63-69.
66. Bertin, Léon. 1958. Écologie. Traité de Zool., 13:1885-1933.
67. _____. 1958a. Poissons cavernicoles. Traite de Zool., 13:2660-2662.
68. Bilimek, Dominik. 1867. Faune der Grotto Cacahuamilpa in Mexiko. Verhandl. Zool. Bot. Ges. Wein, 17:901-908.
69. Bishop, A.S. 1943. Nota acerca de las terminaciones nerviosas de los pelos tactiles o cavernosos de dos especies de murciélagos. Anal. Inst. Biol., Méx., 14(1):291-301.

70. Bolívar y Pieltain, Candido. 1940. Exploración de la caverna de Cacahuamilpa (Guerrero, México). *Ciencia*, 1(3):125-126.
71. _____. 1941. Estudio de un ricinulideo de la Caverna de Cacahuamilpa, Guerrero, Méx. (Arachnida). *Rev. Soc. Mex. Hist. Nat.*, 2(2-3): 197-209, lam. XI. Reprinted in: *Grupo Espeleol. Mex. Bol.*, 2:3-13. 1968.
72. _____. 1942. Estudio del primer Trechinae ciego hallado en cavernas de México (Col. Carab.). *Ciencia*, 3:349-354.
73. _____. 1944. Descubrimiento de un Rhadine afenopsiano en el estado de Nuevo León, México (Col. Carab.). *Ciencia*, 5(1-3):25-28.
74. _____. 1946. Hallazgo de un nuevo ricinulideo en el México central (Arach.). *Ciencia*, 7(1-3):24-28.
75. _____. 1950. Estudio de una Cirolana cavernícola nueva de la región de Valles, San Luis Potosí, México (Isop. Cirolanidae). *Ciencia*, 10(7-8):211-218.
76. _____. 1952. Un Ozaeninae troglófilo de la Cueva de los Sabinos, Valles, S.L.Potosí (México) (Col. Carab.). *Ciencia*, 11(10-12): 295-296.
77. _____, and J. Carranza. 1954. Hallazgo en México de un pes ciego y depigmentado de la familia Ameiuridae, que vive en aguas freáticas del estado de Coahuila. *Ciencia*, 14(4-6):115.
78. _____, and J. Hendrichs. 1964. Agoninos cavernícolas nuevos del género Rhadine de Nuevo León, Coahuila y San Luis Potosí (México) (Col., Carab.). *Ciencia*, 23(1):5-16, lam. I.
79. _____, and J. Hendrichs. 1965. Los Carabidae de la Gruta de Cacahuamilpa (México), con descripción de Agonum (Platynus) bilimeki n.sp. y de su larva (Ins., Col.). *Ciencia*, 23(6):225-232, lam. V. Reprinted in: *Grupo Espeleol. Mex. Bol.*, 1. 1967.
80. Bonet, F. 1942. Notas sinonimas sobre el orden colembolos. *Ciencia*, 3(2):56-59.
81. _____. 1943. Sobre la clasificación de los Oncopoduridae (Collembola), con descripción de especies nuevas. *Anal. Esc. Nac. Cienc. Biol.*, 3(1-2):127-153.
82. _____. 1944. Tullberginos de México (Collembola). *Rev. Soc. Mex. Hist. Nat.*, 5(1-2):51-72.
83. _____. 1945. Nuevos géneros y especies de Hipogastruridos de México (Collembola). *Rev. Soc. Mex. Hist. Nat.*, 6(1-2):13-45, lam. II-VI.
84. _____. 1946. Mas Hipogastruridos anoftalmos de México (Collembola). *Rev. Soc. Mex. Hist. Nat.*, 7(1-4):51-62.

85. _____. 1947. Monografía de la familia Neelidae (Collembola). Rev. Soc. Mex. Hist. Nat., 8(1-4):131-192.
86. _____. 1953. Cuevas de la Sierra Madre Oriental en la región de Xilitla. Bol. Univ. Nac. Aut. Mex., Inst. Geol., 57. 96 pp.
87. _____. 1953a. Datos sobre las cavernas y otros fenómenos erosivos de las calizas de la Sierra de El Abra. Mem. Cong. Cient. Mex., Cien. Fis., Mat., Geol., 5(3):238-273.
88. _____. 1963. Road log. Ciudad Valles - Ciudad Victoria. May 26, 1963. Corpus Christi Geol. Soc. Annual Field Trip, May 23-26, 1963, pp. 97-107.
89. _____. 1963a. Road log. Taninul - Tantobal. May 25, 1963. Corpus Christi Geol. Soc. Annual Field Trip, May 23-26, 1963, pp. 91-96.
90. _____, and C. Tellez. 1947. Un nuevo género de Esminturidos (Collembola). Rev. Soc. Mex. Hist. Nat., 8:193-203.
- 91.*Booth, E.S. 1957. Mammals collected in Mexico from 1951 to 1956 by the Walla Walla College Museum of Natural History. Walla Walla Coll. Publ. Dept. Biol. Sci. & Biol. Sta., 20:1-19.
92. _____. 1965. A bat die off in Mexico. J. Mammal., 46(2):333-334.
93. Boucard, A. 1883. On a collection of birds from Yucatan. With notes by Osbert Salvin. Proc. Zool. Soc. London, 1883, pp. 434-462.
94. Boucquey, C., G. Thinès, and C. Van der Borght. 1965. Étude comparative de la capacité photopathique et de l'activité chez les poissons cavernicole Anoptichthys antrobius, chez la forme épigée ancestrale Astyanax mexicanus, et chez les hybrides F₁ (Astyanax x Anoptichthys) et F₂, pp. 79-103. In: La distribution temporelle des activités animales et humaines. Paris: Masson et Cie.
95. Bowman, T.E. 1964. Antrolana lira, a new genus and species of troglobitic cirolanid isopod from Madison Cave, Virginia. Internatl. J. Speleol., 1(1-2):229-236, pl. 50-57.
96. _____. 1965. Xilitloniscus, a new genus for the Mexican troglobitic isopod, Cordioniscus laevis Rioja (Oniscoidea: Trichoniscidae). Proc. Biol. Soc. Washington, 78:209-216.
97. _____, Rudolph Prins, and B.F. Morris. 1968. Notes on the harpacticoid copepods Attheyella pilosa and A. carolinensis, associates of crayfishes in the eastern United States. Proc. Biol. Soc. Washington, 81:571-586.
98. Breder, C.M., Jr. 1942. Descriptive ecology of La Cueva Chica, with especial reference to the blind fish, Anoptichthys. Zoologica, 27(2):7-16, fig. 1, pl. I-III.

99. _____. 1943. Apparent changes in phenotypic ratios of the characins at the type locality of Anoptichthys jordani Hubbs and Innes. *Copeia*, 1943(1):26-30.
100. _____. 1943a. A note on erratic viciousness in Astyanax mexicanus (Phillipi). *Copeia*, 1943(2):82-84.
101. _____. 1943b. Problems in the behavior and evolution of a species of blind cave fish. *Trans. New York Acad. Sci.*, 1943, pp. 168-176.
102. _____. 1944. Ocular anatomy and light sensitivity studies on the blind fish from Cueva de los Sabinos, Mexico. *Zoologica*, 29(3): 131-144, pl. I.
103. _____. 1945. Compensating reactions to the loss of the lower jaw in a cave fish. *Zoologica*, 30(2):95-100, pl. I.
104. _____. 1953. Cave fish evolution. *Evolution*, 7(2):179-181.
105. _____. 1959. Studies on social groupings in fishes. *Bull. Amer. Mus. Nat. Hist.*, 117(6):395-481.
106. _____, and E.H. Atz. 1952. Conditioned restrictions of movement in fishes, fancied and real. *Copeia*, 1952(4):261-265.
107. _____, and E.B. Gresser. 1941. Behavior of Mexican cave characins in reference to light and cave entry. (Abs.) *Anat. Rec.*, 81(Suppl.):112.
108. _____, and E.B. Gresser. 1941a. Correlations between structural eye defects and behavior in the Mexican blind characin. *Zoologica*, 26(16):123-132, pl. I-IV.
109. _____, and E.B. Gresser. 1941b. Further studies on the light sensitivity and behavior of the Mexican blind characin. *Zoologica*, 26(28):289-296, pl. I.
110. _____, and P. Rasquin. 1943. Chemical sensory reactions in the Mexican blind characins. *Zoologica*, 28(4):169-200, pl. I-III.
111. _____, and P. Rasquin. 1947. Comparative studies in the light sensitivity of blind characins from a series of Mexican caves. *Bull. Amer. Mus. Nat. Hist.*, 89(5):321-351.
112. _____, and P. Rasquin. 1947a. Evidence for the lack of a growth principle in the optic cyst of Mexican cave fish. *Zoologica*, 32(1):29-33.
113. _____, and D.R. Rosen. 1966. Modes of reproduction in fishes. New York: Natural History Press.
114. Brennan, J.M., and H.C. Dalmat. 1960. Chiggers of Guatemala (Acarina: Trombiculidae). *Ann. Entomol. Soc. America*, 53(2):183-191.

115. _____, and E.K. Jones. 1959. Keys to the chiggers of North America with synonymic notes and descriptions of two new genera (Acarina: Trombiculidae). *Ann. Entomol. Soc. America*, 52:7-16.
116. Bridgemon, R.R., and C.R. Pease. 1966. Bibliography to Mexican speleology: 1838-1966. *Arizona Caver*, 3(6):77-96.
117. Bridges, William. 1940. The blind fish of La Cueva Chica. *Bull. New York Zool. Soc.*, 43:74-97.
118. _____. 1943. What we have learned about blind cave fish. *Animal Kingdom*, 46(4):82, 87-90.
119. _____. 1955. No eyes in the darkness, pp. 256-268. In: C.E. Mohr and H.N. Sloane, eds., Celebrated American caves. New Brunswick: Rutgers Univ. Press.
120. Brittan, M.R., and J.E. Bohlke. 1965. A new blind characid fish from southeastern Brazil. *Notulae Naturae*, 380:1-4.
121. Brown, C.J.D. 1936. *Polyzoa*. Carnegie Inst. Washington Publ., 457:39.
122. Bull, E.G. 1969. Relative humidity and temperature responses in two troglobitic millipedes--Cambala speobia and Speodesmus bicornourus. M.S. Thesis. Lubbock: Texas Technological College. 54 pp.
123. Burgers, A.C.J., P.J.H. Bennink, and G.J. Van Oordt. 1963. Investigations into the regulation of the pigmentary system of the blind Mexican cave fish, Anoptichthys jordani. *Proc. Akad. Wet. Amst.*, 66C:189-195.
124. Burns, R.J. 1970. Twin vampire bats born in captivity. *J. Mammal.*, 51(2):391-392.
125. Burt, W.H. 1938. Faunal relationships and geographic distribution of mammals in Sonora, Mexico. *Misc. Publ. Mus. Zool., Univ. Michigan*, 39:1-77, 26 maps.
126. _____, and E.T. Hooper. 1941. Notes on mammals from Sonora and Chihuahua, Mexico. *Occ. Pap. Mus. Zool., Univ. Michigan*, 430:1-7.
127. Bustamante, M.E. 1964. Symposium sobre histoplasmosis pulmonar primaria. II. Epidemiología. *Gac. Med. Méx.*, 94(5):509-518.
128. Caballero y C., Eduardo. 1942. Descripción de la segunda especie de Capillaria encontrada en los murciélagos de America del Norte. III. (Nematoda: Trichuridae). *Anal. Inst. Biol., Méx.*, 13(2):649-654.
129. _____. 1942a. Descripción de Parallintoshius tadaridae n.sp. (Nematoda: Trichostrongylidae) de los murciélagos de México. *Anal. Inst. Biol., Méx.*, 13:105-109.

130. _____. 1942b. Trematodos de los murciélagos de México. III.- Descripción de Urotrema scabridum Braun, 1900, y posición sistemática de las especies Norteamericanas de este género. Anal. Inst. Biol., Méx., 13(2):641-648.
131. _____. 1943. Algunas especies de trematodos de los murciélagos de la región de Izúcar de Matamoros, Pue. V. Anal. Inst. Biol., Méx., 14(2):423-430.
132. _____. 1943a. Namatodos de los murciélagos de México. IV. Descripción de una nueva especie del género Rictularia y breves consideraciones sobre la sistemática de las especies comprendidas en este género. Anal. Inst. Biol., Méx., 14(2):431-438.
133. _____. 1943b. Trematodos de los murciélagos de México. IV. Descripción de un nuevo género de la sub-familia Lecithodendriinae Looss, 1902, y una nueva especie de Prosthodendrium Dollfus, 1931. Anal. Inst. Biol., Méx., 14(1):173-193.
134. _____. 1960. Trematodos de los murciélagos de México. VIII. Cataálogo taxonómico de los trematodos que parasitan a los murciélagos (Mammalia, Chiroptera Blumenbach, 1774). Anal. Inst. Biol., Méx., 31:215-287.
135. _____, and R.G. Grocott. 1960. Helmitos de la República de Panama. XXIII. Estudio de dos trematodos de murciélagos, con descripción de una nueva especie. Ciencia, 19:244-247.
136. Cahn, P.H. 1958. Comparative optic development in Astyanax mexicanus and in two of its blind cave derivatives. Bull. Amer. Mus. Nat. Hist., 115(2):69-112.
137. Camargo Nuñez, Fernando, Aurora Velazquez E., and Manuel Ramírez Valenzuela. 1953. Historia del derriengue en México (1881 a 1950). Mem. Cong. Cient. Méx., 11:265-294.
138. Cardenas Figueroa, M. 1950. Los recursos naturales de Yucatán. IV.- Informe hidrobiológico y faunístico de Yucatán. Bol. Soc. Mex. Geogr. Estadist., 69:135-159.
139. Carranza, J. 1954. Descripción del primer bagre anoftalmo y depigmentado encontrado en aguas Mexicanas (Pisc., Ameiur.). Ciencia, 14(7-8):129-136, lam. I.
140. Carreño, Alfonso de la O. 1950. Los recursos naturales de Yucatán. Preambulo. Bol. Soc. Mex. Geogr. Estadist., 69(3):21-26.
141. Carter, D.C., and W.B. Davis. 1961. Tadarida aurispinosa (Peale) (Chiroptera: Molossidae) in North America. Proc. Biol. Soc. Washington, 74:161-166.
142. Castro, A.L. de. 1964. Trichorhina heterophthalma, nueva especie de isopode terrestre cavernícola de Cuba. Poeyana, ser. A, no. 2, pp. 1-7.

143. Causey, N.B. 1963. Mexiterpes sabinus, new genus and new species, a Mexican troglobite (Diplopoda: Trichopetalidae). *Psyche*, 70(4): 235-239.
144. _____. 1964. New cavernicolous millipeds of the family Cambalidae from Texas and Mexico. *Internatl. J. Speleol.*, 1(1-2):237-246, pls. 58-59.
145. _____. 1964a. Two new troglobitic millipeds of the genus Glomeroides from Mexico (Glomeridae: Glomerida). *Proc. Louisiana Acad. Sci.*, 27:63-66.
146. _____. 1966. The millipedes in the caves of Mexico and Guatemala. *Assoc. Mex. Cave Stud. Newsletter*, 2(5):124-125.
147. _____. 1969. New trichopetalid (Chordeumidea: Chordeumida) millipedes from caves in North and Central America. *Proc. Louisiana Acad. Sci.*, 32:43-49.
148. _____. 1969a. The troglobitic millipedes of Central America. (Abs.) *Bull. Natl. Speleol. Soc.*, 31(2):52.
149. Cernovitov, L. 1939. Etudes biospeologiques. X(1). Catalogue des oligochetes hypoges. *Bull. Mus. Roy. d'Hist. Nat. Belgique*, 15(22):1-92.
150. Chace, F.A. 1954. Two new subterranean shrimps (Decapoda: Caridea) from Florida and the West Indies, with a revised key to the American species. *J. Washington Acad. Sci.*, 44(10):318-324.
151. _____, and H.H. Hobbs, Jr. 1969. The freshwater and terrestrial decapod crustaceans of the West Indies with special reference to Dominica. *United States Natl. Mus. Bull.*, 292:1-258.
152. Chamberlin, J.C. 1938. A new genus and three new species of False scorpions from Yucatan caves (Arachnida-Chelonethida). *Carnegie Inst. Washington Publ.*, 491:109-121.
153. _____. 1946. The genera and species of the Hyidae, a family of the arachnid order Chelonethida. *Bull. Univ. Utah, Biol. Ser.*, 9(6): 1-16.
154. _____. 1947. The Vachoniidae -- a new family of false scorpions. Two new species from caves in Yucatan. *Bull. Univ. Utah, Biol. Ser.*, 10(4):1-15.
155. _____, and R.V. Chamberlin. 1954. The genera and species of the Tridenchthoniidae (Dithiidae). A family of the arachnid order Chelonethida. *Bull. Univ. Utah, Biol. Ser.*, 9(2):1-67.
156. _____, and D.R. Malcolm. 1960. The occurrence of false scorpions in caves with special reference to cavernicolous adaptation and to cave species in the North American fauna (Arachnida - Chelonethida). *Amer. Midl. Nat.*, 64(1):105-115.

157. Chamberlin, R.V. 1938. Diplopoda from Yucatan. Carnegie Inst. Washington Publ., 491:165-182.
158. _____. 1941. New chilopods from Mexico. Pan-Pacific Entomol., 17(4):184-188.
159. _____. 1942. On centipeds and millipeds from Mexican caves. Bull. Univ. Utah, Biol. Ser., 7(2):1-19.
160. _____. 1943. On Mexican centipeds. Bull. Univ. Utah, Biol. Ser., 7(3):1-55.
161. _____. 1943a. On Mexican millipeds. Bull. Univ. Utah, Biol. Ser., 8(3):1-103.
162. _____. 1947. Some records and descriptions of diplopods chiefly in the collection of the Academy. Proc. Acad. Nat. Sci. Philadelphia, 99:21-58.
163. _____. 1952. Some American polydesmid millipeds in the collection of the Chicago Museum of Natural History. Ann. Entomol. Soc. America, 45(4):553-584.
164. _____, and W. Ivie. 1938. Arachnida of the orders Pedipalpida, Scorpionida and Ricinulida. Carnegie Inst. Washington Publ., 491:101-107.
165. _____, and W. Ivie. 1938a. Araneida from Yucatan. Carnegie Inst. Washington Publ., 491:123-136.
166. Chitwood, B.G. 1938. Some nematodes from the caves of Yucatan. Carnegie Inst. Washington Publ., 491:51-66.
167. Chopard, L. 1947. Note sur les orthoptères cavernicoles du Mexique. Ciencia, 8(3):67-70.
168. Coates, C.W., and J.W. Atz. 1954. Fishes of the world, pp. 1391-1640. In: Frederick Drimmer, ed., The animal kingdom. New York: Doubleday. 3 vols.
169. Cockrum, E.L. 1955. Reproduction in North American bats. Trans. Kansas Acad. Sci., 58:487-511.
170. _____. 1960. Distribution, habitat and habits of the mastiff bat, Eumops perotis, in North America. J. Arizona Acad. Sci., 1(3):79-84.
171. _____. 1969. Migration in the guano bat, Tadarida brasiliensis. Univ. Kansas Mus. Nat. Hist. Misc. Publ., 51:303-336.
172. _____, and G. van R. Bradshaw. 1963. Notes on mammals from Sonora, Mexico. Amer. Mus. Nov., 2138. 9 pp.

173. Cole, G.A., and W.L. Minckley. 1966. Speocirolana thermydronis, a new species of cirolanid isopod crustacean from central Coahuila, Mexico. *Tulane Stud. Zool.*, 13(1):17-22.
174. _____, and W.L. Minckley. 1970. Sphaerolana, a new genus of cirolanid isopod from northern Mexico, with description of two new species. *Southwestern Nat.*, 15(1):71-81.
175. Cole, L.J. 1906. Vertebrata from Yucatan. 1. Introduction. *Bull. Mus. Comp. Zool.*, 50(5):101-106.
176. _____. 1906a. Vertebrata from Yucatan. 3. Aves. *Bull. Mus. Comp. Zool.*, 50(5):109-146.
177. Condé, B. 1955. Matériaux pour une monographie des diploures campo-deïdes. *Mém. Mus. Natl. d'Hist. Nat., Ser. A, Zool.*, 12:1-202.
178. Constantine, D.G. 1958. An automatic bat-collecting device. *J. Wildlife Management*, 22(1):17-22.
179. _____. 1958a. Chilonycteris psilotis in San Luis Potosi, Mexico. *J. Mammal.*, 39(2):293.
180. _____. 1959. Pteronotus davyi in northwestern Mexico. *J. Mammal.*, 40(3):442.
181. _____. 1966. New bat locality records from Oaxaca, Arizona and Colorado. *J. Mammal.*, 47(1):125-126.
182. _____. 1967. Activity patterns of the Mexican free-tailed bat. *Univ. New Mexico Publ. in Biol.*, 7. 79 pp.
183. Cooley, R.A., and G.M. Kohls. 1944. The Argasidae of North America, Central America and Cuba. *Amer. Midl. Nat., Monogr.* 1.
184. Cooper Ornithological Society. 1957. Distributional check-list of the birds of Mexico. Part II. Pacific Coast Avifauna, 33. 436 pp.
185. Cope, E.D. 1865. Third contribution to the herpetology of tropical America. *Proc. Acad. Nat. Sci. Philadelphia*, 1865, pp. 185-198.
186. Coronado Gutierrez, Luz. 1970. Estudio de un Cryptocellus de cavernas de México (Arachn., Ricin.). *Ciencia*, 27(2-3):47-62.
187. Cosío Villegas, I. 1961. Peculiaridades de la histoplasmosis primaria grave en el país. Comentario al trabajo del Dr. Antonio González Ochoa. *Gac. Med. Méx.*, 91(1):12-14.
188. Crabill, R.E., Jr. 1960. A new Nuevobius, with review of the genus (Chilopoda: Lithobiomorpha: Lithobiidae). *Bull. Brooklyn Entomol. Soc.*, 55:121-133.
189. Creaser, E.P. 1936. Crustaceans from Yucatan. *Carnegie Inst. Washington Publ.*, 457:121-133.

190. _____. 1938. Larger cave Crustacea of the Yucatan Peninsula. Carnegie Inst. Washington Publ., 491:159-164.
191. Culver, D.C., and T.L. Poulson. 1971. Oxygen consumption and activity in closely related amphipod populations from cave and surface habitats. Amer. Midl. Nat., 85(1):74-84.
192. Dalquest, W.W. 1950. The genera of the chiropteran family Natalidae. J. Mammal., 31(4):436-444.
193. _____. 1950a. Records of mammals from the Mexican state of San Luis Potosi. Occ. Pap. Mus. Zool., Louisiana State Univ., 23:1-15.
194. _____. 1953. Mammals of the Mexican state of San Luis Potosi. Louisiana State Univ. Stud., Biol. Sci. Ser., 1:1-229.
195. _____. 1954. Netting bats in tropical Mexico. Trans. Kansas Acad. Sci., 57(1):1-10.
196. _____. 1957. American bats of the genus Mimon. Proc. Biol. Soc. Washington, 70:45-48.
197. _____, and E.R. Hall. 1947. Geographic range of the hairy-legged vampire in eastern Mexico. Trans. Kansas Acad. Sci., 50(3-4): 315-317.
198. _____, and E.R. Hall. 1947a. Tadarida femorosacca (Merriam) in Tamaulipas, Mexico. Univ. Kansas Mus. Nat. Hist. Publ., 1(13):245-248.
199. _____, and E.R. Hall. 1949. Five bats new to the fauna of Mexico. J. Mammal., 30(4):424-427.
200. _____, and Edward Roth. 1970. Late Pleistocene mammals from a cave in Tamaulipas, Mexico. Southwestern Nat., 15(2):217-230.
201. _____, and H.J. Werner. 1954. Histological aspects of the faces of North American bats. J. Mammal., 35(2):147-160.
202. Dancau, D., and E. Serban. 1965. La présence de Bogidiella albertimagni Hertzog 1933 en Roumanie et quelques remarques sur les espèces européennes du genre. Internal. J. Speleol., 1(3):339-348, pl. 71-75.
203. Darlington, P.J., Jr. 1936. Aquatic Coleoptera from Yucatan. Carnegie Inst. Washington Publ., 457:153-155.
204. Davis, R., and E.L. Cockrum. 1963. 'Malfunction' of homing ability in bats. J. Mammal., 44(1):131-132.
205. Davis, W.B. 1944. Notes on Mexican mammals. J. Mammal., 25(4): 370-403.

206. _____. 1965. Review of the Eptesicus brasiliensis complex in Middle America with the description of a new subspecies from Costa Rica. *J. Mammal.*, 46(2):229-240.
207. _____. 1970. The large fruit bats (genus Artibeus) of Middle America, with a review of the Artibeus jamaicensis complex. *J. Mammal.*, 51(1):105-122.
208. _____, and D.C. Carter. 1962. Notes on Central American bats with description of a new subspecies of Mormoops. *Southwestern Nat.*, 7(1):64-74.
209. _____, D.C. Carter, and R.H. Pine. 1964. Noteworthy records of Mexican and Central American bats. *J. Mammal.*, 45(3):375-387.
210. _____, and R.J. Russell, Jr. 1952. Bats of the Mexican state of Morelos. *J. Mammal.*, 33(3):234-239.
211. _____, and R.J. Russell, Jr. 1953. Aves y mamíferos del estado de Morelos. *Rev. Soc. Mex. Hist. Nat.*, 14:77-147.
212. _____, and R.J. Russell, Jr. 1954. Mammals of the Mexican state of Morelos. *J. Mammal.*, 35(1):63-80.
213. Davis, W.H. 1959. Taxonomy of the eastern pipistrel. *J. Mammal.*, 40(4):521-531.
214. Dearolf, Kenneth. 1956. Survey of North American cave vertebrates. *Proc. Pennsylvania Acad. Sci.*, 30:201-210.
215. De Buen, Fernando. 1940. Lista de peces de agua dulce de México. En preparación de su catálogo. *Trab. Est. Limnol. Patzcuaro*, 2:1-66. Mimeogr.
216. _____. 1947. Ictiogeografía continental mexicana (I, II, y III). *Rev. Soc. Mex. Hist. Nat.*, 7:87-138.
217. de la Torre, L. 1955. Bats from Guerrero, Jalisco and Oaxaca, Mexico. *Fieldiana: Zool.*, 37:695-701, pl. 30-31.
218. Drake, R.J. 1951. Humboldtiana taylori, new species, from northern Coahuila. *Rev. Soc. Malacologica*, 8(2):93-96, pl. 12-13.
219. _____. 1951a. Three new species Coelostemma from southeastern Chihuahua. *Rev. Soc. Malacologica*, 8(1):39-42, pl. 6.
220. Duellman, W.E. 1965. Amphibians and reptiles from the Yucatan Peninsula, Mexico. *Univ. Kansas Mus. Nat. Hist. Publ.*, 15(12): 577-614.
221. Edwards, Charles. 1969. Relativity humidity and temperature preference responses of the ricinuleid Cryptocellus n.sp. (Arachnida). (Abs.) *Bull. Natl. Speleol. Soc.*, 31(2):51.

222. Evermann, B.W., and E.L. Goldsborough. 1902. A report on fishes collected in Mexico and Central America, with notes and descriptions of five new species. Bull. United States Fish Commission, 21:137-159.
223. Felix, Dionisio. 1967. Algunas anotaciones acerca de la histoplasmosis en México. Bol. Grupo Espeleol. Mex., 1(1).
224. Findley, J.S. 1966. Northernmost limit of the river crab, Pseudothelphusa (Decapoda), in western Mexico. Southwestern Nat., 11(3):412-413.
225. Fingerman, M. 1965. Chromatophores. Physiol. Rev., 45:296-339.
226. Fish, John, and J.R.Reddell. 1965. Trip report: August 18-26. Assoc. Mex. Cave Stud. News., 1(8):73-77.
227. Fisher, H.I. 1953. Faunal and archeological researches in Yucatan caves. 3. The birds. Cranbrook Inst. Sci. Bull., 33:81-90.
228. Flores Crespo, Raul, R.J. Burns, and S.B. Linhart. 1970. Load-lifting capacity of the vampire bat. J. Mammal., 51(3):627-629.
- 229.*Franck, Annelotte. 1962. Mexikanische Höhlencharaciniden im Vergleich zu ihren oberirdischen Vorfahren. Staatsexamenarbeit der Universität Hamburg.
230. _____. 1964. Vergleichende Untersuchungen am Höhlenfisch Anoptichthys antrobius und seinem oberirdischen Vorfahren Astyanax mexicanus. Zool. Anz., 172(2):95-107.
231. Frank, Stanislav. 1960. Anoptichthys jordani Hubbs a Innes 1936. Akvárium a terárium, 3(3):39-41.
232. _____. 1961. A morphological study about blind cave fish, Anoptichthys jordani. Věst. Českosl. Spol. Zool., 25.
233. _____. 1968. Der Augenlose. Der blinde Höhlensalmmler kommt nicht blind zur Welt. Aquarien Mag., 7:299-301.
234. _____. 1969. Blind geboren? Entwicklung und Rückbildung des Auges bei einem blinden Höhlensalmmler. Mikrokosmos, 1:11-13.
235. Furtos, N.C. 1936. On the Ostracoda from the cenotes of Yucatan and vicinity. Carnegie Inst. Washington Publ., 457:89-115.
236. _____. 1938. A new species of Cypridopsis from Yucatan. Carnegie Inst. Washington Publ., 491:155-157.
237. Gaige, H.T. 1936. Some reptiles and amphibians from Yucatan and Campeche, Mexico. Carnegie Inst. Washington Publ., 457:289-304.
238. _____. 1938. Some reptilian records from caves of Yucatan. Carnegie Inst. Washington Publ., 491:297-298.

239. Gates, G.E. 1959. Earthworms of North American caves. Bull. Natl. Speleol. Soc., 21(2):77-84.
240. _____. 1968. On a new species of earthworm from a Mexican cave. Internatl. J. Speleol., 3(1-2):63-70.
241. _____. 1970. On a new species of earthworm from another Mexican cave. Southwestern Nat., 15(2):267-269.
242. Gertsch, W.J. 1953. The spider genera Xysticus, Coriarachne, and Oxyptila (Thomisidae, Misumeninae) in North America. Bull. Amer. Mus. Nat. Hist., 102(4):417-482.
243. _____. 1958. The spider genus Loxosceles in North America, Central America, and the West Indies. Amer. Mus. Nov., 1907.
244. _____. 1960. Descriptions of American spiders of the family Symphyto-gnathidae. Amer. Mus. Nov., 1891. 40 pp.
245. _____, and L.I. Davis. 1942. Report on a collection of spiders from Mexico. IV. Amer. Mus. Nov., 1158. 19 pp.
246. _____, and S. Mulaik. 1939. Report on a new ricinuleid from Texas. Amer. Mus. Nov., 1037. 5 pp.
247. Gittleson, S.M., and R.L. Hoover. 1969. Cavernicolous Protozoa. Review of the literature and new studies in Mammoth Cave, Kentucky. Ann. Speleol., 24(4):737-776.
248. Glass, B.P. 1959. Additional returns from free-tailed bats banded in Oklahoma. J. Mammal., 40(4):542-545.
249. Gloyd, L.K. 1938. A new species of the genus Libellula from Yucatan. Occ. Pap. Mus. Zool., Univ. Michigan, 377. 4 pp., 1 pl.
250. Goldman, E.A. 1951. Biological investigations in Mexico. Smithsonian Misc. Coll., 115. 476 pp.
251. Gonzalez-Angulo, Wilbert, and R.E. Ryckman. 1967. Epizootology of Trypanosoma cruzi in southwestern North America. Part IX: An investigation to determine the incidence of Trypanosoma cruzi infections in Triatominae and man on the Yucatan Peninsula of Mexico. J. Med. Ent., 4(1):44-47.
252. Gonzalez Ochoa, Antonio. 1957. Histoplasmosis pulmonar aguda primaria. Gac. Med. Méx., 87(10):733-744.
253. _____. 1959. Aislamiento de Histoplasma capsulatum del guano de murciélago en cuevas del noreste de Mexico. Comentario al trabajo del Dr. Aguirre Pequeño. Gac. Med. Méx., 89(4):245-247.

254. _____. 1959a. Histoplasmosis primaria pulmonar aguda en la República Mexicana. Estudio de 74 casos. Rev. Inst. Salubr. Enferm. Trop. (Méx.), 19:341-350.
255. _____. 1961. Peculiaridades de la histoplasmosis pulmonar primaria grave en el país. Gac. Med. Méx., 91(1):5-11.
256. _____. 1963. Epidemiología de la histoplasmosis primaria en México. Rev. Inst. Salubr. Enferm. Trop. (Méx.), 23:65-80.
257. _____. 1963a. Relaciones entre el habitat del murciélago y el Histoplasma capsulatum. Rev. Inst. Salubr. Enferm. Trop. (Méx.), 23:81-86.
258. _____. 1964. Realizaciones de la investigación científica en México para la salud pública. III. Histoplasmosis. Gac. Med. Méx., 94(10):981-986.
259. _____. 1964a. Symposium sobre histoplasmosis pulmonar primaria. I. Generalidades. Aspectos del problema en México. Gac. Med. Méx., 94(5):501-508.
260. _____, and A. Cervantes Ochoa. 1960. Histoplasmosis epidemica y su prevención. Rev. Inst. Salubr. Enferm. Trop. (Méx.), 20:129-145.
261. _____, and Eduardo Dallal y Castillo. 1960. Frecuencia de Scopulariopsis brevicaulis en muestras de suelas en cuevas y minas del país. Rev. Inst. Salubr. Enferm. Trop. (Méx.), 20:247-252.
262. Goodnight, C.J. 1969. Distribution of the cave opilionids in Texas and north Mexico. (Abs.) Bull. Natl. Speleol. Soc., 31(2):51.
263. _____, and M.L. Goodnight. 1942. Phalangida from Mexico. Amer. Mus. Nov., 1211. 18 pp.
264. _____, and M.L. Goodnight. 1944. Dos géneros nuevos de Cosmetidae Simon (Phalangida) de México. Ciencia, 5(4-5):106-109.
265. _____, and M.L. Goodnight. 1944a. More Phalangida from Mexico. Amer. Mus. Nov., 1249. 13 pp.
266. _____, and M.L. Goodnight. 1945. Additional Phalangida from Mexico. Amer. Mus. Nov., 1281. 17 pp.
267. _____, and M.L. Goodnight. 1950. Distribution and taxonomic relationships of the phalangid fauna of Chiapas, Mexico. Year Book, Amer. Phil. Soc., 1950, pp. 142-145.
268. _____, and M.L. Goodnight. 1953. The opilionid fauna of Chiapas, Mexico, and adjacent areas (Arachnoidea, Opiliones). Amer. Mus. Nov., 1610. 81 pp.

269. Goodrick, C.L. 1962. Differential adaptation of activity in the blind cave fish Anoptichthys jordani. *Perceptual and Motor Skills*, 14(1):10.
270. Goodwin, G.G. 1954. Mammals from Mexico collected by Marian Martin for the American Museum of Natural History. *Amer. Mus. Nov.*, 1689. 16 pp.
271. _____. 1954a. A new short-tailed shrew and a new free-tailed bat from Tamaulipas, Mexico. *Amer. Mus. Nov.*, 1670. 3 pp.
272. _____. 1969. Mammals from the state of Oaxaca, Mexico, in the American Museum of Natural History. *Bull. Amer. Mus. Nat. Hist.*, 141(1):1-269, pls. 1-40.
273. Gordon, M.S., and D.E. Rosen. 1962. A cavernicolous form of the poeciliid fish Poecilia sphenops from Tabasco, Mexico. *Copeia*, 1962(2): 360-368.
274. Gordon, Myron. 1957. Physiological genetics of fishes, pp. 466-467. In: M.E. Brown, ed., The physiology of fishes, vol. II, Behavior. New York: Academic Press.
275. Greenberg, Albert. 1938. Strange spawning of the blind characin. *Aquarium, Philadelphia*, 7(5):80.
276. Greenwood, P.H. 1967. Blind cave fishes. *Stud. in Speleol.*, 1(5): 262-274, pl. XL.
277. Gresser, E.B., and C.M. Breder, Jr. 1940. The histology of the eye of the cave characin, Anoptichthys. *Zoologica*, 25:113-116, pls. 1-3.
278. Grimes, J.E., R.B. Eads, and J.V. Irons. 1955. An additional species of insectivorous bat naturally infected with rabies. *Amer. J. Trop. Med. & Hyg.*, 4:554-556.
279. Grobbel, G., and G. Hahn. 1958. Morphologie und histologie der Seitenorgane des augenlosen Höhlenfisches Anoptichthys jordani im vergleich zu anderen teleostern. *Z. Morph. u. Oekol. Tiere*, 47:249-266.
280. Grummon, R.A., and Alvin Novick. 1963. Obstacle avoidance in the bat, Macrotus mexicanus. *Physiol. Zool.*, 36(4):361-369.
281. Gurney, A.B. 1943. A synopsis of the psocids of the tribe Psyllipsocini, including the description of an unusual new genus from Arizona (Corrodentia: Empheriidae: Empheriinae). *Ann. Entomol. Soc. America*, 36:195-220.
- 282.*Hahn, G. 1957. Ferntastsinn und Strömungssinn beim augenlosen Höhlenfisch, Anoptichthys jordani Hubbs and Innes, und das Problem der Rezeptionsorte von Lichtreizen. Dissertation, Köln.

283. _____. 1960. Ferntastsinn und Strömungssinn beim augenlosen Höhlenfisch, Anoptichthys jordani Hubbs und Innes im vergleich zu einigen anderen Teleosteen. (Abs.) Naturwiss., 47(24):611.
284. Halffter, Gonzalo. 1950. Convención mundial de espeleólogos. Ciencia, 10:165-166.
285. Hall, E.R., and W.W. Dalquest. 1963. The mammals of Veracruz. Univ. Kansas Mus. Nat. Hist. Publ., 14(14):165-362.
286. _____, and K.R. Kelson. 1959. The mammals of North America. New York: Ronald Press. 2 vols.
287. _____, and Bernardo Villa R. 1949. An annotated check list of the mammals of Michoacan, Mexico. Univ. Kansas Mus. Nat. Hist. Publ., 1(22):431-472.
288. _____, and Bernardo Villa R. 1950. Lista anotada de los mamíferos de Michoacán, México. Anal. Inst. Biol., Méx., 21(1): 159-214.
289. Hall, F.G. 1936. Physical and chemical survey of cenotes of Yucatan. Carnegie Inst. Washington Publ., 457:5-16.
290. Handley, C.O., Jr. 1955. New bats of the genus Corynorhinus. J. Washington Acad. Sci., 45:147-149.
291. _____. 1959. A revision of American bats of the genera Euderma and Plecotus. Proc. United States Natl. Mus., 110:95-246.
292. _____. 1966. Descriptions of new bats (Chiroderma and Artibeus) from Mexico. Anal. Inst. Biol., Mex., 36(1-2):297-301.
293. Harrell, B.E. 1951. The birds of Rancho del Cielo. An ecological investigation in the oak-sweet gum forests of Tamaulipas, Mexico. M.A. Thesis. Univ. Minnesota. 283 pp.
294. Hart, C.W., Jr. 1962. A revision of the ostracods of the family Entocytheridae. Proc. Acad. Nat. Sci. Philadelphia, 114(3): 121-147.
295. Hatt, R.T. 1938. Notes concerning mammals collected in Yucatan. J. Mammal., 19(3):333-337.
296. _____. 1953. Faunal and archeological researches in Yucatan caves. 1. Introduction. Cranbrook Inst. Sci. Bull., 33:1-42, pls. 1-6.
297. _____. 1953a. Faunal and archeological researches in Yucatan caves. 2. The mammals. Cranbrook Inst. Sci. Bull., 33:45-77, pls. 1-2.

298. _____, and Bernardo Villa R. 1950. Observaciones sobre algunos mamíferos de Yucatán y Quintana Roo. Anal. Inst. Biol., Méx., 21(1):215-240.
299. Hendrichs, J., and C. Bolívar y Pieltain. 1966. Hallazgo de un nuevo Mexisphodrus cavernícola en el estado de Hidalgo (México): M. gertschi nov. sp. (Ins. Col., Carab.). Ciencia, 25(1):7-10, lam. I.
300. Herman, L.J., Jr. 1969. A troglobitic staphylinid from Mexico (Coleoptera, Staphylinidae, Paederinae). Amer. Mus. Nov., 2367. 9 pp.
301. _____. 1970. The ecology, phylogeny, and taxonomy of Stillicolina (Coleoptera, Staphylinidae, Paederinae). Amer. Mus. Nov., 2412. 26 pp.
302. Herrera, D.A.L. 1892. Fauna cavernícola. Mem. Soc. Cient. "Antonio Alzate," 5:218-220.
303. Hershberger, Barbara. 1966. Histoplasmosis. Assoc. Mex. Cave Stud. News., 2(4):91.
304. _____. 1966a. Trip report: 22 July 1966. Assoc. Mex. Cave Stud. News., 2(4):88-90.
305. Heuts, M.J. 1951. Ecology, variation and adaptation of the blind African cave fish Caecobarbus geertsii Blgr. Ann. Soc. Roy. Belgique, 82(2):155-230.
306. _____. 1953. Comment on "Cave fish evolution". Evolution, 7:391-392.
307. _____. 1953a. Regressive evolution in cave animals. Symp. Soc. Exptl. Biol., 7:290-309.
308. _____. 1961. Cave biology, pp. 195-197. In: Peter Gray, ed., The encyclopedia of the biological sciences. New York: Reinhold.
309. Hobbs, H.H., Jr. 1941. A new crayfish from San Luis Potosi, Mexico. (Decapoda, Astacida). Zoologica, 26(1):1-4.
310. _____. 1943. Two new crayfishes of the genus Procambarus from Mexico (Decapoda, Astacidae). Lloydia, 6:198-206.
311. _____. 1967. Procambarus villalobosi, un nuevo camarino de San Luis Potosí, México (Decapoda, Astacidae). Anal. Inst. Biol., Méx., 38(1):41-46.
312. Hoffmann, Anita. 1947. Un nuevo género de Trombidido Mexicano. Anal. Esc. Nac. Cienc. Biol., 4(4):451-457.
313. _____. 1949. Contribuciones al conocimiento de los Trombiculidos Mexicanos. Primera parte. Rev. Soc. Mex. Hist. Nat., 10:185-190.

314. _____. 1952. Contribuciones al conocimiento de los Trombiculidos Mexicanos (5a. parte). *Ciencia*, 12(3-4):87-94.
315. _____. 1953. Estado actual del conocimiento de los estribulidos Mexicanos. (Diptera: Pupiparia). *Mem. Cong. Cient. Méx.*, 7:175-193.
316. _____. 1957. Contribuciones al conocimiento de los Trombiculidos Mexicanos (Acar., Trombicul.) (7a. parte). *Ciencia*, 16(7-8): 147-148.
317. _____. 1958. Una especie nueva de Antricola encontrada en México (Acar., Argas.). *Anal. Esc. Nac. Cienc. Biol.*, 9(1-4):97-108.
318. _____. 1960. Contribuciones al conocimiento de los Trombiculidos Mexicanos (Acarina: Trombicul.) (8a. parte). *Ciencia*, 20(3-4): 99-105.
319. _____. 1960a. Contribuciones al conocimiento de los trombiculidos mexicanos (Acarina, Trombiculidae) (9a. parte). *Acta Zool. Mex.*, 4(4):1-11.
320. _____. 1962. Monografía de los Ixodoidea de México. I parte. *Rev. Soc. Mex. Hist. Nat.*, 23:191-307.
321. Hoffmeister, D.F. 1957. Review of the long-nosed bats of the genus Leptoncyteris. *J. Mammal.*, 38(4):454-461.
322. Holman, J.A. 1969. A small Pleistocene herpetofauna from Tamaulipas. *Quart. J. Florida Acad. Sci.*, 32(2):153-158.
323. Holsinger, J.R., and W.L. Minckley. 1971. A new genus and two new species of subterranean amphipod crustaceans (Gammaridae) from northern Mexico. *Proc. Biol. Soc. Washington*, 83:425-444.
324. _____, and S.B. Peck. 1968. A new genus and species of subterranean amphipod (Gammaridae) from Puerto Rico, with notes on its ecology, evolution and relationship to other Caribbean amphipods. *Crustaceana*, 15(3):249-262.
325. Holthuis, L.B. 1952. A general revision of the Palaemonidae (Crustacea Decapoda Natantia) of the Americas. II. The subfamily Palaemoninae. Allan Hancock Foundation Publ., Occ. Pap., 12. 396 pp.
326. _____. 1956. An enumeration of the Crustacea Decapoda Natantia inhabiting subterranean waters. *Vie et Milieu*, 7:43-76.
327. Hooper, E.T. 1947. Notes on Mexican mammals. *J. Mammal.*, 28(1): 40-57.
328. _____. 1953. Notes on mammals of Tamaulipas, Mexico. *Occ. Pap. Mus. Zool., Univ. Michigan*, 544:1-12.

329. _____. 1961. Notes on mammals from western and southern Mexico. *J. Mammal.*, 42(1):120-122.
330. Howden, H.F., O.L. Cartwright, and G. Halfpfer. 1956. Descripción de una nueva especie Mexicana de Onthophagus con anotaciones ecológicas sobre especies asociadas a nidos de animales y a cuevas. *Acta Zool. Mex.*, 1(9):1-16.
331. Hsu, T.C., R.J. Baker, and T. Utakoji. 1968. The multiple sex chromosome system of American leaf-nosed bats (Chiroptera, Phyllostomidae). *Cytogenetics*, 7:27-38.
332. Hubbell, T.H. 1936. Monographic revision of the genus Ceuthophilus (Orthoptera, Gryllacrididae, Rhabdophorinae). *Univ. Florida Biol. Sci. Ser.*, 2(1):1-551, pl. 1-38.
333. _____. 1938. New cave-cricket from Yucatan, with a review of the Pentacentrinae, and studies on the genus Amphiacusta (Orthoptera, Gryllidae). *Carnegie Inst. Washington Publ.*, 491:191-233.
334. Hubbs, C.L. 1936. Fishes of the Yucatan Peninsula. *Carnegie Inst. Washington Publ.*, 457:157-287, pl. 1-15.
335. _____. 1938. Fishes from the caves of Yucatan. *Carnegie Inst. Washington Publ.*, 491:261-295, pl. 1-4.
336. _____, and W.T. Innes. 1936. The first known blind fish of the family Characidae: A new genus from Mexico. *Occ. Pap. Mus. Zool., Univ. Michigan*, 342. 7 pp.
- 337.*Humbach, Ilse. 1960. Geruch und Geschmack bei den augenlosen Höhlenfischen Anoptichthys jordani Hubbs und Innes und Anoptichthys hubbsi Alvarez. *Inaug. Diss., Köln*. 88 pp.
338. _____. 1960a. Geruch und Geschmack bei den augenlosen Höhlenfischen Anoptichthys jordani, Hubbs und Innes und Anoptichthys hubbsi, Alvarez. (Abs.) *Naturwiss.*, 47(23):551.
339. Hungerford, H.B. 1936. Aquatic and semiaquatic Hemiptera collected in Yucatan and Campeche. *Carnegie Inst. Washington Publ.*, 457:145-150.
340. _____. 1954. The genus Rheumatobates Bergroth (Hemiptera-Gerridae). *Univ. Kansas Sci. Bull.*, 36(1):529-588.
341. Husmann, Siegfried. 1967. Die ökologische Stellung der Höhlen- und Spaltengewässer innerhalb der subterranaquatischen Lebensbereiche. *Internatl. J. Speleol.*, 2(4):409-436.
342. Hutchinson, G.E. 1950. Survey of existing knowledge of biogeochemistry. 3. The biogeochemistry of vertebrate excretion. *Bull. Amer. Mus. Nat. Hist.*, 96. 554 pp.

- 343.*Hykes, O.V. 1937. Anoptichthys jordani, Hubbs and Innes. Akvaristické listy, 11:108-109.
344. Hyman, L.H. 1938. Land planarians from Yucatan. Carnegie Inst. Washington Publ., 491:23-32.
345. Ingles, L.G. 1959. Notas acerca de los mamíferos Mexicanos. Anal. Inst. Biol., Méx., 29:379-408.
346. Innes, W.T. 1954. A cavern characin, Anoptichthys jordani Hubbs and Innes. Aquarium, Philadelphia, 5(10):200-202.
347. Jackson, D.F. 1961. Histoplasmosis. A 'spelunker's' risk. Amer. Rev. Respiratory Dis., 83(2):261-263.
348. Jeannel, René. 1943. Les fossiles vivants des cavernes. Gallimard. 321 pp.
349. John, K.R. 1957. Observations on the behavior of blind and blinded fishes. Copeia, 1957(2):123-132.
350. Johnson, H.W. 1948. Derriengue: Vampire bat rabies in Mexico. Amer. J. Hyg., 47:189-204.
351. Johnson, K.W. 1967. Temperature responses of the Mexican blind cave-fishes of the genus Anoptichthys. M.S. Thesis. Lubbock: Texas Technological College. 53 pp.
352. Jones, J.K., Jr. 1964. Additional records of mammals from Durango, Mexico. Trans. Kansas Acad. Sci., 66(4):750-753.
353. _____. 1964a. Bats from western and southern Mexico. Trans. Kansas Acad. Sci., 67(3):509-516.
354. _____, and Ticul Alvarez. 1962. Taxonomic status of the free-tailed bat, Tadarida yucatanica Miller. Univ. Kansas Mus. Nat. Hist. Publ., 14(9):125-133.
355. _____, and Ticul Alvarez. 1964. Additional records of mammals from the Mexican state of San Luis Potosi. J. Mammal., 45(2): 302-303.
356. _____, J.D. Smith, and Ticul Alvarez. 1965. Notes on bats from the Cape Region of Baja California. Trans. San Diego Soc. Nat. Hist., 14(4):53-56.
357. Jordan, C.B. 1937. Bringing in the new cave fish. Aquarium, Philadelphia, 5(10):203-204.
358. _____. 1946. Anoptichthys x Astyanax hybrids. Aquarium, Philadelphia, 15(11):198.

359. Judd, F.W. 1967. Notes on some mammals from Big Bend National Park. *Southwestern Nat.*, 12(2):192-194.
360. Kaestner, Alfred. 1968. Invertebrate Zoology, Volume II. Tr. and adapted by H.W. Levi and L.R. Levi. New York: Interscience Publ. 472 pp.
- 361.*Kähling, J. 1957. Progressive und regressive Augenentwicklung bei dem Höhlenfisch Anoptichthys jordani Hubbs u. Innes und das Problem der Rezeptionsorte von Lichtreizen. Dissertation, Köln.
362. _____. 1961. Untersuchungen über den Lichtsinn und dessen Lokalisation bei dem Höhlenfisch Anoptichthys jordani Hubbs & Innes (Characidae). *Biol. Zentralblatt*, 80(4):439-451.
363. Kauffeld, J.E. 1954. Ctenobrycon spilurus fathers strange young. *Aquarium, Philadelphia*, 23:140-141.
364. Kellogg, Remington. 1932. Mexican tailless amphibians in the United States National Museum. *United States Natl. Mus. Bull.*, 160. 224 pp.
- 365.*Kirby, W.F. 1906. A synonymic catalogue of Orthoptera. Vol. II. Orthoptera Saltatoria. Part I. (Achetidae et Phasgonuridae). London: British Museum of Natural History. 562 pp.
366. Klaas, E.E. 1968. Summer birds from the Yucatan Peninsula, Mexico. *Univ. Kansas Publ. Mus. Nat. Hist.*, 17:579-611.
367. Knobloch, I.W. 1942. Notes on a collection of mammals from the Sierra Madres of Chihuahua, Mexico. *J. Mammal.*, 23(3):297-298.
368. Kohls, G.M., D.E. Sonenshine, and C.M. Clifford. 1965. The systematics of the subfamily Ornithodorinae (Acarina: Argasidae). II. Identification of the larvae of the Western Hemisphere and descriptions of three new species. *Ann. Entomol. Soc. America*, 58(3): 331-364.
369. Koopman, K.F. 1956. Bats from San Luis Potosi with a new record for Balantiopteryx plicata. *J. Mammal.*, 37(4):547-548.
370. _____, and P.S. Martin. 1959. Subfossil mammals from the Gomez Farias region and the tropical gradient of eastern Mexico. *J. Mammal.*, 40(1):1-12.
371. Kosswig, C. 1959. Genetische analyse stammesgeschichtlicher Einheiten. *Verh. Dtsch. Zool. Ges.*; 1959:42-73.
372. _____. 1960. Darwin und die degenerative Evolution. *Abhandl. Verhandl. Naturwissenschaftlichen Vereins in Hamburg*, 1959(4):21-42, pl. 1.
373. _____. 1960a. Zur phylogenese sogenannter anpassungsmerkmale bei Höhlentieren. *Int. Rev. ges. Hydrobiol.*, 45(4):493-512.

374. _____. 1963. Evolutionsphanomene bei Knochenfischen, genetisch betrachtet. Veroff. Inst. Meeresf. Bremerhaven. Sonderband, 3., meeresbiol. Symposion, 178-196.
375. _____. 1963a. Genetische analyse konstruktiver und degenerativer evolutionsprozesse. Z. zool. Syst. Evolutionsforsch., 1(3-4): 205-239.
376. _____. 1964. Problems of polymorphism in fishes. Copeia, 1964(1): 65-75.
377. _____. 1965. Génétique et évolution régressive. Rév. des Questions Scientifiques, 26:227-257.
378. _____, and N. Peters. 1967. Die Evolution der Höhlentiere. Bild der Wissenschaft, 1967:828-835.
379. Kuhn, O., and J. Kahling. 1954. Augenrückbildung und Lichtsinn bei Anoptichthys jordani Hubbs and Innes. Experientia, 10(9):385-388.
380. _____, and E. Strotkoetter. 1967. Untersuchungen von Drucken auf den tierischen Körper. I. Druckreception bei Fischen und ihre Mitwirkung bei der Orientierung im Raum. Forschungsberichte des Landes Nordrhein-Westfalen, No. 1857:1-57.
381. Ladiges, W. 1951. Blinde Höhlenfische im Aquarium. Die Aqu. u. Terr. Zeitschr., 4:258-260.
382. _____. 1951a. Der Fisch in der Landschaft. 2nd ed. Kapitel F: Höhlenfische, pp. 167-171. G. Wenzel, Braunschweig.
383. Langebartel, D.A. 1953. Faunal and archeological researches in Yucatan caves. 4. The reptiles and amphibians. Cranbook Inst. Sci. Bull., 33:91-108.
384. Lauck, D.R. 1962. A monograph of the genus Belostoma (Hemiptera). Part I. Introduction and B. dentatum and subspinosum groups. Bull. Chicago Acad. Sci., 11(3):34-81.
385. _____. 1964. A monograph of the genus Belostoma (Hemiptera). Part III. B. triangulum, bergi, minor, bifoveolatum and flumineum groups. Bull. Chicago Acad. Sci., 11(5):102-154.
386. Lay, D.M. 1962. Seis mamíferos nuevos para la fauna de México. Anal. Inst. Biol., Méx., 33(1-2):373-377.
387. Leroy, Yveline. 1967. Gryllides et gryllacrides cavernicoles. Annal. Spéléol., 22(3):659-722.
388. Levi, H.W. 1954. Spiders of the genus Euryopis from North and Central America (Araneae, Theridiidae). Amer. Mus. Nov., 1666. 48 pp.

389. _____. 1955. The spider genera Chrysso and Tidarren in America (Araneae: Theridiidae). J. New York Entomol. Soc., 63:59-81.
390. _____. 1959. The spider genera Achaearana, Theridion and Sphyrotinus from Mexico, Central America and the West Indies. (Araneae, Theridiidae). Bull. Mus. Comp. Zool., 121(3):57-163, figs. 1-430.
391. _____, and L.R. Levi. 1962. The genera of the spider family Theridiidae. Bull. Mus. Comp. Zool., 127(1):1-71, 4 pls.
392. Long, C.A., and C.J. Jones. 1966. Variation and frequency of occurrence of the baculum in a population of Mexican free-tailed bats. Southwestern Nat., 11(2):290-295.
393. Loomis, H.F. 1962. Two unusual Central American spirostreptid milliped species. Proc. Biol. Soc. Washington, 75:47-52.
394. _____. 1968. A checklist of the millipeds of Mexico and Central America. Bull. United States Natl. Mus., 266:1-137.
395. Lüling, K.H. 1953. Die Heimat und die Entdeckung unseres Blindfisches Anoptichthys jordani. Die Aqu. u. Terr. Zeitschr., 6(12):314-318.
396. _____. 1953a. Über das Sehen jugendlicher Anoptichthys jordani (Hubbs und Innes). Aquar. u. Terr. Zeitschr., 6(3):62-65.
397. _____. 1953b. Über die fortschreitende Augenreduktion des Anoptichthys jordani, Hubbs und Innes (Characidae). Zool. Anz., 151:289-299.
398. _____. 1954. Untersuchungen am Blindfisch Anoptichthys jordani, Hubbs und Innes (Characidae).--I. Einige Beobachtungen über das Verhalten des Blindfisches Anoptichthys jordani beim Laichen. Naturw. Rundschau, 5:197-203.
399. _____. 1954a. Untersuchungen am Blindfisch Anoptichthys jordani, Hubbs und Innes (Characidae).--II. Beobachtungen und Experimente an Anoptichthys jordani zur Prüfung der Einstellung zum Futter, zum Licht und zur Wasserturbulenz. Zool. Jb., 65(1):10-42.
400. _____. 1955. On the subject of eye reduction found in the blind fish Anoptichthys jordani (Hubbs and Innes) from the Mexican caves. Photogr. u. Forsch., 6(5):138-143.
401. _____. 1955a. Untersuchungen am Blindfisch Anoptichthys jordani Hubbs und Innes (Characidae).--III. Vergleichend anatomisch-histologische Studien an den Augen des Anoptichthys jordani. Zool. Jahrb. Abt. Anat. Entog., 74(3):402-477.
- 402.* _____. 1955b. Zur Augenreduktion des aus Mexikanischen Höhlen stammenden blinden Salmers Anoptichthys jordani (Hubbs und Innes). Photogr. und Forsch., 6:138-143.

403. _____. 1957. Caecobarbus geertsi Boulenger - seine Entdeckung, Verbreitung und Lebensweise - und nochmals Anoptichthys jordani Hubbs und Innes. Die Aqu. u. Terr. Zeitschr., 10:145-150.
404. _____. 1962. Untersuchungen am Blindfisch Anoptichthys jordani Hubbs und Innes (Characidae).--IV. Bemerkungen zur Ökologie und Tiergeographie. Bonner Zool. Beiträge, 13(1-3):139-145.
405. Lukens, P.W., Jr., and W.B. Davis. 1957. Bats of the Mexican state of Guerrero. J. Mammal., 38(1):1-14.
406. Lynch, J.D. 1965. Two new species of Eleutherodactylus from Mexico (Amphibia: Leptodactylidae). Herpetologica, 20(4):246-252.
407. _____. 1967. Synonymy, distribution and variation in Eleutherodactylus decoratus of Mexico (Amphibia: Leptodactylidae). Trans. Illinois State Acad. Sci., 60(3):299-304.
408. _____. 1970. Taxonomic notes on some Mexican frogs (Eleutherodactylus: Leptodactylidae). Herpetologica, 26(2):172-180.
409. _____. 1970a. A taxonomic revision of the leptodactylid frog genus Syrrhophus Cope. Univ. Kansas Mus. Nat. Hist. Publ., 20(1):1-45.
410. McKenzie, David. 1965. Caves of the Sierra de El Abra. Part III. Tamuin and El Pujal, S.L.P. Assoc. Mex. Cave Stud. News., 1(4):34-41.
411. _____, and Bill Russell. 1965. Caves of the Sierra de El Abra. Part II. Los Sabinos, S.L.P. Assoc. Mex. Cave Stud. News., 1(3):28-33.
- 412.*Märtens, Robert. 1968. Untersuchungen der Retinomotorik im Verlauf der Dunkeladaption beim Barsch (Perca fluviatilis L.) und Karpfen (Cyprinus carpio L.). Dissertation, Köln. 42 pp.
413. Malaga Alba, A., and B. Villa R. 1956. Algunas notas acerca de la distribución de los murciélagos de America del Norte, relacionados con el problema de la rabida. Anal. Inst. Biol., Méx., 27(2):529-569.
414. Manter, H.W. 1936. Some trematodes of cenote fish from Yucatan. Carnegie Inst. Washington Publ., 457:33-38.
415. Marshall, Nelson. 1947. The spring run and cave habitats of Erimystax harperi (Fowler). Ecology, 28:68-75.
416. Marshall, N.B., and G.L. Thinès. 1958. Studies of the brain, sense organs and light sensitivity of a blind cave fish (Typhlogarra widdowsoni) from Iraq. Proc. Zool. Soc. London, 131(3):441-456.

417. Marshall, Ruth. 1936. Hydracarina from Yucatan. Carnegie Inst. Washington Publ., 457:133-137.
418. Martin, M., and P.S. Martin. 1954. Notes on the capture of tropical bats at Cuevo el Pachon, Tamaulipas, Mexico. J. Mammal., 35(4): 584-585.
419. Martin, P.S. 1958. A biogeography of reptiles and amphibians in the Gomez Farias region, Tamaulipas, Mexico. Mus. Zool., Univ. Michigan, Misc. Publ., 101. 102 pp.
420. _____, C.R. Robins, and W.B. Heed. 1954. Birds and biogeography of the Sierra de Tamaulipas, an isolated pine-oak habitat. Wilson Bull., 66:38-57.
421. Martínez, L. 1939. Segunda contribución acerca de la hematometria de los murciélagos mexicanos. Anal. Inst. Biol., Méx., 10(1-2):109-113.
422. _____. 1941. Tercera contribución acerca de la hematometria de los murciélagos mexicanos. Anal. Inst. Biol., Méx., 12(1):1-5.
423. _____, and B. Villa R. 1940. Segunda contribución al conocimiento de los murciélagos mexicanos. II. Estado de Guerrero. Anal. Inst. Biol., Méx., 11(1):291-361.
424. _____, and B. Villa R. 1941. Contribución al conocimiento de los murciélagos. III. Anal. Inst. Biol., Méx., 12(1):401-419.
425. _____, and B. Villa R. 1941a. Contribuciones al conocimiento de los murciélagos mexicanos. IV. Anal. Inst. Biol., Méx., 12(2): 767-771.
426. Martínez Baez, M. 1957. Histoplasmosis pulmonar aguda primaria. Comentario a la comunicación del Doctor Gonzáles Ochoa. Gac. Med. Méx., 87(10):751-753.
427. Maslin, T.P. 1963. Notes on a collection of herpetozoa from the Yucatan Peninsula of Mexico. Univ. Colorado Stud. Ser. Biol., 9. 20 pp.
428. Matile, Oic. 1970. Les diptères cavernicoles. Ann. Spéleol., 25(1): 179-222.
429. Mattheij, J.A.M. 1968. The ACTH cells in the adenophyophysis of the Mexican cave fish Anoptichthys jordani, as identified by metopirone (SU 4885) treatment. Z. Zellforsch., 92:588-595.
430. _____. 1968a. The cell types on the adenohypophysis of the blind Mexican cave fish, Anoptichthys jordani (Hubbs and Innes). Z. Zellforsch., 90:542-553.
431. _____. 1969. The thyrotropin secreting basophils in the adenohypophysis of Anoptichthys jordani. Z. Zellforsch., 101:588-597.

432. _____. 1970. The gonadotropic cells in the adenohypophysis of the blind Mexican cave fish, Anoptichthys jordani. Z. Zellforsch., 105:91-106.
433. _____, and J.A.P. Sprangers. 1969. The site of prolactin secretion in the adenohypophysis of the stenohaline teleost Anoptichthys jordani, and the effects of this hormone on mucous cells. Z. Zellforsch., 99:411-419.
434. _____, J.A.P. Sprangers, and P.G.W.J. Van Oordt. 1969. The site of prolactin synthesis in the pituitary gland of Anoptichthys jordani and the influence of this hormone on mucous cells. (Abs.) Gen. Comp. Endocrinol., 13(3):
435. _____, and P.G.W.J. Van Oordt. 1967. The cell types in the adenohypophysis of the blind Mexican cave fish Anoptichthys jordani. (Abs.) Gen. Comp. Endocrinol., 9(3):472.
436. Mazzotti, Luis. 1940. Ornithodoros coprophilus McIntosh, en el estado de Chiapas, México. Ciencia, 1(9):405-406.
437. _____. 1946. Hallazgo de Trypanosoma vespertilionis en murciélagos mexicanos. Rev. Soc. Mex. Hist. Nat., 7(1-4):49-50.
438. Meder, E. 1952. Über den blinden Höhlenfisch Anoptichthys jordani Hubbs & Innes. Die Aquar. u. Terr. Ztschr., 5:171-174.
439. Mees, G.F. 1962. The subterranean freshwater fauna of Yardie Creek Station, North West Cape, Western Australia. J. Roy. Soc. Western Australia, 45(1):24-32.
440. Meyer, M.C. 1968. Moore on the Hirudinea with emphasis on his type-specimens. Proc. United States Natl. Mus., 125:1-32.
441. Miers, E.J. 1877. On a collection of Crustacea, Decapoda and Isopoda, chiefly from South America, with descriptions of new genera and species. Proc. Zool. Soc. London, 1877, pp. 653-679, pl. 66-69.
442. Miller, G.S., Jr. 1902. Twenty new American bats. Proc. Acad. Nat. Sci. Philadelphia, 54:389-412.
443. _____, and Remington Kellogg. 1955. List of North American recent mammals. Bull. United States Natl. Mus., 205. 954 pp.
444. Mills, H.B. 1938. Collembola from Yucatan caves. Carnegie Inst. Washington Publ., 491:183-190.
445. Millspaugh, C.F. 1903. Plantae Yucatanæ. Polypodiaceae and Schizaeaceae. Field Mus. Nat. Hist., Bot. Ser., 3(1):1-14.

446. Minckley, W.L., and G.A. Cole. 1968. Preliminary limnologic information on waters of the Cuatro Ciénegas Basin, Coahuila, Mexico. *Southwestern Nat.*, 13(4):421-431.
447. _____, and G.A. Cole. 1968a. Speocirolana thermydronis (Crustacea: Isopoda) from northeast Mexico, re-discovery, habitat, and supplemental description. *Tulane Stud. Zool. & Bot.*, 15(1):2-4.
448. Mitchell, G.C. 1967. Population study of the funnel-eared bat (Natalus stramineus) in Sonora. *Southwestern Nat.*, 12(2):172-175.
449. Mitchell, H.A. 1963. Ammonia tolerance of the California leaf-nosed bat. *J. Mammal.*, 44(4):543-551.
450. _____. 1965. Investigations of the cave atmosphere of a Mexican bat colony. *J. Mammal.*, 45(4):568-577.
451. _____, and C.D. Smith. 1966. Anomalous tails in Tadarida brasiliensis. *J. Mammal.*, 47(1):148-149.
452. Mitchell, R.W. 1968. A comparison of temperate and tropical cave communities. (Abs.) *Bull. Natl. Speleol. Soc.*, 30(2):41.
453. _____. 1968a. Typhlochactas, a new genus of eyeless cave scorpion from Mexico (Scorpionida, Chactidae). *Ann. Speleol.*, 23(4):753-777.
454. _____. 1969. A comparison of temperate and tropical cave communities. *Southwestern Nat.*, 14(1):73-88.
455. _____. 1969a. The cover illustration, Cryptocellus osorioi, (Arachnida; Ricinulei). *Southwestern Nat.*, 14(1):136-138.
456. _____. 1969b. Population size and dispersion and species associations of a Mexican cave-dwelling ricinuleid (Arachnida). (Abs.) *Bull. Natl. Speleol. Soc.*, 31(2):51.
457. _____. 1969c. Population size and dispersion patterns of ricinuleids. *Amer. Phil. Soc. Year Book*, 1969:319-320.
458. _____. 1969d. La Región de la Sierra de El Abra. Map and Letter. October 1969. Privately printed.
459. _____. 1970. Population size and dispersion and species associations of a Mexican cavernicole ricinuleid (Arachn.). *Ciencia*, 27(2-3):63-74.
460. _____. 1971. Egg and young guarding by a Mexican cave-dwelling harvestman, Hoplobunus boneti (Arachnida). *Southwestern Nat.*, 15(3):392-394.
461. Mockford, E.L. 1967. The electrentomoid psocids (Psocoptera). *Psyche*, 74(2):118-165.

462. Mohr, C.E. 1950. Mexican blind cave fish subject of important research on evolution and cancer. *Natl. Speleol. Soc. News*, 8(4):5.
463. _____. 1955. Cave of the Vampires, pp. 39-58. In: C.E. Mohr and H.N. Sloane, eds., Celebrated American caves. New Brunswick: Rutgers Univ. Press.
464. _____, and T.L. Poulson. 1966. The life of the cave. New York: McGraw-Hill. 232 pp.
465. Moller, Harry. 1970. El Interminable Territoria Subterráneo. Fin de Semana (Weekly Supplement to El Día, México, D.F.) Oct. 2, 1970, p. 5.
466. Mondolfi, Edgardo. 1954. Fauna Venezolana.-Los murciélagos mordedores o vampiros. *Rev. Pecuaria*, 22(236):19-24.
467. Moore, G.W., and Bro. G. Nicholas. 1964. Speleology: The study of caves. Boston: D.C. Heath. 120 pp.
468. Moore, J.P. 1936. Hirudinea from Yucatan. *Carnegie Inst. Washington Publ.*, 457:41-43.
469. _____. 1938. Leeches (Hirudinea) from Yucatan caves. *Carnegie Inst. Washington Publ.*, 491:67-70.
470. Muchmore, W.B. 1969. A cavernicolous Tyrannochthonius from Mexico (Arachn., Chelon., Chthon.). *Ciencia*, 27:31-32.
471. Mulaik, S.B. 1960. Contribución al conocimiento de los isopodos terrestres de México (Isopoda, Oniscoidea). *Rev. Soc. Mex. Hist. Nat.*, 21(1):79-292.
472. Nelson, E.W. 1901. Descriptions of a new genus and eleven new species and subspecies of birds from Mexico. *Proc. Biol. Soc. Washington*, 14:169-175.
473. Nelson-Rees, W.A., A.J. Kniazeff, R.J. Baker, and J.L. Patton. 1968. Intraspecific chromosome variation in the bat, Macrotus waterhousii Gray. *J. Mammal.*, 49(4):706-712.
474. Nesbitt, H.H.J. 1949. Six new Mexican mites of the subfamily Rhizoglyphinae (Acarina). *Pan-Pacific Entomol.*, 25(2):57-70.
475. Nicholas, Bro. G. 1962. Checklist of troglobitic organisms of Middle America. *Amer. Midl. Nat.*, 68(1):165-188.
476. Nigrelli, R.F. 1947. Spontaneous neoplasms in fishes. III. Lymphosarcoma in Astyanax and Esox. *Zoologica*, 32:101-106.
477. Novick, A. 1960. Successful breeding in captive Artibeus. *J. Mammal.*, 41(4):508-509.

478. _____. 1962. Orientation in Neotropical bats. I. Natalidae and Emballonuridae. *J. Mammal.*, 43(4):449-455.
479. _____. 1963. Orientation in Neotropical bats. II. Phyllostomatidae and Desmodontidae. *J. Mammal.*, 44(1):44-56.
480. _____, and J.R. Vaisnys. 1964. Echolocation of flying insects by the bat, Chilonycteris parnellii. *Biol. Bull.*, 127(3):478-488.
481. Old, M.C. 1936. Yucatan fresh-water sponges. *Carnegie Inst. Washington Publ.*, 457:29-31.
482. Ortega C., B.G., and G. Massieu H. 1964. Aminoácidos libres del encefalo y del hígado de diversos géneros y especies de murciélagos. *Anal. Inst. Biol., Méx.*, 34:27-34.
- 483.*Osborne, J.L. 1965. Karyotypes of selected bats (order Chiroptera). M.S. Thesis. Tucson: University of Arizona. 56 pp.
484. Osorio Tafall, B.F. 1942. Diaptomus (Microdiaptomus) cokeri, nuevos subgénero y especie de diaptómido de las cuevas de la región de Valles (San Luis Potosí, México) (Copep., Calan.). *Ciencia*, 3(7):206-210.
485. _____. 1943. Observaciones sobre la fauna acuática de las cuevas de la región de Valles, San Luis Potosí (México). *Rev. Soc. Mex. Hist. Nat.*, 4(1-2):43-71.
486. _____. 1946. Anotaciones sobre algunos aspectos de la hidrología mexicana. *Rev. Soc. Mex. Hist. Nat.*, 7(1-4):139-165.
487. Packard, A.S. 1888. The cave fauna of North America, with remarks on the anatomy of the brain and origin of the blind species. *Natl. Acad. Sci. Mem.*, 4(1):1-156, pl. I-XXVII.
488. _____. 1894. On the origin of the subterranean fauna of North America. *Amer. Nat.*, 28:727-751.
489. _____. 1900. A new eyeless isopod crustacean from Mexico. *Science*, n.s., 12:300-301; and *Proc. Amer. Ass. Adv. Sci.*, 49:228.
490. Paclt, J. 1957. Diplura. *Genera Insectorum*, 212. 132 pp.
491. Pagés, J. 1964. Remarques sur les Japygidae (Insecta, Diplura) signalés dans le domaine souterrain. *Internatl. J. Speleol.*, 1(1-2):191-201, pl. 47-49.
492. Pavan, C. 1946. Observations and experiments on the cave fish Pimelodella kronei and its relatives. *Amer. Nat.*, 80:343-361.
493. Pearse, A.S. 1936. The cenotes of Yucatan. Introduction. *Carnegie Inst. Washington Publ.*, 457:1-4.

494. _____. 1936a. Chironomid larvae from Yucatan. Carnegie Inst. Washington Publ., 457:151.
495. _____. 1936b. Parasites from Yucatan. Carnegie Inst. Washington Publ., 457:45-59.
496. _____. 1936c. Results of surveys of the cenotes in Yucatan. Carnegie Inst. Washington Publ., 457:17-28, pl. 1-2.
497. _____. 1938. Birds in Yucatan caves. Carnegie Inst. Washington Publ., 491:299.
498. _____. 1938a. Fauna of the caves of Yucatan. Introduction. Carnegie Inst. Washington Publ., 491:1-17.
499. _____. 1938b. Insects from Yucatan caves. Carnegie Inst. Washington Publ., 491:237-249.
500. _____. 1945. La fauna. Enciclopedia Yucatanense, 1:109-271.
501. _____, and R. Kellogg. 1938. Mammalia from Yucatan caves. Carnegie Inst. Washington Publ., 491:301-304.
502. _____, and C.B. Wilson. 1938. Copepoda from Yucatan caves. Carnegie Inst. Washington Publ., 491:153-154.
- 503.*Peck, S.B. 1966. The systematics and ecology of the cavernicolous Ptomaphagus (Coleoptera, Catopidae) of the United States. M.S. Thesis. Northwestern University. 92 pp.
504. _____. 1968. A new cave catopid beetle from Mexico, with a discussion of its evolution. Psyche, 75(2):91-98.
505. _____. 1970. The Catopinae (Coleoptera; Leiodidae) of Puerto Rico. Psyche, 77(2):237-242.
- 506.*Pelz, H.W. 1958. Einiges über den blinden Höhlensalmmler Anoptichthys jordani Hubbs und Innes. Die Aqu. u. Terr. Zeitschr., 5(6):172-175.
507. Penney, J.T., and A.A. Racek. 1968. Comprehensive revision of a worldwide collection of freshwater sponges (Porifera: Spongillidae). United States Natl. Mus. Bull., 272:1-184.
508. Peters, Nicolaus, and Gabriele Peters. 1966. Das auge zweier Höhlenformen von Astyanax mexicanus (Philippi) (Characinidae, Pisces). Roux' Arch. Entwicklungsmechanik, 157:393-414.
509. _____, and Gabriele Peters. 1968. Zur genetischen Interpretation morphologischer Gesetzmässigkeiten der degenerativen Evolution. Untersuchungen am Auge einer Höhlenform von Poecilia sphenops (Poeciliidae, Pisces). Z. Morph. Tiere, 62:211-244.

510. Petrunkevitch, A. 1911. A synonymic index-catalogue of spiders of North, Central and South America with all adjacent islands, Greenland, Bermuda, West Indies, Terra del Fuego, Galapagos, etc. Bull. American Mus. Nat. Hist., 29. 809 pp.
511. Pfeiffer, Wolfgang. 1966. Über die Vererbung der Schreckreaktion bei Astyanax (Characidae, Pisces). Z. Vererbungslehre, 98:97-105.
512. _____. 1967. Die Korrelation von Augengrösse und Mittelhirngrösse bei Hybriden aus Astyanax x Anoptichthys (Characidae, Pisces). Wilhelm Roux Archiv. Entwickl.-Mech. Org., 159:365-378.
513. _____. 1967a. Die Korrelation von Körperlänge, Augen-, Linsen- und Pupillengrösse bei Hybriden aus Astyanax x Anoptichthys (Characidae, Pisces). Wilhelm Roux Archiv. Entwickl.-Mech. Org., 158: 218-245.
514. Pfisterer, Rich. 1956. Blind cavers. SpeleoDigest, 1956(2):11-12.
515. Pickard-Cambridge, F.O. 1897-1905. Arachnida. Araneidea and Opiliones, Vol. II. Biol. Centrali-Americana, 11. 610 pp., 54 pls.
516. Pickford, G.E. 1938. Earthworms in Yucatan caves. Carnegie Inst. Washington Publ., 491:71-100, pl. 1-3.
517. Pilsbry, H.A. 1891. Preliminary notices of new Mexican shells. Nautilus, 5(1):8-10.
518. Pittard, S.K. 1970. Comparative external morphology of the life stages of Cryptocellus pelaezi (Arachnida, Ricinulei). M.S. Thesis. Lubbock: Texas Tech University. 122 pp.
519. Poulson, T.L. 1964. Animals in aquatic environments: Animals in caves, pp. 749-771. In: D.B. Dill, ed., Handbook of physiology, sect. 4, Adaptation to the environment. Washington: American Physiol. Soc.
520. _____, and W.B. White. 1969. The cave environment. Science, 165: 971-981.
- 521.*Quaghebeur, M. 1955. Onderzoekingen over blinde grotvissen in verband met de reductie in de ontwikkeling van hun ogen. Thèse. Univ. Louvain. 78 pp.
- 522.*_____. 1957. Onderzoek over de reductie van de ogen, van de oogkas en van het tectum opticum bij blinde grotvissen. Thèse. Univ. Louvain. 120 pp.
523. Rabb, G.E. 1958. On certain Mexican salamanders of the plethodontid genus Chiropterotriton. Occ. Pap. Mus. Zool., Univ. Michigan, 587. 37 pp., 3 pls.

524. _____. 1965. A new salamander of the genus Chiropterotriton (Caudata: Plethodontidae) from Mexico. *Breviora*, 235. 8 pp.
525. Raines, Terry. 1966. Trip report: 2-4 December 1966. *Assoc. Mex. Cave Stud. News.*, 2(6):140-145.
526. Rasquin, Priscilla. 1946. Progressive pigmentary regression in fishes associated with cave environments. (Abs.) *Anat. Rec.*, 96:578-579.
527. _____. 1947. Progressive pigmentary regression in fishes associated with cave environments. *Zoologica*, 32:35-42, pl. 1.
528. _____. 1949. The influence of light and darkness on thyroid and pituitary activity of the characin Astyanax mexicanus and its cave derivatives. *Bull. Amer. Mus. Nat. Hist.*, 93:501-531.
529. _____. 1949a. Regeneration of the optic nerve after section with return of vision in the characin Astyanax mexicanus. *Physiol. Zool.*, 22:131-135.
530. _____, and Ethel Hafter. 1951. Age changes in the testis of the teleost, Astyanax mexicanus. *J. Morphol.*, 89(3):396-407.
531. _____, and L. Rosenbloom. 1954. Endocrine imbalance and tissue hyperplasia in teleosts maintained in darkness. *Bull. American Mus. Nat. Hist.*, 104:365-425, pl. 4-23.
532. Reddell, J.R. 1965. Biology of the caves of the northern El Abra range. *Assoc. Mex. Cave Stud. News.*, 1(2):19-21.
533. _____. 1965a. Cave beetles of the genus Rhadine. *Texas Caver*, 10(3):48-49, 53.
534. _____. 1965b. A checklist of the cave fauna of Texas. I. The Invertebrata (exclusive of Insecta). *Texas J. Sci.*, 17(2):143-187.
535. _____. 1965c. The status of Mexican cave biology. *Assoc. Mex. Cave Stud. News.*, 1(1):6-7.
536. _____. 1965d. Trip report: 14-19 April 1965. *Assoc. Mex. Cave Stud. News.*, 1(5):48-51.
537. _____. 1966. The biology of the caves of Rancho del Cielo. *Assoc. Mex. Cave Stud. News.*, 2(1):12-15.
538. _____. 1966a. Biology of the caves of the Gomez Farias Region, Tamaulipas, Mexico. (Abs.) *Bull. Natl. Speleol. Soc.*, 28(2):98.
539. _____. 1966b. A checklist of the cave fauna of Texas. II. Insecta. *Texas J. Sci.*, 18(1):25-56.

540. _____. 1966c. Mexican cave biology: Annotated bibliography. Assoc. Mex. Cave Stud. News., 2(4):102-104.
541. _____. 1966d. Mexican cave biology: Annotated bibliography. Assoc. Mex. Cave Stud. News., 2(5):125-128.
542. _____. 1966e. The order Ricinulei in Mexican caves. Assoc. Mex. Cave Stud. News., 2(4):99-101.
543. _____. 1966f. Recent papers on Mexican cave biology. Assoc. Mex. Cave Stud. News., 2(3):69-71.
544. _____. 1967. Cave biology of the Monterrey area, pp. 24-25. In: W.H. Russell and T.R. Raines, eds., Caves of the Inter-American Highway. Assoc. Mex. Cave Stud. Bull., 1.
545. _____. 1967a. Cave biology of the Sierra de El Abra, pp. 82-83. In: W.H. Russell and T.R. Raines, eds., Caves of the Inter-American Highway. Assoc. Mex. Cave Stud. Bull., 1.
546. _____. 1967b. Cave biology of the Sierra de Guatemala, pp. 55-56. In: W.H. Russell and T.R. Raines, eds., Caves of the Inter-American Highway. Assoc. Mex. Cave Stud. Bull., 1.
547. _____. 1967c. Cave biology of the Xilitla Region, pp. 106-107. In: W.H. Russell and T.R. Raines, eds., Caves of the Inter-American Highway. Assoc. Mex. Cave Stud. Bull., 1.
548. _____. 1967d. Mexican cave biology: Annotated bibliography. Assoc. Mex. Cave Stud. News., 3(1):9-11.
549. _____. 1968. The hairy-legged vampire, Diphylla ecaudata, in Texas. J. Mammal., 49(4):769.
550. _____. 1969. Distribution patterns in the Mexican cave fauna. (Abs.) Bull. Natl. Speleol. Soc., 31(2):49.
551. _____. 1970. A checklist of the cave fauna of Texas. IV. Additional records of Invertebrata (exclusive of Insecta). Texas J. Sci., 21(4):389-415.
552. _____. 1970a. A checklist of the cave fauna of Texas. V. Additional records of Insecta. Texas J. Sci., 22(1):47-65.
553. Reed, Mike. 1966. Raising and breeding the blind cave characin. Tropical Fish Hobbyist, 14(Feb.):79-85.
554. Rehder, H.A. 1966. The non-marine mollusks of Quintana Roo, Mexico with the description of a new species of Drymaeus (Pulmonata: Bulimulidae). Proc. Biol. Soc. Washington, 79:273-296.
555. Rehn, J.A.G. 1904. A study of the mammalian genus Chilonycteris. Proc. Acad. Nat. Sci. Philadelphia, 56:181-207.

556. Richardson, Harriet. 1905. A monograph of the isopods of North America. United States Natl. Mus. Bull., 54:116-118.
557. Rioja, Enrique. 1941. Estudios carcinológicos. VII. Las especies del género Entocythere (Crust. Ostrácodos). Anal. Inst. Biol., Méx., 12(1):193-198.
558. _____. 1942. Descripción de una especie y una subespecie nuevas del género Entocythere Marshall, procedentes de la Cueva Chica (San Luis Potosí, México) (Ostrác. Cythér.). Ciencia, 3(7): 201-204.
559. _____. 1942a. Estudios carcinológicos. XIII. Consideraciones y datos acerca del género Entocythere (Crust. Ostrácodos) y algunas de sus especies, con descripción de una nueva. Anal. Inst. Biol., Méx., 13(2):685-697.
560. _____. 1943. Estudios hidrobiológicos IX. Anotaciones sobre branquiobdelidos mexicanos. Anal. Inst. Biol., Méx., 14(2): 541-545.
561. _____. 1950. Estudios carcinológicos. XXII. Los triconíscidos cavernícolas de México del género Protrichoniscus y descripción de una nueva especie del mismo. Anal. Inst. Biol., Méx., 21:127-146.
562. _____. 1951. Estudios carcinológicos. XXV. El hallazgo del género Sphaeromicola en America (Ostrácodos, Citéridos) y descripción de una nueva especie. Anal. Inst. Biol., Méx., 22(1):169-179.
563. _____. 1951a. Estudios carcinológicos. XXVI. Descripción de Protrichoniscus acostai n.sp. (Crust. Isópodo) de Comitán, Chiapas. Anal. Inst. Biol., Méx., 22(1):181-189.
564. _____. 1951b. Estudios carcinológicos. XXVII. Descripción de una nueva especie del género Cubaris (Isópodo, Cubárido) de la Cueva de Los Sabinos (San Luis Potosí). Anal. Inst. Biol., Méx., 22(2):514-524.
565. _____. 1952. Estudios carcinológicos. XXVIII. Descripción de un nuevo género de potamónidos cavernícolas y ciegos de la Cueva del Tio Ticho, Comitán, Chis. Anal. Inst. Biol., Méx., 23:217-225.
566. _____. 1952a. Estudios carcinológicos. XXIX. Un nuevo género de isópodo triconíscido de la Cueva de Ojo de Agua Grande, Paraje Nuevo, Córdoba, Ver. Anal. Inst. Biol., Méx., 23: 227-241.
567. _____. 1953. Los Crustáceos cavernícolas de México. Mém. Cong. Cient. Méx., 7:285-298.

568. _____. 1953a. Estudios carcinológicos. XXX. Observaciones sobre los cirrolanidos cavernícolas de México (Crustaceos, Isópodos). Anal. Inst. Biol., Méx., 24:147-170.
569. _____. 1953b. Estudios hidrobiológicos. XI. Contribución al estudio de las esponjas de agua dulce de México. Anal. Inst. Biol., Méx., 24:425-433.
570. _____. 1953c. Los extraños pobladores del mundo subterráneo. Investigaciones mexicanas. Rev. Univ. de Méx., 8(2):9-11.
571. _____. 1954. Estudios carcinológicos. XXXI. Algunas especies de armadilidos de las cuevas de México (Isópodos Terrestres). Anal. Inst. Biol., Méx., 25:275-288.
572. _____. 1955. Estudios carcinológicos. XXXIII. Observaciones acerca de dos nuevas especies de isópodos cavernícolas de Chiapas. Anal. Inst. Biol., Méx., 26(1):199-209.
573. _____. 1955a. Estudios carcinológicos. XXXIV. Dos nuevos isópodos cavernícolas de la Sierra Madre Oriental (Región de Xilitla), México. Anal. Inst. Biol., Méx., 26(2):447-457.
574. _____. 1955b. Trichoniscidae cavernícolas de México. Rev. Soc. Méx. Entomol., 1(1-2):39-62.
575. _____. 1957. Estudios carcinológicos. XXXVI. Descripción y estudio de una especie nueva del género Cylindroniscus (Isópodo Triconiscido) de Yucatán. Anal. Inst. Biol., Méx., 28:267-278.
576. _____. 1962. Caracteres biogeográficos de México y de Centro America. Rev. Soc. Mex. Hist. Nat., 23:27-50.
577. Ross, Anthony. 1960. Distribution records for Trichobius sphaeronotus Jobling, with a first report for Arizona (Diptera: Streblidae). Pan-Pacific Entomol., 36(2):81-82.
578. Roth, L.M. 1969. The male genitalia of Blattaria. I. Blaberus spp. (Blaberidae: Blaberinae). Psyche, 76(3):217-250.
579. _____, and E.R. Willis. 1960. The biotic associations of cockroaches. Smithsonian Misc. Coll., 141. 470 pp., 37 pls.
580. Roth, V.D. 1968. The spider genus Tegenaria in the Western Hemisphere (Agelenidae). Amer. Mus. Nov., 2323. 33 pp.
581. Rudnick, A. 1960. A revision of the mites of the family Spinturnicidae (Acarina). California Univ. Publ. Entomol., 17(2):157-284.
582. Russell, W.H., and T.W. Raines, eds. 1967. Caves of the Inter-American Highway, Nuevo Laredo, Tamaulipas, to Tamazunchale, San Luis Potosi. Assoc. Mex. Cave Stud. Bull., 1. 126 pp.

583. Ryckman, R.E. 1956. Parasitic and some nonparasitic arthropods from bat caves in Texas and Mexico. *Amer. Midl. Nat.*, 56(1):186-190.
584. Sabrosky, C.W. 1959. A revision of the genus Pholeomyia in North America (Diptera, Milichiidae). *Ann. Entomol. Soc. America*, 52: 316-331.
585. Sadoglu, Perihan. 1956. A preliminary report on the genetics of the Mexican cave characins. *Copeia*, 1956(2):113-114.
586. _____. 1957. A Mendelian gene for albinism in natural cave fish. *Experientia*, 13(10):394.
587. _____. 1957a. Mendelian inheritance in the hybrids between the Mexican blind cave fishes and their overground ancestor. *Verh. Deutsch. Zool. Ges. Graz*, 432-439.
588. _____. 1967. The selective value of eye and pigment loss in Mexican cave fish. *Evolution*, 21:541-549.
589. _____, and Anne McKee. 1969. A second gene that affects eye and body color in Mexican blind cave fish. *J. Heredity*, 60(1):10-14.
590. Sanderson, I.T. 1941. Living Treasure. New York: Viking Press. 290 pp.
591. Schaldach, W.J., Jr. 1965. Notas breves sobre algunos mamíferos del sur de México. *Anal. Inst. Biol., Méx.*, 35:129-137.
592. Schemmel, Christian. 1967. Vergleichende untersuchungen an den Hautsinnesorganen ober- und unterirdisch lebender Astyanax-formen. Ein Beitrag zur Evolution der Cavernicolen. *Z. Morph. Tiere*, 61: 255-316.
593. Schlagel, S.R., and C.M. Breder, Jr. 1947. A study of the oxygen consumption of blind and eyed cave characins in light and in darkness. *Zoologica*, 32(1):17-27.
594. Schultz, G.A. 1964. Mexiconiscus tlamayaensis, a new genus and species of terrestrial cave isopod from San Luis Potosi, Mexico. *Trans. American Microscop. Soc.*, 83(4):376-380.
595. _____. 1965. Terrestrial isopods from caves and mines in Texas and northern Mexico with a description of Venezillo tameri (Mulaik and Mulaik) allotype. *Texas J. Sci.*, 17(1):101-109.
596. _____. 1968. Xilitloniscus Bowman a synonym of Mexiconiscus Schultz with notes on the species involved (Isopoda, Oniscoidea). *Crustaceana*, 14(3):255-258.
597. _____. 1970. Cylindroniscus vallesensis sp. nov.: Description with review of genus (Isopoda, Trichoniscidae). *Trans. American Microscop. Soc.*, 89(3):407-412.

598. _____. 1970a. Disposition of species of terrestrial isopod crustaceans of the genera Synuropus, Spherarmadillo, Sphaeroniscus and Scleropactes (Oniscoidea, Sphaeroniscidae). Proc. Biol. Soc. Washington, 83(10):123-132.
599. Scudder, S.H. 1894. The North American Ceuthophili. Proc. American Acad. Arts & Sci., 30:17-113.
600. Shear, W.A. 1969. A synopsis of the cave millipeds of the United States, with an illustrated key to genera. Psyche, 76(2):126-143.
601. Silvestri, F. 1948. Specie di Japygidae (Insecta Diplura) finora raccolte nel Messico. Bol. Lab. Entomol. Agricul., 8:297-320.
602. Smalley, A.E. 1970. A new genus of freshwater crabs from Guatemala, with a key to the Middle American genera (Crustacea Decapoda, Pseudothelphusidae). Amer. Midl. Nat., 83(1):96-106.
603. Smith, H.M. 1938. Notes on reptiles and amphibians from Yucatan and Campeche, Mexico. Occ. Pap. Mus. Zool., Univ. Michigan, 388. 22 pp., 1 pl.
604. _____, and E.H. Taylor. 1950. An annotated checklist and key to the reptiles of Mexico exclusive of the snakes. Bull. U.S. Natl. Mus., 199. 253 pp.
605. _____, and E.H. Taylor. 1966. Herpetology of Mexico: Annotated checklists and keys to the amphibians and reptiles. A reprint of Bull-etins 187, 194, and 199 of the U.S. National Museum with a list of subsequent taxonomic innovations. Ashton, Maryland: Eric Lundberg.
606. _____, and R.G. Van Gelder. 1955. New and noteworthy amphibians and reptiles from Sinaloa and Puebla, Mexico. Herpetologica, 11(2): 145-159.
607. Solorzano, A. 1953. Variación en Typhliasina pearsei (Hubbs). Ciencia, 12(11-12):286.
608. Spieth, H.T. 1950. The David Rockefeller Mexican Expedition of the American Museum of Natural History. Introductory account. American Mus. Nov., 1454. 67 pp.
609. Spilman, T.J. 1968. Two new species of Niptus from North American caves (Coleoptera: Ptinidae). Southwestern Nat., 13(2):193-200.
610. Standley, P.C. 1945. Enciclopedia Yucatanense, 1:273-523.
611. Stefanelli, A. 1954. The differentiation of the optic lobes neurons in a blind cave teleost. Experientia, 10:436-438.
612. _____. 1954a. Il tetto ottico di pesci ciechi cavernicoli nei riguardi del differenziamento specifico dei neuroni. Att. Accad. nazion. Lincei, Cl. Sci. fis. mat. nat., 16:277-282.

613. Steven, D.M. 1963. The dermal light sense. *Biol. Rev.*, 38:204-240.
614. Stolk, A. 1958. Tumours in fishes. XXIV. Ocular melanoma in the characid Anoptichthys jordani Hubbs et Innes. *Proc. Akad. Wet. Amst.*, 61C:382-394.
615. Strinati, Pierre. 1968. Expeditions biospéologiques en Amérique Latine. *Stalactite*, 1. 4 pp.
616. _____. 1970. Les vertébrés cavernicoles. *Musées de Genève*, 108:1-4.
617. Strotkoetter, E. 1960. Rezeption hydrostatischer Drucke bei Fischen und ihre Mitwirkung an der Orientierung im Raum. *Naturwiss.*, 47(24):611-612.
618. Studier, E.H. 1966. Studies on the mechanisms of ammonia tolerance of the guano bat. *J. Experimental Zool.*, 163(1):79-85.
619. _____, L.R. Beck, and R.G. Lindeborg. 1967. Tolerance and initial metabolic response to ammonia intoxication in selected bats and rodents. *J. Mammal.*, 48(4):564-572.
620. Stunkard, H.W. 1938. Parasitic flatworms from Yucatan. *Carnegie Inst. Washington Publ.*, 491:33-50.
621. Sumichrast, F. 1882. Enumeración de las especies de mamíferos, aves, reptiles y batracios observados en la parte central y meridional de la República Mexicana. *La Naturaleza*, 5:199-213, 322-328.
622. Suttkus, R.D. 1961. Additional information about blind catfishes from Texas. *Southwestern Nat.*, 6(2):55-64.
623. Taylor, D.W. 1966. A remarkable snail fauna from Coahuila, Mexico. *Veliger*, 9(2):152-228.
624. Taylor, E.H. 1944. The genera of plethodont salamanders in Mexico, Pt. I. *Univ. Kansas Sci. Bull.*, 30(1):189-232.
625. Taylor, W.R. 1969. A revision of the catfish genus Noturus Rafinesque with an analysis of higher groups in the Ictaluridae. *United States Natl. Mus. Bull.*, 282. 315 pp.
626. Téllez Giron, Alfredo. 1944. El vampiro portador de virus del derringue. *Rev. Soc. Mex. Hist. Nat.*, 5(1-2):35-42.
627. Thibaud, J.-M. 1963. Documents sur le genre Acherontiella Absolon (Collembola) et description d'une espèce de Côte d'Ivoire. *Annal. Spéleol.*, 18(3):286-297.
628. Thinès, Georges. 1954. Étude comparative de la photosensibilité des poissons aveugles Caecobarbus geertsii Blgr. et Anoptichthys jordani Hubbs et Innes. *Ann. Soc. Roy. Zool. Belgique*, 85(1):35-58.

629. _____. 1955. Les poissons aveugles (1) Origine - taxonomie - répartition géographique - comportement. Ann. Soc. Roy. Zool. Belgique, 86(1):5-128.
630. _____. 1956. A note on the light sensitivity of blind cave fishes. Animal Behaviour, 4:79.
631. _____. 1960. Sensory degeneration and survival in cave fishes. Symp. Zool. Soc. London, 3:39-52.
- 632.* _____. 1969. L'évolution régressive des poissons cavernicoles et abyssaux. Paris: Masson et Cie. 394 pp.
633. _____, and Joachim Kähling. 1957. Untersuchungen über die Farbempfindlichkeit des Höhlenfisches Anoptichthys jordani Hubbs und Innes (Characidae). Zeitschrift für Biol., 109(2):150-160.
634. _____, Monique Soffié, and Erik Vandenbussche. 1967. Analyse du comportement alimentaire du poisson cavernicole aveugle Anoptichthys gen. et d'hybrides F₁ (Astyanax x Anoptichthys) et F₂. Internatl. J. Speleol., 2(4):437-448, pls. 73-76.
635. _____, and F. Wolff-van Ermengem. 1965. Activity patterns in an epigeal Characidae and its degenerated cave-relative. Animal Behaviour, 13:585.
636. _____, F. Wolff, C. Boucquey, and Monique Soffié. 1965. Étude comparative de l'activité du poisson cavernicole Anoptichthys antrobius Alvarez, et de son ancêtre épigé Astyanax mexicanus (Filippi). Ann. Soc. Roy. Zool. Belgique, 96:61-116.
637. Thompson, F.G. 1967. Two new species of Pachychilus from north-eastern Mexico. Nautilus, 81(1):25-31.
638. _____. 1969. Some Mexican and Central American land snails of the family Cyclophoridae. Zoologica, 54(2):35-77, pls. I-VII.
639. Traylor, M.A., Jr. 1941. Birds from the Yucatan Peninsula. Field Mus. Nat. Hist., Zool. Ser., 24(19):195-225.
640. Tressler, W.L. 1959. Ostracoda, pp. 657-734. In: W.T. Edmondson, ed., Fresh-water biology, 2nd ed. New York: John Wiley & Sons.
641. Ueshima, Norihiro. 1968. Cytology and bionomics of Primicimex cavernis Barber (Cimicidae: Hemiptera). Pan-Pacific Entomol., 44(2):145-152.
642. Vandel, A. 1953. Remarques systématiques, morphologiques et biogéographiques sur un groupe de Trichoniscidae Nord-Atlantiques. (Crustacés; Isopodes Terrestres). Bull. Mus. Natl. Hist. Nat., (2), 25(4):368-375.

643. _____. 1964. Biospéologie. La biologie des animaux cavernicoles. Paris: Gauthier-Villars. 619 pp.
644. _____. 1965. Sur l'existence d'oniscoides très primitifs menant une vie aquatique et sur le polyphylétisme des isopodes terrestres. Annal. Spéléol., 20(4):489-518.
645. _____. 1965a. Les Trichoniscidae cavernicoles (Isopoda Terrestria; Crustacea) de l'Amérique du Nord. Annal. Spéléol., 20(3):347-389.
646. _____. 1970. Un troisième oniscoïde cavernicole menant une vie aquatique: Mexiconiscus laevis (Rioja). Annal. Spéléol., 25(1):161-171.
647. _____, and Jacques-Pierre Durand. 1970. Le cycle vital du Protée, Proteus anguinus Laurenti (Batraciens, Urodèles). Note. C.R. Acad. Sc. Paris, 270:2699-2701.
648. Vandenbussche, E., H. Wijffels, and G. Thines. 1965. Marking small tropical fish. Animal Behaviour, 13(4):585-586.
649. Van Name, W.G. 1936. The American land and fresh-water isopod Crustacea. Bull. American Mus. Nat. Hist., 71.
650. _____. 1942. A second supplement to the American land and fresh-water isopod Crustacea. Bull. American Mus. Nat. Hist., 80: 299-329.
651. Van Tyne, Josselyn. 1938. The Yucatan form of West Indian cliff swallow (Petrochelidon fulva). Occ. Pap. Mus. Zool. Univ. Michigan, 385. 3 pp.
652. Vercammen-Grandjean, P.H. 1965. Revision of the genera: Eltonella Audy, 1956 and Microtrombicula Ewing, 1950, with descriptions of fifty new species and transferal of subgenus Chiroptella to genus Leptotrombidium (Acarina, Trombiculidae). Acarologia, 7(fasc.supl.):34-257.
653. _____. 1967. Revision of the genus Tecomatlana Hoffmann, 1947 (Acarina: Trombiculidae). Acarologia, 9(4):848-864.
654. _____. 1968. Revision of the genus Myotrombicula Womersley and Heaslip, 1943 (Trombicula: Acarina). Acarologia, 10(1):65-85.
655. Villa R., Bernardo. 1952. Mamíferos silvestres del Valle de México. Anal. Inst. Biol., Méx., 23:269-492.
656. _____. 1953. Distribución en México de los murciélagos vampiros, familia Desmodontidae. Mem. Cong. Cient. Méx., 7:316-322, fig. 1-2.

657. _____. 1953a. Nota acerca de los murciélagos del Museo Alfredo Dugés. Rev. Soc. Mex. Hist. Nat., 14:151-155.
658. _____. 1955. Una extraña y severa mortandad de murciélagos Mormoops megalophylla en el norte de México. Anal. Inst. Biol., Méx., 26(2): 547-552.
659. _____. 1955a. Otros murciélagos nuevos para la fauna de México. Anal. Inst. Biol., Méx., 26(2):543-545.
660. _____. 1956. Tadarida brasiliensis mexicana (Saussure), el murcié-lago guanero, es una subespecie migratoria. Acta Zool. Mex., 1(11):1-11.
661. _____. 1957. El acto de tomar la sangre en los murciélagos hemato-fagos (familia Desmodontidae). Anal. Inst. Biol., Méx., 28:339-343.
662. _____. 1958. Pteronotus davyi fulvus. El murciélago de espaldas desnudas en el norte de Sonora, México. Anal. Inst. Biol., Méx., 29:375-378.
663. _____. 1960. Tadarida yucatanica in Tamaulipas. J. Mammal., 41(3): 314-319.
664. _____. 1964. Reflexiones acerca de la posición taxonómica de los murciélagos siricoterios de México, genera Glossophaga. Anal. Inst. Biol., Méx., 34:381-391.
665. _____. 1965. Diaemus youngi (Jentink) el vampiro overo, en el sur de Tamaulipas, México. Anal. Inst. Biol., Méx., 35:127-128.
666. _____. 1966. Los murciélagos de México. México, D.F.: Instituto de Biología, Universidad Nacional Autónoma de México. 491 pp.
667. _____, and Berta Alvarez L. 1963. Rabies virus in the kidney and other tissues of vampire bats in western Mexico. Zoonoses Res., 2(2):77-82.
668. _____, Berta Alvarez L., and C. Dominguez C. 1963. Presencia y persistencia del virus de la rabida en la glandula interescapular de algunas murciélagos mexicanos. Ciencia, 22(5):137-140.
669. _____, and E.L. Cockrum. 1962. Migration in the guano bat Tadarida brasiliensis mexicana (Saussure). J. Mammal., 43(1):43-64.
670. _____, and A. Jiménez G. 1960. Acerca de la posición taxonomica de Mormoops megalophylla senicula Rehn, y la presencia de virus rábido en estos murciélagos insectivorus. Anal. Inst. Biol., Méx., 31: 501-509.
671. _____, and A. Jimenez G. 1961. Tres casos más de rabia en los murcié-lagos de México. Anal. Inst. Biol., Méx., 32:391-395.

672. _____, and William Lopez-Forment, C. 1966. Cinco casos de depredación de pequeños vertebrados en murciélagos de México. Anal. Inst. Biol., Méx., 37:187-193.
673. _____, Graciella Meza Ruiz, Bertha Ortiz Bonilla, and Beatriz Villa Cornejo. 1967. Rabia en dos especies de murciélagos insectívoros genero Pteronotus, en condiciones naturales, colectados en Jalisco, México. Anal. Inst. Biol., Méx., 38(1):9-16.
674. Villalobos F., Alejandro. 1951. Un nuevo misidaceo de las Grutas de Quintero en el estado de Tamaulipas. Anal. Inst. Biol., Méx., 22(1):191-218.
675. _____. 1953. Distribución geográfica y notas ecológicas de los camarinos mexicanos. Mem. Cong. Cient. Mex., 7:343-374, figs. 1-5.
676. _____. 1954. Estudios de los camarinos mexicanos. XII, Parte I. Revisión de las especies afines a Procambarus mexicanus (Erichson), con descripción de nuevas formas. Anal. Inst. Biol., Méx., 25:299-379.
677. _____. 1958. Estudios de los camarinos mexicanos. XIV. Estudio comparativo de las especies mexicanos del subgrupo blandingii. Anal. Inst. Biol., Méx., 29:303-327.
678. _____. 1960. Un anfípodo cavernícola nuevo de México: Bogidiella tabascensis n.sp. Anal. Inst. Biol., Méx., 31:317-334.
679. Vogel, B.R. 1967. A list of new North American spiders 1940-1966. Mem. American Entomol. Soc., 23:1-186.
680. Walker, Braz. 1970. A fish without eyes. Aquarium, Philadelphia, 3(5):6-7, 44-50.
681. Walker, C.F. 1955. A new salamander of the genus Pseudoeurycea from Tamaulipas. Occ. Pap. Mus. Zool., Univ. Michigan, 567. 8 pp., 1 pl.
682. _____. 1955a. Two new lizards of the genus Lepidophyma from Tamaulipas. Occ. Pap. Mus. Zool., Univ. Michigan, 564. 10 pp.
683. Walls, G.L. 1963. The vertebrate eye and its adaptive radiation. New York: Hafner Publ. Co.
684. Walters, L.H., and V. Walters. 1965. Laboratory observations on a cavernicolous poeciliid from Tabasco, Mexico. Copeia, 1965(2): 214-223.
685. Ward, H.L. 1891. Descriptions of three new species of Mexican bats. Amer. Nat., 25:743-753.

686. _____. 1904. A study in the variations of proportions in bats, with brief notes on some of the species mentioned. Trans. Wisconsin Acad. Sci., Arts & Letters, 14:630-654, pls. 50-55.
687. Warner, D.W., and J.R. Beer. 1957. Birds and mammals of the Mesa de San Diego, Puebla, Mexico. Acta Zool. Mex., 2(4-5):1-21, tab. 1.
688. Wharton, G.W. 1938. Acarina of Yucatan caves. Carnegie Inst. Washington Publ., 491:137-152.
689. Wheeler, W.M. 1937. Taxonomic notes on Acromyrmex octospinosus Reich. In: W.M. Wheeler, Mosaics and other anomalies among ants. Cambridge: Harvard Univ. Press.
690. _____. 1938. Ants from the caves of Yucatan. Carnegie Inst. Washington Publ., 491:251-255.
691. Whitley, G.P. 1951. New fish names and records. Proc. Roy. Zool. Soc., New South Wales, 1949/50:61-68.
692. Wiley, Suzanne, and R.W. Mitchell. 1971. A bibliography of the Mexican eyeless characin fishes of the genus Astyanax. Preliminary compilation. Privately printed. 12 pp.
693. Wilkens, Horst. 1968. Beitrag zur Degeneration des Auges bei Cavernicolen, Genzahl und Manifestationsart (Untersuchungen an mexikanischen Höhlenfischen). Zool. Anz., 180(5-6):454-464.
694. _____. 1970. Beiträge zur Degeneration des Auges bei Cavernicolen, Genzahl und Manifestationsart, Untersuchungen an mexikanischen Höhlenfischen. Z. Zool. Syst. u. Evolutionsforsch., 8(1):1-47.
695. _____. 1970a. Beiträge zur Degeneration des Melaninpigments bei cavernicolen Sippen des Astyanax mexicanus (Filippi) (Characidae, Pisces). Z. Zool. Syst. u. Evolutionsforsch., 8(3):173-199.
696. Williamson, E.B. 1936. Odonata from Yucatan. Carnegie Inst. Washington Publ., 457:139-143.
697. Wilson, C.B. 1936. Copepods from the cenotes and caves of the Yucatan Peninsula, with notes on cladocerans. Carnegie Inst. Washington Publ., 457:77-88.
698. Wilson, E.O. 1962. The Trinidad cave ant Erebomyrma (= Spelaeomyrma) urichi (Wheeler), with a comment on cavernicolous ants in general. Psyche, 69(2):63-72.
699. Wilson, M.S. 1959. Free-living Copepoda: Calanoida, pp. 738-794. In: W.T. Edmondson, ed., Fresh-water biology, 2nd ed. New York: John Wiley & Sons.

700. _____, and H.C. Yeatman. 1959. Free-living Copepoda: Harpacticoida, pp. 815-858. In: W.T. Edmondson, ed., Fresh-water biology, 2nd ed. New York: John Wiley & Sons.
701. Wimsatt, W.A. 1969. Transient behavior, nocturnal activity patterns, and feeding efficiency of vampire bats (Desmodus rotundus) under natural conditions. J. Mammal., 50:233-244.
702. Wolf, B. 1934-1938. Animalium cavernarum catalogus. Gravenhage: W.Junk. 3 vols.
703. Wolf, F.A. 1938. Fungal flora of Yucatan caves. Carnegie Inst. Washington Publ., 491:19-21, pl. 1.
704. Woodall, H.T. 1941. A new Mexican salamander of the genus Oedipus. Occ. Pap. Mus. Zool., Univ. Michigan, 444:1-4.
705. Woolley, T.A. 1969. Ricinuleida, an odd group of chelicerates. Proc. North Central Branch - E.S.A., 24(2):150-151.
706. Wygodzinsky, P. 1944. Contribução ao conhecimento da familia Campodeidae (Entotrophi, Insecta) do Mexico. Anal. Esc. Nac. Cienc. Biol., 3(3-4):367-404.
707. _____. 1946. Sobre Nicoletia (Anelpistina) Silvestri 1905 e Prosthecina Silvestri, 1933 (Insecta, Lepismatidae). Ciencia, 7(1-3):15-23.
708. _____. 1967. On the geographical distribution of the South American Microcoryphia and Thysanura (Insecta). Biologie de l'Amérique Australe, 3:505-524.
709. Yamaguti, Satyu. 1961. Systema Helminthum. Volume III. The nematodes of vertebrates. New York: Interscience Publ. 2 vols.
710. Zweifel, R.G. 1956. A survey of the frogs of the augusti group, genus Eleutherodactylus. Amer. Mus. Nov., 1813. 35 pp.

AMCS Bulletin 3 Reprint

CAVE INDEX

BAJA CALIFORNIA

- Caves (Las Cuevas), Miraflores
References.--356.
Species.--860, 862, 887, 910.
Caves (southern Baja California)
References.--356.
Species.--887.
Cuevas de Santiago, Santiago
References.--315.
Species.--674, 678, 685.

CHIAPAS

- Cave (Ocosingo), Ocosingo
References.--267, 268.
Species.--none
Cave (Teopisca), Teopisca
References.--209, 581.
Species.--335, 866, 882.
Cave (Tuxtla Gutiérrez), Tuxtla Gutiérrez
References.--437.
Species.--8, 893.
Cueva de Berriozábal, Berriozábal
References.--167.
Species.--477.
Cueva Cerro Hueco, Tuxtla Gutiérrez
References.--142, 209, 292, 471, 475, 567, 572, 655, 666, 676.
Species.--160, 179, 845, 870, 873, 876, 880.
Cueva de la Chepa, Tuxtla Gutiérrez
References.--183, 315, 320, 413, 436, 655, 656, 666, 670.
Species.--290, 292, 294, 674, 685, 848, 863, 880, 882, 883, 892, 893, 895.
Cueva Chica de Hunchenbien, Comitán
References.--408.
Species.--811.
Hoyo de Don Nicho, Ocozocautla
References.--209.
Species.--883.
Cueva de Teopisca, Teopisca
References.--666.
Species.--865.
Cueva del Tio Ticho, Comitán
References.--471, 475, 563, 565, 567, 570, 574, 602, 643.
Species.--162, 188.
Grutas de Zapaluta, La Trinitaria
Synonyms.--Cueva La Trinitaria
References.--171, 182, 209, 292, 368, 471, 475, 567, 572, 574, 666, 675,
676.
Species.--137, 162, 180, 296, 848, 859, 866, 870, 878.

CHIHUAHUA

- Caves
References.--342, 539, 552.
Species.--486, 610, 860, 899.

- Cave (Carimechi), Carimechi
References.--126, 286.
Species.--882, 892, 895.
- Cave (Fern Canyon), Manuel Benavides
References.--359.
Species.--908.
- Cave (Mojarachic), Mojarachic
References.--291, 367.
Species.--913.
- Cueva del Diablo, Salaises
References.--219, 608.
Species.--234, 248, 758.

COAHUILA

- Caves
References.--446, 551, 552.
Species.--247, 610.
- Cave (Bella Unión), Bella Unión
References.--27.
Species.--877, 914.
- Cave (El Chiflón), Saltillo
References.--27.
Species.--860, 877.
- Spring-pool 8.84 km. S and 3.96 km. W Cuatro Ciénegas
References.--323.
Species.--173.
- Spring 8.15 km. S and 2.29 km. W Cuatro Ciénegas
References.--323.
Species.--173.
- Small laguna 7.92 km. W and 9.42 km. S Cuatro Ciénegas
References.--323.
Species.--173.
- Seep 7.45 km. S and 5.50 km. W Cuatro Ciénegas
References.--323.
Species.--173.
- Small spring 7.45 km. S and 5.42 km. W Cuatro Ciénegas
References.--323.
Species.--173, 174.
- Pozo 8.2 km. S and 4.7 km. W Cuatro Ciénegas
References.--174.
Species.--146.
- Pozo 12 km. SW Cuatro Ciénegas
References.--447.
Species.--150.
- Pozo 20.3 km. S and 5.5 km. E Cuatro Ciénegas
References.--174.
Species.--145.
- West Laguna (Mojarral), Cuatro Ciénegas
References.--447.
Species.--150.
- Cave (Puerta Santana), Hacienda La Mariposa
References.--27.
Species.--892.

- Cave (San Buenaventura), San Buenaventura
References.--27.
Species.--860, 877, 901, 909, 914.
- Cave (San Pedro de las Colonias), San Pedro de las Colonias
References.--27.
Species.--877.
- Cueva de Allende, Musquiz
References.--413, 666.
Species.--860.
- Cueva de la Bandurria, Saltillo
References.--666.
Species.--909.
- Pozos de la Becerra, Cuatro Ciénegas
References.--173, 447, 623.
Species.--150, 724.
- Pozos Bonitos (Laguna Churince), Cuatro Ciénegas
References.--323.
Species.--173.
- Cueva del Buen Abrigo, Estación Coyote
References.--208, 666, 670.
Species.--892.
- Cueva de Candelaria, San Lorenzo
References.--332, 599.
Species.--486.
- Gruta de Cuevacillas, Arteaga
References.--41, 78, 580.
Species.--214, 557.
- Cueva de Don Jesús, Rancho Guadalupe
References.--27.
Species.--877, 909.
- Frightful Cave
References.--218.
Species.--744, 759, 764.
- Cueva de la Herradura, Hermanas
References.--23, 27.
Species.--877, 892.
- Cueva del Indio, Cuatro Ciénegas
References.--170, 286, 666.
Species.--856.
- Cueva de los Lagos, Acuña
References.--394, 534, 539, 595.
Species.--153, 398, 560, 611.
- Cueva de Laguna Seca, Nazareno
References.--182, 248.
Species.--860.
- Pozo "El Potrero", Musquiz
References.--77, 139, 173, 341, 475, 622, 625, 643.
Species.--773.
- Spring Cave
References.--218.
Species.--765.

Cueva de las Vigas, Arteaga
References.--580.
Species.--214.

COLIMA

Cave (Manzanillo), Manzanillo
References.--345.
Species.--852.
Cueva de la Fábrica, Coquimatlán
References.--320, 482, 666, 667.
Species.--294, 848.
Cueva de la Finca, Coquimatlán
References.--243, 315, 368.
Species.--253, 674, 678.

DISTRITO FEDERAL

Caves (Ixtapalapa), Ixtapalapa
References.--250.
Species.--860.
Cuevas de Teutli, Chicomostoc
References.--321, 655.
Species.--879, 882.
Cueva de Xictli, Tlalpan
References.--128, 129, 130, 133, 134.
Species.--27, 28, 31, 33, 59, 63, 863.

DURANGO

Caves
References.--552.
Species.--610.
Cave (Lerdo), Lerdo
References.--666.
Species.--899.
Fissures and small caves (La Pila), La Pila
References.--28.
Species.--877, 908, 911.
Cave (Santa Ana), Santa Ana
References.--352.
Species.--880.
Cueva del Guano, Picardías
References.--6, 208, 252, 347, 542, 666.
Species.--7, 270, 860, 892.
Synonyms.--Cueva de la España; Cueva del Indio, Mina del Indio.
Cueva "La Joya" de Lerdo, Picardías
Synonyms.--Cueva de la Joya.
References.--127, 256, 257, 258.
Species.--7.
Cueva de los Riscos, Mapimí
References.--542.
Species.--270.

GUERRERO

Caves
References.--466.
Species.--848.

- Cave (Acahuizotla), Acahuizotla
References.--405.
Species.--848, 852, 862, 869, 871, 880, 888, 889.
- Cave (Acapulco), Acapulco
References.--217.
Species.--848, 852, 880, 892, 893, 894, 895.
- Cave (Almolonga), Almolonga
References.--405.
Species.--848, 889.
- Cave (Mexcala), Mexcala
References.--217, 405.
Species.--882, 888, 895.
- Cave (Omitemi), Omitemi
References.--405.
Species.--866.
- Cave (Papayo), Papayo
References.--405.
Species.--871.
- Cave (Taxco), Taxco
References.--580.
Species.--215.
- Cave (Teloloapan), Teloloapan
References.--19.
Species.--883.
- Cave (Yerbabuena), Yerbabuena
References.--405, 666.
Species.--882, 924.
- Grutas de Acuitlapán, San Miguel Acuitlapán
References.--49, 57, 79, 186, 244, 315, 316, 330, 470, 471, 475.
Species.--136, 139, 200, 261, 271, 345, 534, 598, 670, 684.
- Cueva de Alpixafia, Teloloapan
References.--16, 655, 664, 666.
Species.--879, 880.
- Cueva de los Americanos, Teloloapan
References.--666.
Species.--868.
- Cueva del Borrego, Omitemi
References.--52.
Species.--684, 848.
- Grutas de Cacahuamilpa, Cacahuamilpa
References.--34, 41, 49, 68, 70, 71, 74, 79, 83, 127, 159, 160, 186,
210, 226, 252, 254, 256, 257, 258, 302, 315, 319, 320, 348, 365,
405, 441, 471, 475, 487, 488, 504, 510, 515, 542, 556, 567, 571,
584, 643, 649, 666, 702, 707.
Species.--7, 136, 154, 211, 230, 245, 271, 292, 295, 346, 362, 364,
412, 445, 472, 487, 534, 561, 565, 618, 660, 674, 678, 679, 754,
882, 892, 893, 895.
- Cueva de Cajeles, Cajeles
References.--256, 257, 258.
Species.--7.
- Cueva de Calicanto, Teloloapan
References.--20, 315, 413, 423, 666.
Species.--674, 678, 888, 895.

- Cueva del Cañon del Zopilote, Puente de Mezcala
References.--205, 666, 671.
Species.--848, 852, 882, 888.
- Grutas de Cuetzala, Cuetzala del Progreso
References.--405, 421, 423, 424, 656, 666.
Species.--7, 848, 880, 882, 883.
- Cueva del Diablo, San Miguel Acuitlapán
References.--49.
Species.--534.
- Cueva de las Granadas, San Miguel Acuitlapán
References.--292, 666.
Species.--869.
- Cueva del Huarache o Palo Blanco, Chilpancingo
References.--666.
Species.--888.
- Cueva Las Juntas, Acuízotla
References.--666.
Species.--889.
- Grutas de Juxtlahuaca, Colotlipa
References.--155, 156, 159, 160, 161, 177, 317, 320, 368, 394, 405, 413,
471, 474, 475, 490, 552, 578, 643, 666, 670, 706, 707.
Species.--134, 135, 136, 202, 286, 291, 364, 381, 389, 403, 413, 416, 467,
469, 852, 862, 868, 871, 880, 882, 892, 894, 895.
- Cueva de la Laguna Honda, Teloloapan
References.--666.
Species.--852, 865, 868, 869, 882, 895.
- Cueva de la Mesa de las Choas, San Miguel Totolapan
References.--666.
Species.--888, 895.
- Cueva Chica de la Gruta del Mogote, Cacahuamilpa
References.--49.
Species.--534.
- Cueva de la Peñita, Palo Blanco
References.--666.
Species.--888.
- Cueva del Puente de Dios, Yerbabuena
References.--413, 666.
Species.--848, 868, 889, 895.
- Cueva del Rincón, Rincón
References.--405.
Species.--869, 877.
- El Resumidero del Río de San Jeronimo, Michapa
References.--266.
Species.--279.
- Cueva de El Salitre, Zacatula
References.--17.
Species.--863, 880, 893, 894.
- Cueva Tecabra, Aguacatitlán
References.--666.
Species.--914.
- Cueva de Tezoapa, Acahuizotla.
References.--672.
Species.--820.

- Cueva de Tía Juana, Yerbabuena
References.--664, 666.
Species.--879.
- Cueva Tlachalitla, Apetlanca
References.--413, 666.
Species.--865, 888, 889.
- Cueva de la Tranca de Ixcapaneca
References.--421, 423, 656.
Species.--848.
- Cuevas de Yerbabuena, Yerbabuena
References.--423, 425.
Species.--883.

HIDALGO

- Cave (Durango), Durango
References.--523, 624, 704.
Species.--797, 815.
- Cave (Pinalito), Pinalito
References.--286, 413, 666.
Species.--886.
- Cueva de Belen, Zimapan
References.--51.
Species.--690.
- Cueva de la Mariposa, Jacala
References.--666.
Species.--848.
- Cueva de El Ocote, Jacala
References.--41, 299, 580.
Species.--217, 233, 545.
- Cueva Piedra Ancho, Puerto Oscuro
References.--407.
Species.--809.
- Grutas de Xoxafi, Lagunilla
References.--290, 291, 609, 666.
Species.--593, 883, 914.

JALISCO

- Caves
References.--350.
Species.--848.
- Sink (Pihuamo), Pihuamo
References.--638.
Species.--726.
- Cueva "El Chico", Tuxcaculesco
References.--320.
Species.--290.
- Cueva D.C.B., Jamay
References.--482, 666, 673.
Species.--848, 869, 882, 883, 888, 892, 893, 895.
- Cueva de las Garrochas, Soyatlán del Oro
References.--182, 413, 659, 666, 669.
Species.--848, 860, 890, 911, 914.

- Cueva de Gines, Etzatlán
References.--413, 666.
Species.--848, 862.
- Cueva Hedionda, Huascato
References.--666.
Species.--877.

MEXICO

- Cave (Paso Oyamecalco), Coatepec Harinas
References.--666.
Species.--913.
- Cave (Zacazonapan), Zacazonapan
References.--124.
Species.--848.
- Cueva de la Barranca de los Idolos, Ciudad de México
References.--666.
Species.--866, 911.
- Cueva del Coyote, Tonicato
References.--482, 666, 668.
Species.--883, 888, 895.
- Cueva del Diablo, La Pena
References.--666.
Species.--914.
- Grutas de la Estrella, Tonicato
References.--49, 79, 315, 318, 471, 567, 571, 654, 666.
Species.--136, 340, 534, 561, 669, 676, 848, 863, 865, 907.
- Cueva de la Peña Blanca, Valle de Bravo
References.--666.
Species.--911.

MICHUACAN

- Caves
References.--350.
Species.--848.
- Caves (Apatzingán), Apatzingán
References.--288.
Species.--852.
- Caves (Los Bancos), Los Bancos
References.--626.
Species.--848.
- Cave (Coalcomán), Coalcomán
References.--329.
Species.--880.
- Cave (El Guayabo), El Guayabo
References.--287, 288.
Species.--848, 872, 880.
- Cave (Pátzcuaro), Pátzcuaro
References.--287, 288, 291.
Species.--877, 913.
- Cueva de la Arena, Jacona
References.--666.
Species.--848, 914.

- Cueva de la Calera, Tuxpan
References.--474, 580.
Species.--213, 285, 287.
- Cueva del Cerro El Borrego
References.--626, 656.
Species.--848.
- Cueva de la Colmena, Tangancicuaro
References.--666.
Species.--848.
- Cueva de la Estancia
References.--656.
Species.--848.
- Cueva de Janitzio, Isla de Janitzio, Lago de Pátzcuaro
References.--182, 287, 288, 641, 666.
Species.--499, 860.
- Cueva Los Monos
References.--626, 656.
Species.--848.
- Cueva Prieta, Agullila
References.--137, 626, 656.
Species.--848.

MORELOS

- Cave (Alpuyeca), Alpuyeca
References.--210, 211, 212.
Species.--848.
- Cave (Amacuzac), Amacuzac
References.--210, 211, 212.
Species.--852.
- Cave (Cerro Frio), Tetecala
References.--211, 212, 686.
Species.--866, 873.
- Cave (Cuernavaca), Cuernavaca
References.--228, 580.
Species.--213, 848.
- Cave (Huajintlán), Huajintlán
References.--210, 211, 212, 320, 666.
Species.--882, 895, 926.
- Cave (Jonacatepec), Jonacatepec
References.--124, 210, 211, 212.
Species.--848, 877, 879.
- Cave (Tepoztlán), Tepoztlán
References.--167.
Species.--475.
- Cave (Lake Tequesquitengo), Tequesquitengo
References.--280, 479.
Species.--888, 893, 894, 895.
- Cave (Xochicalco), Xochicalco
References.--35.
Species.--877.
- Cave (Zacoalpan Amilpas), Zacoalpan Amilpas
References.--342, 686.
Species.--848.

- Cueva de la Barranca de Apatlaco, Xochitepec
References.--228, 413, 666.
Species.--848, 852, 888.
- Cueva del Cerro, Lake Tequesquitengo
References.--30, 331, 413, 473, 666.
Species.--863, 882, 883, 888, 893, 894, 895.
- Cueva 18 de Julio, Temixco
References.--666.
Species.--848.
- Cueva del Gallo, Tecumán
References.--666.
Species.--852.
- Cueva de Huajintlán, Huajintlán
References.--666.
Species.--297, 880, 888.
- Cueva del Idolo, Tequesquitengo
References.--664, 666.
Species.--879, 880.
- Cueva de Leona, Juárez
References.--211, 212, 686.
Species.--889.
- Grutas de Michapán
References.--127, 256, 258.
Species.--7.
- Cueva del Murciélago, Tres Cumbres
References.--666.
Species.--911, 913.
- Cueva de Oxtoyahualolco, Tepoztlán
References.--413, 666.
Species.--848, 865.
- Cueva Poza de Moctezuma, Oaxtepec
References.--320, 666.
Species.--7, 293, 848, 888, 895.
- Cueva del Salitre, Tetecalita
References.--206, 292, 413, 477, 478, 480, 482, 666, 668.
Species.--7, 848, 863, 868, 869, 882, 883, 888, 892, 893, 894, 895, 902, 911.
- Cueva del Salitre, Ticumán
References.--666, 670.
Species.--892.
- Cueva del Salitre, Xochimancas
References.--666.
Species.--882, 883.
- Cueva de Xochitepec, Xochitepec
References.--666.
Species.--889.

NAYARIT

- Cave (San Blas), San Blas
References.--345, 442, 555.
Species.--852, 895.

Cueva del Fuerte de San Blas, San Blas

References.--666.

Species.--880.

Cueva del Tesoro, Tepic

References.--666.

Species.--868.

NUEVO LEON

Caves

References.--552.

Species.--210, 226, 610.

Caves (Cuesta de Chipinque), Monterrey

References.--461.

Species.--492.

Well (Monterrey), Monterrey

References.--34, 75, 95, 173, 348, 475, 488, 489, 544, 556, 567, 568, 576, 643, 649.

Species.--143.

Cueva de las Animas, Monclova

References.--544.

Species.--247.

Cueva de la Boca, Santiago

References.--3, 78, 83, 84, 158, 182, 188, 208, 284, 301, 315, 475, 544, 660, 666, 669, 670.

Species.--7, 238, 242, 356, 432, 554, 606, 860, 863, 892.

Cueva del Carrizal, Candela

References.--3, 159, 160, 167, 265, 315, 474, 475, 544, 666.

Species.--197, 238, 282, 286, 287, 292, 363, 482, 485, 682, 909.

Cueva del Diablo, Sabinas Hidalgo

Synonyms.--Bat Cave; ?Cueva Envenenada

References.--6, 223, 245, 252, 253, 254, 255, 260, 304, 368, 475, 544, 658, 666, 670, 679.

Species.--7, 247, 294, 892.

Cueva Envenenada, Sabinas Hidalgo

References.--6, 223, 254, 255, 666.

Species.--7.

Cueva de las Fisuras, Sabinas Hidalgo

Synonyms.--Cueva del Camino

References.--544.

Species.--484.

Cueva de Guadalupe, Linares

References.--413, 666.

Species.--848, 886.

Resumidero de Pablillo, Galeana

References.--504, 580.

Species.--214, 563.

Grutas del Palmito, Bustamante

References.--3, 39, 41, 44, 46, 54, 72, 73, 78, 81, 85, 90, 96, 153, 156, 159, 160, 161, 167, 244, 265, 266, 394, 470, 471, 475, 503, 504, 533, 534, 544, 595, 597, 643, 645.

Species.--139, 141, 164, 166, 198, 259, 282, 358, 383, 437, 441, 447, 482, 484, 485, 543, 553, 564, 602.

Puente de Dios, Galeana

References.--413.

Species.--848.

Cueva del Rincón de la Virgen, Villa de García

References.--182, 248, 413, 660, 669.

Species.--7, 860.

Grutas de San Bartolo, Santa Catarina

Synonyms.--Cueva de Tio Bartolo

References.--525, 544, 666, 670.

Species.--7, 208, 247, 892.

Grutas de Villa de García, Villa de García

References.--3, 78, 159, 160, 177, 243, 265, 266, 284, 475, 490, 544, 643, 679, 706.

Species.--238, 242, 247, 252, 282, 355, 417, 418, 556.

OAXACA

Cave (Carretera Transistimica), Matías Romero

References.--591, 666.

Species.--879.

Cave (Los Limones), Acatlán de Pérez Figueroa

References.--181.

Species.--878, 891.

Cave (Matías Romero), Matías Romero

References.--666.

Species.--851.

Cave (Mitla), Mitla

References.--345.

Species.--848.

Cave (Montebello), Matías Romero

References.--666.

Species.--851.

Cave (Cerro Pinon), Acatlán de Pérez Figueroa

References.--181.

Species.--884, 898.

Cave (Selva Alta Siempre Verde), Matías Romero

References.--591.

Species.--848, 850, 851, 855.

Cave (Tehuantepec), Tehuantepec

References.--217.

Species.--852.

Cave (Tollosa), Tollosa

References.--29.

Species.--848, 851.

Cueva del Domingillo, Domingillo

References.--670.

Species.--892.

Cueva Lisa, Tehuantepec

References.--666.

Species.--852.

Cueva de Monteflor, Monteflor

References.--56, 156, 470.

Species.--199.

- Cueva del Nacimiento, Acatlán de Pérez Figueroa
References.--666.
Species.--878.
- Cueva Piña del Colorado, Tequisistlán
References.--666.
Species.--852.
- Sotano de San Agustín, Huautla
References.--41.
Species.--544.

PUEBLA

- Cave (Puebla), Puebla
References.--606, 710.
Species.--808, 819.
- Cave (San Juan Raboso), San Juan Raboso
References.--258.
Species.--7.
- Cueva del Azufre, Villa Juárez
References.--666.
Species.--876, 897.
- Cuevas de Matamoros, Izúcar de Matamoros
References.--312, 653.
Species.--341.
- Cueva de Patla, Villa Juarez
References.--471, 475, 571.
Species.--138.
- Cuevas del Rio Nexapa, Izúcar de Matamoros
References.--131, 132, 134.
Species.--29, 30, 54, 852.
- Cueva del Salto de Alcececa, Atzalan
References.--666.
Species.--911.

QUERETARO

- Caves
References.--256.
Species.--7.
- Sotano de Camposantos, Landa de Matamoros
References.--41.
Species.--544.
- Cueva del Madroño, Madroño
References.--86, 524.
Species.--193, 277, 307, 311, 321, 331, 337, 424, 474, 607, 661, 796.
- Cueva de los Riscos, Jalpan
References.--409.
Species.--814.
- Cueva de las Tablas, Landa de Matamoros
References.--41.
Species.--544.
- Sotano de Tejamanil, Pinal de Amoles
References.--41, 46, 547.
Species.--541, 550.

QUINTANA ROO

- Cueva de arena (Santa Rosa), Santa Rosa
References.--298, 656.
Species.--850.
- Sink (Isla de Cozumel), San Miguel
References.--554.
Species.--728, 746, 751.
- Cave (Felipe Carrillo Puerto), Felipe Carrillo Puerto
References.--220.
Species.--815.
- Caves (Pueblo Nuevo X-Can), Pueblo Nuevo X-Can
References.--220, 406.
Species.--806, 812, 824.
- Cave (Rancho Santa Rita), Isla de Cozumel
References.--251.
Species.--523.

SAN LUIS POTOSI

- Caves
References.--18, 387, 447, 465, 486, 505, 552, 563, 627.
Species.--562, 858.
- Cave (Hacienda Capulín)
References.--194.
Species.--871.
- Well (Cueva Chica), El Pujal
References.--98.
Species.--772, 780.
- Cave (Cerra Companaría)
References.--405.
Species.--866.
- Cave (El Pujal), El Pujal
References.--342.
Species.--848.
- Cave (El Salto), El Salto
References.--355.
Species.--905.
- Cave (San Francisco), San Francisco
References.--301.
Species.--606.
- Cave (San Luis Potosí), San Luis Potosí
References.--127, 256.
Species.--7.
- Caves (Sierra del Abra)
References.--455.
Species.--238, 242, 270, 386, 411, 551.
- Cave (Valle de los Fantasmos), San Francisco
References.--41, 46.
Species.--542, 544.
- Sotano (Valle de los Fantasmos), San Francisco
References.--580.
Species.--216.

- Cave (Valles), Valles
References.--576.
Species.--149.
- Caves (Xilitla), Xilitla
References.--169, 194, 409.
Species.--226, 258, 481, 484, 536, 538, 559, 814, 871, 876, 880.
- Boca del Abra, Valles
References.--574.
Species.--163.
- Cueva del Agua, Rayón
References.--311.
Species.--182.
- Cueva del Ahuate No. 2, Xilitla
References.--86, 142, 471, 475, 547, 573.
Species.--73, 151, 158, 193, 278, 299, 301, 302, 307, 314, 321, 328, 342, 400, 414, 436, 443, 444, 474, 517, 697.
- Cueva del Aire, Huichihuayán
References.--86, 547.
Species.--151, 193, 299, 314, 326, 330, 348, 431, 532, 592, 670, 684, 848.
- Sotano del Arroyo, Valles
References.--47, 105, 111, 119, 143, 147, 301, 351, 373, 374, 394, 458, 462, 535, 539, 545, 587, 592, 595, 628, 645, 692.
Species.--123, 149, 163, 369, 603, 606, 770.
- Cueva de la Barranca, Xilitla
References.--86.
Species.--207, 333, 427, 684, 848.
- Cueva del Carnicero, Maroma
References.--41, 78.
Species.--555.
- Cueva Chica, El Pujal
References.--2, 4, 8, 11, 12, 13, 14, 21, 22, 36, 38, 45, 47, 54, 58, 64, 65, 75, 82, 87, 89, 94, 98, 99, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 112, 113, 117, 118, 119, 120, 123, 136, 159, 167, 168, 177, 214, 215, 216, 231, 232, 233, 234, 247, 269, 273, 274, 275, 276, 277, 279, 282, 283, 294, 305, 308, 309, 335, 336, 337, 338, 343, 346, 349, 351, 357, 358, 361, 362, 371, 372, 373, 374, 375, 376, 377, 379, 380, 381, 382, 388, 390, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 410, 415, 416, 429, 430, 431, 432, 433, 434, 435, 438, 458, 462, 467, 471, 475, 476, 484, 485, 490, 492, 506, 508, 511, 513, 514, 519, 526, 527, 528, 529, 530, 531, 535, 545, 553, 557, 558, 559, 560, 561, 562, 563, 567, 570, 574, 582, 585, 586, 587, 589, 592, 593, 611, 612, 613, 614, 617, 628, 629, 630, 631, 633, 634, 636, 640, 642, 643, 645, 650, 666, 670, 675, 677, 680, 683, 692, 693, 694, 699, 706.
Species.--7, 9, 10, 12, 13, 14, 37, 38, 40, 41, 66, 85, 93, 94, 96, 101, 102, 103, 106, 108, 121, 122, 149, 163, 178, 185, 220, 244, 263, 265, 387, 415, 442, 481, 659, 663, 708, 771, 863, 870, 892.
- Cueva de Corinto, Tamexín
References.--292, 666.
Species.--870.
- Cueva de los Cuchos, Xilitla
References.--86, 330, 547.
Species.--73, 193, 212, 283, 299, 300, 307, 314, 325, 348, 424, 431, 443, 448, 474, 490, 518, 579, 597, 599, 616.

- Cueva del Desierto, El Guayalote
References.--301.
Species.--606.
- Cueva de Fer-de-Lance, El Pujal
References.--410.
Species.--825.
- Sotano de Ferrocarril, Valles
Synonyms.--Cueva del Agua; Cueva de la Curva
References.--545, 666.
Species.--149, 848, 870.
- Cueva Grande, El Pujal
References.--315, 410.
Species.--208, 679, 710.
- Cueva de la Hoya, Ahuacatlán
References.--86, 96, 471, 475, 524, 547, 573, 646.
Species.--169, 193, 212, 275, 284, 299, 314, 318, 329, 330, 337, 382,
400, 427, 431, 433, 435, 444, 448, 474, 532, 601, 615, 794, 801.
- Cueva de Huichihuayán, Huichihuayán
References.--315.
Species.--670, 684, 848.
- Sotano de Huitzmolotitla, Xilitla
References.--145, 394, 535, 547, 594, 595, 596, 646.
Species.--169, 208, 365, 375.
- Ventana Jabalí, Tamuín
References.--182, 410, 545, 574, 645.
Species.--163, 207, 208, 226, 233, 501, 568, 612, 614, 703, 860.
- Cueva del Jobo, Xilitla
References.--84, 86, 193, 413, 475, 547, 656, 666, 710.
Species.--151, 193, 212, 283, 299, 314, 317, 321, 323, 329, 331, 337,
354, 424, 427, 431, 436, 448, 529, 532, 599, 601, 620, 677, 697, 807,
847, 850.
- Cueva de la Lagunita, Ciudad de Maíz
References.--536, 545.
Species.--149.
- Cueva de la Laja, Xilitla
References.--86.
Species.--151, 348, 374, 382, 400, 427, 474, 532, 616.
- Cueva del Lobo, Xilitla
References.--666.
Species.--871.
- Sotano de los Lobos, San Francisco
References.--147.
Species.--370.
- Cueva de la Luz, Aquismon
References.--147, 646.
Species.--169, 371.
- Sotano de Manuel, El Pujal
References.--410, 459.
Species.--221, 274, 563.
- Sumidero de Matehuala, Matehuala
References.--41.
Species.--557.

- Cueva del Nacimiento del Río Coy, Valles
References.--178, 179, 292, 666.
Species.--848, 863, 870, 871, 880, 892, 893, 894, 895.
- Sotano de la Navidad, Xilitla
References.--646.
Species.--169.
- Cueva El Nilo, Valles
References.--98.
Species.--889.
- Sotano de Pichijumo, Valles
Synonyms.--Sotano de Montecillos
References.--545.
Species.--149, 767.
- Cueva Pinta, Valles
References.--147, 266, 597.
Species.--168, 281, 369.
- Cueva de la Porra, Xilitla
References.--96, 144, 394, 547, 600, 646.
Species.--169, 400.
- Cueva de Potrerillos, Ahuacatlán
References.--86, 314, 413, 524, 605, 646, 666.
Species.--169, 212, 236, 277, 278, 339, 400, 427, 616, 670, 683,
796, 801, 847, 850.
- Sotano del Pozo, Ahuacatlán
References.--539, 547.
Species.--480, 531.
- Cueva de El Puente, San Francisco
References.--147.
Species.--370.
- Cueva de Los Sabinos, Valles
References.--2, 11, 12, 13, 14, 24, 38, 41, 47, 54, 74, 75, 76, 83,
84, 85, 87, 88, 94, 100, 102, 105, 111, 118, 119, 122, 136, 159,
160, 161, 167, 186, 194, 201, 214, 216, 242, 243, 247, 263, 272,
274, 286, 292, 294, 305, 308, 315, 337, 338, 349, 351, 360, 369,
373, 374, 375, 377, 394, 413, 455, 458, 459, 462, 463, 471, 475,
484, 485, 508, 513, 519, 526, 527, 528, 529, 542, 545, 561, 562,
564, 567, 568, 571, 574, 585, 587, 589, 592, 628, 629, 631, 634,
636, 643, 645, 656, 692, 693, 694, 695, 699.
Species.--11, 12, 16, 36, 37, 39, 40, 72, 76, 84, 85, 91, 93, 94,
96, 101, 102, 103, 106, 108, 114, 123, 124, 126, 140, 149, 156,
163, 252, 268, 272, 281, 303, 359, 360, 361, 387, 432, 434, 438,
481, 549, 672, 673, 680, 684, 770, 848, 850, 852, 870.
- Cueva del Salitre, Xilitla
References.--86, 547.
Species.--228, 283, 299, 308, 311, 314, 320, 321, 325, 326, 329, 337,
400, 424, 431, 443, 529, 621.
- Cueva de la Selva, Xilitla
References.--96, 547, 580, 646.
Species.--169, 216.
- Cueva de Taninul n. 1, Tamuín
References.--186, 320, 368, 410, 455, 459, 542, 705.
Species.--210, 226, 272, 274, 294.

- Cueva de Taninul n. 4, Tamuín
References.--455.
Species.--470, 479, 489.
- Sotano del Tigre, Valles
References.--301, 458, 459, 545.
Species.--163, 272, 402, 606, 767.
- Sotano de la Tinaja, Valles
References.--41, 47, 111, 119, 147, 301, 351, 373, 374, 411, 458, 460,
462, 545, 587, 592, 628, 645, 692.
Species.--149, 163, 176, 186, 281, 369, 549, 606, 770.
- Sotano de Tlamaya, Xilitla
References.--41, 42, 48, 240, 301, 547.
Species.--70, 238, 365, 375, 400, 480, 547, 606.
- Sotano del Toro, Valles
References.--459.
Species.--274.
- Sotano de Yerbanís, Valles
References.--460.
Species.--281.

SINALOA

- Caves (Chinacatera), Pericos
References.--182, 662.
Species.--848, 852, 911.
- Cave (Monte Largo), Pericos
References.--180.
Species.--860, 893, 895, 911.
- Cueva de la Chinacatera, Pericos
References.--31, 182, 662, 666.
Species.--860, 893, 894, 895.
- Cueva de Don Christino, Mazatlán
References.--666.
Species.--852.
- Cueva de Ventanas, Manzanillo
References.--666.
Species.--852.

SONORA

- Caves
References.--125.
Species.--882.
- Caves (Chinobampo), Chinobampo
References.--125.
Species.--880.
- Cave (Guaymas), Guaymas
References.--125.
Species.--892, 895.
- Cave (San Bernardo), San Bernardo
References.--126, 286.
Species.--852, 880.
- Mina La Aduana, Alamos
References.--224.
Species.--189.

Cueva del Tigre, Carbo

Synonyms.--Carbo Cave

References.--172, 180, 182, 204, 449, 450, 451, 473, 577, 618, 619, 662, 666, 669.

Species.--685, 860, 862, 883, 887, 892, 893, 894, 895, 911, 925.

TABASCO

Cave (Arroyo del Solpho), Tapijulapa

References.--47, 273, 374, 376, 519, 684, 694.

Species.--187, 210, 493, 631, 781, 892, 893, 895.

Cave (Teapa), Teapa

References.--386, 509, 584, 665, 666.

Species.--658, 867, 885.

Gruta del Cocona, Teapa

References.--202, 244, 323, 324, 475, 666, 678.

Species.--172, 260, 849, 851, 852, 854, 863, 895.

Cueva de Don Luis, Teapa

References.--666.

Species.--851, 853, 857, 874, 875, 876, 880, 881, 889, 906.

Cueva del Escorpion, Teapa

References.--666.

Species.--853.

Cueva La Murcielaguera, Teapa

References.--292, 666.

Species.--851, 870, 876, 884, 894, 895, 897.

Cueva del Rancho El Azufre, Teapa

References.--666.

Species.--848.

Cueva de Teapa, Teapa

References.--583.

Species.--211, 335, 664, 684, 848, 852.

TAMAULIPAS

Caves

References.--539, 552.

Species.--238, 708.

Cave (Agua Linda), Gómez Farías

References.--419.

Species.--799.

Cave (Aserradero del Paraíso), Chamal

References.--419, 523.

Species.--798, 810, 814.

Cave (El Carrizo), 70 km. S Victoria

References.--15, 26, 419.

Species.--807.

Fissure (Casa Piedras), Gómez Farías

References.--419.

Species.--798, 800.

Small caves (El Chihue), El Chihue

References.--419, 523, 681.

Species.--793, 800, 810, 814.

Cave (El Encino), El Encino

References.--15.

Species.--915.

- Caves (Gómez Farías), Gómez Farías
References.--419.
Species.--823.
- Cave (Jiménez), Jiménez
References.--15.
Species.--848, 863, 882.
- Cave (Ojo de Agua), Mante
References.--15.
Species.--863, 880, 895, 905.
- Caves (Rancho del Cielo), Gómez Farías
References.--15, 270, 293, 301, 328, 370, 407, 419, 537, 598, 605, 681.
Species.--156, 606, 800, 810, 832, 866, 915.
- Dry sinkhole (Rancho del Cielo), Gómez Farías
References.--419.
Species.--815.
- Sinkhole (Rancho del Cielo), Gómez Farías
References.--42, 419, 546.
Species.--546.
- Two sinks (Rancho del Cielo), Gómez Farías
References.--419, 537.
Species.--795.
- Bell-shaped sink (Rancho del Cielo), Gómez Farías
References.--419.
Species.--795.
- Cave No. 6 (Rancho del Cielo), Gómez Farías
References.--293.
Species.--835, 837, 843.
- Cave No. 11 (Rancho del Cielo), Gómez Farías
References.--293.
Species.--839.
- Cave No. 13 (Rancho del Cielo), Gómez Farías
References.--293.
Species.--836, 839, 843, 844.
- Cave No. 14 (Rancho del Cielo), Gómez Farías
References.--293.
Species.--835.
- Cave No. 19 (Rancho del Cielo), Gómez Farías
References.--293.
Species.--835.
- Cave No. 20 (Rancho del Cielo), Gómez Farías
References.--293.
Species.--842.
- Cave (Río Sabinas), El Encino
References.--15.
Species.--848, 861, 870, 871, 895, 905.
- Caves (Sierra del Abra)
References.--545.
Species.--242, 386, 481.
- Cave (Sierra Gorda)
References.--710.
Species.--807, 814.

- Cave (Sierra de Tamaulipas), Piedra
References.--15, 420.
Species.--832, 848, 863, 880.
- Cave (70 km. S Victoria), Victoria
References.--15.
Species.--848.
- Cueva del Abra, Mante
References.--15, 18, 84, 87, 92, 141, 198, 200, 207, 271, 322, 354,
355, 370, 413, 418, 532, 660, 663, 666, 669, 672.
Species.--7, 224, 251, 432, 612, 833, 848, 858, 860, 861, 863, 870.
- Balanced Rock Cave, Gómez Farías
References.--419, 537.
Species.--799.
- Bee Cave, Chamal
References.--301, 409, 545, 546.
Species.--606, 767, 814.
- Cueva de la Boca, Victoria
References.--666.
Species.--880.
- Cueva de la Capilla, Gómez Farías
Synonyms.--Cueva de la Perra
References.--241, 504.
Species.--69, 566.
- Cueva Abaja de Carreterra, Tula
References.--301.
Species.--606.
- Crystal Cave, Gómez Farías
References.--419, 537, 544, 546.
Species.--236, 264, 367, 375, 385, 386, 394, 401, 414, 488, 602, 799,
814.
- Cueva de los Cuarteles, Aldama
References.--315, 320, 581.
Species.--290, 432, 674, 675, 679, 863.
- Cueva La Esperanza, Rancho Santa Rosa
References.--15, 448.
Species.--848, 863.
- Cueva de la Florida, El Pachón
References.--221, 455, 456, 457, 458, 459, 518.
Species.--272, 274, 289, 406, 480, 880, 895.
- Sotano de Gómez Farías, Gómez Farías
References.--145, 394, 537, 546.
Species.--203, 366, 385, 386, 401.
- Cueva de Guadalupe, Victoria
References.--666.
Species.--848.
- Cueva del Guano de Tamaulipas, Jiménez
Synonyms.--Cueva de Jiménez
References.--6.
Species.--7.
- Harrison Sinkhole, Gómez Farías
References.--537, 546.
Species.--242, 375, 401, 480.

- Sotano de la Joya de Salas, Gomez Farías
References.--41, 42, 44, 537, 546.
Species.--401, 480, 535, 546.
- Cueva de los Leones, Gómez Farías
References.--546.
Species.--401.
- Mine Cave, Gómez Farías
References.--32, 300, 453, 470.
Species.--192, 196, 605, 864.
- Sotano de El Molino, Gómez Farías
References.--546.
Species.--375, 480.
- Cueva La Mula, Joya Verde
References.--15.
Species.--848, 860, 877.
- Cueva del Nacimiento del Río Frío, Gomez Farías
Synonyms.--Cueva del Río Frío
References.--546.
Species.--248, 386, 401, 480.
- Cueva del Nacimiento del Río Mante, Mante
References.--637.
Species.--732.
- Cueva de El Pachón, El Pachón
References.--11, 12, 13, 15, 38, 47, 84, 87, 88, 94, 106, 111, 119,
122, 214, 230, 286, 308, 315, 328, 351, 373, 374, 375, 376, 377,
409, 413, 418, 419, 458, 459, 462, 475, 508, 511, 512, 513, 532,
545, 549, 561, 562, 567, 568, 574, 582, 585, 587, 588, 589, 592,
605, 628, 629, 631, 634, 635, 636, 643, 645, 648, 682, 692, 693,
694, 695, 710.
Species.--123, 149, 163, 432, 679, 768, 807, 813, 829, 848, 850,
863, 870, 880, 895, 915.
- Sotano de los Pinos, Gomez Farías
Synonyms.--Sotano de las Piñas
References.--301, 546.
Species.--580.
- Grutas de El Puente, Ocampo
References.--15, 270.
Species.--905.
- Grutas de Quintero, Quintero
References.--15, 56, 87, 156, 292, 314, 413, 418, 447, 470, 475, 532,
545, 561, 562, 567, 568, 570, 574, 576, 643, 645, 652, 661, 666,
670, 674, 687.
Species.--123, 148, 149, 163, 176, 204, 210, 226, 251, 338, 411, 848,
850, 863, 870, 871, 880, 889, 892, 900.
- Cueva del Rancho del Cielo n. 3, Gómez Farías
References.--145, 394, 537, 546.
Species.--366, 375, 385, 414, 581.
- Cueva del Rancho del Cielo n. 7, Gómez Farías
References.--145, 394, 537, 546.
Species.--366, 375, 380, 385, 414.
- Cueva de la Sepultura, Victoria
References.--15, 413, 549, 666, 672.
Species.--322, 848, 850.

- Cueva de los Troncones, Victoria
References.--15, 26, 666, 670.
Species.--7, 848, 876, 892, 893, 895.
- Sotano de El Venadito, Antiguo Morelos
References.--455, 532, 542, 545.
Species.--272.
- Wet Cave, Gómez Farías
References.--537, 546.
Species.--221, 226, 232, 375, 385.

TLAXCALA

- Underground water conduits (Tlaxcala), Tlaxcala
References.--580.
Species.--217.
- Cave (Tlaxcala), Tlaxcala
References.--205.
Species.--877, 879, 880, 904, 911.

VERACRUZ

- Caves
References.--194.
Species.--918.
- Cave (Cofre de Perote), Perote
References.--392.
Species.--860.
- Cave (Fortín), Fortín
References.--285.
Species.--848, 863, 876, 880.
- Volcanic caves (Jalapa), Jalapa
References.--9, 580.
Species.--217, 905, 911.
- Caves (Jesús Carranza), Jesús Carranza
References.--199, 285.
Species.--851, 853, 854, 870, 878, 891, 895, 898, 905.
- Cave (Limoón), Limoón
References.--285.
Species.--916.
- Cave (Metlac), Metlac
References.--10.
Species.--881.
- Cave (Plan del Río), Plan del Río
References.--205.
Species.--870.
- Cave (Presidio), Presidio
References.--285.
Species.--891.
- Caves (Puente Nacional), Puente Nacional
References.--205, 285.
Species.--852.
- Cave (San Juan de la Punta), San Juan de la Punta
References.--285.
Species.--848, 852.

- Cave (Tlacotepec), Tlacotepec
References.--199, 285, 659.
Species.--881, 890.
- Cave (Totutla), Totutla
References.--285.
Species.--852, 890.
- Cave (Tuxpilla), Tuxpan
References.--422.
Species.--848, 870.
- Cave (Las Vigas), Las Vigas
References.--205, 213, 285, 342, 666, 685, 686.
Species.--860, 911, 912, 913, 916.
- Cave (Zacualpilla), Zacualpilla
References.--285.
Species.--913.
- Grutas de Atoyac, Atoyac
References.--81, 83, 142, 159, 160, 161, 167, 177, 199, 244, 285, 394,
413, 471, 474, 475, 490, 643, 656, 666, 706.
Species.--157, 163, 260, 287, 357, 364, 368, 373, 388, 419, 430, 440,
476, 848, 850, 851.
- Cueva del Boquerón, San Andres Tuxtla
References.--192, 199, 278, 285, 666.
Species.--848, 863, 876, 880, 892, 893, 894, 895.
- Cueva del Carbón, Tequila
References.--645.
Species.--165.
- Cueva de Cuautlapa, Cuautlapa
References.--621.
Species.--900.
- Cueva del Infiernillo, Jalapa
References.--342, 686.
Species.--863, 892, 893, 895.
- Cuevas de Laguna Encantada, San Andres Tuxtla
References.--209, 320, 666.
Species.--290, 893, 894, 895, 896.
- Cueva de los Murciélagos, Tlapacoyan
References.--666.
Species.--848.
- Cueva de Ojo de Agua de Tlilapan, Orizaba
References.--453.
Species.--191.
- Cueva de Ojo de Agua Grande, Potrero Viejo
References.--197, 285, 310, 327, 471, 475, 561, 563, 566, 567, 570, 571,
574, 644, 645, 646, 656, 675, 676.
Species.--133, 165, 171, 181, 848, 850, 870.
- Cueva de la Pesca, Potrero
References.--285, 292, 413, 656, 666.
Species.--848, 870.
- Cueva de la Presa, Orizaba
References.--666, 670.
Species.--892.

- Sotano del Profesor, Tequila
References.--40, 41, 42, 44, 299.
Species.--548.
- Cueva de Sala de Agua Grande, Yanga
References.--285.
Species.--870.
- Cueva del Tigre, Tuxpan
References.--292, 666.
Species.--870.
- Cuevas de Tilapa, Tilapa
References.--621.
Species.--863, 892, 900.
- Cueva de Tuxpango, Tuxpango
References.--621.
Species.--900.
- Grotte de Xilapa, Pico de Orizaba
References.--657.
Species.--873.

YUCATAN

- Caves and cenotes
References.--37, 59, 71, 74, 75, 87, 93, 135, 150, 151, 196, 214, 227,
240, 241, 246, 277, 297, 348, 381, 382, 383, 387, 428, 445, 470,
472, 485, 486, 490, 493, 497, 498, 552, 567, 610, 631, 640, 683,
691, 700, 709.
Species.--21, 250, 774, 786, 838.
- Well (Calcehtok Hacienda), San Bernardo
References.--190.
Species.--177.
- Cenote (Chichén-Itzá), Chichén-Itzá
References.--427, 603.
Species.--815, 841.
- Cave (Chochola), Chochola
References.--345.
Species.--870.
- Cenote (Calle 24, No. 97, Mérida), Mérida
References.--666.
Species.--848.
- Cave (Muna), Muna
References.--5, 140.
Species.--784, 791.
- Well (Iron mill at Oxkutzcab), Oxkutzcab
References.--190.
Species.--177.
- Cave (Hacienda San Bernardo), San Bernardo
References.--393, 394, 475.
Species.--405.
- Cave (Santa Cruz), Santa Cruz
References.--25.
Species.--841.
- Cave (Hacienda Tabí), Tabí
References.--61, 517.
Species.--753, 757.

- Cenote (Talcha), Talcha
References.--63.
Species.--731.
- Cave (Ticul), Ticul
References.--251.
Species.--522.
- Cenote (Tixpehual), Tixpehual
References.--666.
Species.--891.
- Cenote (Tizimín), Tizimín
References.--220.
Species.--818.
- Cave (Yocat), Yocat
References.--295.
Species.--680, 870.
- Cueva Amil, Mérida
References.--189, 190, 325, 326, 500, 649.
Species.--144, 184.
- Cueva de Balaam Canché, Chichén-Itzá
Synonyms.--Cueva Bolonchen
References.--5, 62, 63, 134, 140, 154, 156, 164, 165, 166, 186, 189,
190, 215, 235, 239, 244, 276, 315, 320, 325, 326, 333, 335, 417,
444, 471, 475, 495, 499, 500, 501, 502, 516, 542, 576, 597, 607,
620, 629, 643, 674, 688, 690, 697, 698, 703.
Species.--5, 23, 26, 52, 53, 55, 60, 61, 74, 90, 96, 98, 113, 142,
159, 167, 177, 183, 184, 206, 211, 235, 260, 262, 273, 295, 310,
313, 315, 316, 343, 429, 478, 483, 507, 584, 591, 609, 615, 617,
625, 637, 639, 648, 649, 651, 653, 655, 656, 657, 674, 679, 688,
691, 700, 709, 722, 730, 734, 740, 741, 745, 755, 757, 784, 863,
917, 921.
- Cenote de Escuela Carlos Morales, Mérida
References.--339, 417, 494, 500, 697.
Species.--98, 99, 132, 316, 506, 628.
- Cueva de Carroza, Hochtún
References.--138, 601.
Species.--421, 521.
- Cueva de Caxcuy
References.--138.
Species.--521.
- Cueva Chac Mol, Tohil
References.--63, 164, 165, 190, 320, 325, 326, 333, 475, 499, 500, 501,
690.
Species.--144, 155, 177, 184, 209, 211, 239, 249, 312, 478, 483, 576,
600, 624, 632, 642, 645, 666, 686, 689, 709, 742, 917, 922.
- Cueva Chakxix, Tekax
References.--33, 165, 238, 298, 315, 333, 499, 500, 501, 604, 688.
Species.--239, 344, 347, 478, 528, 616, 633, 672, 827, 854, 870.
- Cenote Chapultepec, Mérida
References.--13, 215, 334, 339, 494, 500, 664, 666, 696.
Species.--450, 506, 627, 769, 783, 785, 879.
- Cenote Chiuok, Hacienda Mukuyche
References.--215, 334.
Species.--776, 779.

- Cenote Chotch, Pisté
References.--62, 215, 334, 339, 384, 417, 495, 496, 500, 696, 697.
Species.--94, 105, 309, 450, 463, 464, 496, 506, 635, 722, 733, 757, 761, 776.
- Cueva del Cinco de Mayo, Tekax
References.--138, 165, 254, 298, 315, 333, 475, 499, 500, 501, 688, 690, 703.
Species.--4, 349, 469, 471, 478, 498, 519, 583, 602, 604, 616, 647, 672, 680, 689, 696, 705, 706, 718, 870, 906.
- Cenote Ciruak, Pisté
References.--215, 334, 339, 468, 495, 500, 696, 697.
Species.--44, 53, 80, 87, 98, 99, 101, 104, 105, 450, 506, 635, 776.
- Cenote Conchita, Mérida
References.--215, 235, 334, 500, 696, 697.
Species.--95, 118, 457, 787.
- Cenote del Country Club, Mérida
References.--62, 121, 417, 494, 500, 696, 697.
Species.--65, 94, 96, 98, 352, 457, 630, 743.
- Cueva Coyok, Oxkutzcab
References.--295.
Species.--870.
- Cenote Dzadz, Chichén Itzá
References.--203, 249, 500, 696.
Species.--461, 569.
- Cueva Ebizt, Oxkutzcab
References.--33, 63, 138, 164, 165, 166, 298, 315, 333, 499, 500, 501.
Species.--46, 57, 211, 254, 471, 478, 528, 613, 615, 652, 672, 680, 722, 727, 730, 745, 747, 749, 752, 757, 846, 857, 870, 903, 920, 923.
- Cenote Geiser, Mérida
References.--215, 334, 339, 417, 696, 697.
Species.--94, 98, 101, 316, 464, 506, 775.
- Cueva Gongora, Oxkutzcab
References.--63, 149, 152, 157, 164, 165, 166, 190, 238, 239, 325, 326, 333, 394, 444, 475, 499, 500, 516, 604, 620, 689, 690.
Species.--34, 51, 68, 144, 184, 194, 209, 211, 239, 249, 262, 379, 393, 402, 422, 425, 478, 527, 530, 616, 623, 654, 655, 657, 667, 689, 698, 708, 715, 722, 725, 730, 741, 756, 826.
- Cueva de Gorgosa, Oxkutzcab
References.--142, 471, 475.
Species.--159.
- Aguada Halal, Merida
References.--235, 475.
Species.--119.
- Cenote, Halal, Mérida
References.--215, 237, 334, 495, 697.
Species.--98, 637, 776, 779, 802.
- Cueva Has, Yocat
References.--61, 296.
Species.--730, 738, 750, 752.
- Cueva de Hoctún, Hoctún
References.--63, 85, 138, 149, 157, 162, 164, 165, 190, 215, 239, 244, 315, 320, 325, 326, 333, 335, 394, 439, 471, 475, 499, 500, 501, 502, 516, 629.

- Species.--75, 93, 98, 152, 155, 170, 177, 183, 184, 211, 260, 290, 378, 390, 402, 404, 408, 437, 478, 580, 581, 582, 585, 617, 643, 652, 657, 679, 680, 741, 791, 848, 863.
- Cenote Hotún, Pisté
References.--215, 334, 495, 696, 697.
Species.--53, 97, 454, 776.
- Cenote Huntún, Pisté
References.--215, 235, 334, 339, 495, 496, 696, 697.
Species.--24, 53, 94, 105, 113, 450, 459, 506, 776.
- Cenote de Humucma, Humucma
References.--666.
Species.--870, 906.
- Cenote Ixil, Chichén Itzá
References.--37, 62, 184, 189, 215, 235, 334, 335, 339, 471, 495, 496, 500, 651, 696, 697.
Species.--24, 88, 96, 98, 105, 113, 154, 175, 450, 508, 511, 513, 729, 750, 757, 760, 776, 840.
- Cueva de Ixtacumbilxunan, Ixtacumbilxunan
References.--7, 252.
Species.--7.
- Cueva Jih, Yocat
References.--295.
Species.--670, 684, 850.
- Cueva de Kaua, Kaua
References.--63, 79, 152, 157, 164, 165, 166, 190, 298, 299, 333, 335, 394, 475, 499, 500, 501, 590, 620.
Species.--19, 24, 53, 144, 177, 195, 209, 211, 254, 273, 332, 384, 469, 478, 519, 533, 539, 576, 613, 619, 634, 637, 689, 692, 727, 730, 741, 750, 756, 775, 870.
- Cenote de Kaua, Kaua
References.--61.
Species.--723.
- Cueva Lara, Yocat
References.--295, 296.
Species.--681, 727, 730, 752, 760, 906.
- Cueva de Loltún, Oxkutzcab
References.--63, 164, 165, 166, 238, 295, 298, 320, 333, 344, 475, 499, 500, 501, 666, 688.
Species.--17, 42, 190, 211, 218, 241, 254, 255, 269, 312, 478, 634, 637, 638, 657, 689, 720, 727, 730, 745, 748, 752, 756, 757, 760, 824, 854, 870.
- Cueva Luchil, Hacienda Tixcacal
References.--63, 97, 157, 165, 166, 190, 215, 237, 333, 334, 335, 394, 475, 495, 499, 500, 502, 688, 689, 697.
Species.--45, 53, 93, 94, 98, 99, 100, 103, 177, 239, 324, 393, 402, 407, 483, 617, 637, 643, 653, 657, 667, 698, 725, 776, 778, 803.
- Cenote Manzanilla, Mérida
References.--215, 334, 339, 417, 495, 696, 697.
Species.--97, 305, 316, 466, 506, 779, 782, 783.
- Cenote de Miramar, Tlacha
References.--215, 237.
Species.--779, 815.

- Cenote Mukuyche, Hacienda Mukuyche
References.--215, 334, 494, 495, 697.
Species.--94, 313, 630, 776, 779.
- Cueva Muruztuñ, Tizimín
References.--63, 149, 157, 164, 165, 239, 333, 394, 444, 475, 499, 500, 501, 516, 690.
Species.--74, 211, 227, 239, 392, 409, 422, 425, 478, 595, 637, 657, 699, 709, 741, 863, 880.
- Cenote Niagra, Mérida
References.--235, 334, 339, 340, 417, 475, 494, 500, 697.
Species.--97, 111, 316, 504, 505, 627, 783.
- Cenote Olivut
References.--417.
Species.--316.
- Cueva Oxkintok, Calcehtok
References.--286, 292, 295.
Species.--870.
- Cueva de Oxkutzcab, Oxkutzcab
References.--313.
Species.--870.
- Cueva Oxolodt, Kaua
References.--157, 164, 165, 186, 190, 315, 333, 335, 475, 499, 500, 501, 542, 688.
Species.--177, 211, 237, 260, 273, 343, 392, 478, 483, 615, 617, 653, 654, 655, 656, 670, 775, 850.
- Cenote Pamanche, Mérida
References.--185, 364.
Species.--805.
- Grutas de Pichjabin, Muna
References.--257.
Species.--7.
- Cenote Pisté, Pisté
References.--215, 334, 366, 417, 468, 495, 500, 696, 697.
Species.--53, 80, 89, 97, 319, 464, 776, 840, 841.
- Cenote del Pochote, Tizimín
References.--138, 326, 568, 607.
Species.--144, 183, 184, 784, 791.
- Cueva El Ponte
References.--475.
Species.--183.
- Cueva Puz, Oxkutzcab
References.--33, 63, 149, 157, 164, 165, 166, 190, 238, 298, 315, 333, 394, 471, 499, 500, 501, 516, 604, 688, 689, 690.
Species.--50, 51, 56, 71, 159, 211, 240, 254, 312, 379, 469, 471, 478, 520, 528, 616, 637, 672, 680, 689, 694, 698, 705, 715, 717, 730, 826, 827, 870.
- Cueva de Sabacá, Tekax
References.--5, 138, 140, 154, 156, 157, 163, 164, 165, 167, 186, 264, 268, 298, 320, 333, 344, 394, 475, 499, 500, 501.
Species.--18, 205, 209, 211, 231, 254, 273, 276, 295, 372, 376, 395, 473, 478, 563, 585, 602, 654, 665, 870.

Cueva de Sambulhá (Mérida), Mérida

References.--33, 63, 157, 164, 165, 166, 215, 335, 469, 475, 499, 500, 502, 516, 689, 690.

Species.--53, 81, 93, 98, 209, 211, 234, 246, 254, 257, 402, 528, 577, 719, 721, 739, 775, 788.

Cueva de Sambulhá (Motul), Motul

References.--63, 152, 157, 162, 164, 165, 189, 190, 215, 315, 320, 325, 326, 333, 334, 335, 394, 414, 440, 444, 468, 469, 471, 475, 495, 499, 500, 502, 575, 597, 649, 688, 690, 696, 697.

Species.--25, 35, 44, 53, 67, 78, 80, 81, 86, 93, 96, 98, 144, 155, 159, 167, 177, 184, 195, 211, 223, 306, 313, 322, 353, 396, 402, 422, 425, 446, 457, 478, 530, 573, 585, 665, 667, 684, 689, 693, 698, 702, 711, 712, 713, 714, 752, 775, 848.

Cueva San Isidro, Mérida

References.--63, 149, 157, 164, 165, 166, 189, 190, 215, 239, 325, 326, 333, 334, 335, 394, 475, 499, 500, 502, 516, 649, 674, 688, 690, 703.

Species.--1, 2, 3, 19, 53, 68, 71, 93, 94, 98, 99, 144, 155, 177, 184, 209, 211, 222, 304, 343, 376, 391, 393, 402, 478, 483, 498, 526, 695, 704, 714, 715, 741, 778.

Cueva del Camino de San Roque n. 1, Oxkutzcab

References.--152, 165, 190, 238, 239, 333, 499, 500, 516.

Species.--50, 71, 159, 201, 219, 288, 471, 478, 520, 613, 827.

Cueva del Camino de San Roque n. 2, Oxkutzcab

References.--33, 63, 114, 320, 444, 471, 475, 499, 500, 501, 581, 688, 690.

Species.--50, 312, 313, 334, 347, 422, 425, 521, 528, 575, 594, 613, 650, 655, 662, 668, 687, 689, 705, 707, 730, 757, 854, 870.

Cenote Santa Ana, Valladolid

References.--62, 189, 203, 215, 334, 339, 413, 417, 500, 666, 696, 697.

Species.--98, 105, 175, 327, 352, 453, 457, 508, 509, 510, 515, 587, 725, 762, 776, 848.

Cueva Santa Elena, Telchak

References.--62, 85, 189, 190, 235, 326, 417, 475, 495, 500, 649, 697.

Species.--94, 109, 128, 144, 183, 316, 437, 439, 637, 641, 722, 730, 805.

Cueva Sazich, Calcehtok

References.--63, 79, 149, 157, 164, 190, 299, 333, 394, 444, 471, 475, 499, 500, 516, 688.

Species.--75, 159, 209, 350, 377, 393, 428, 478, 533, 539, 616, 629, 634, 635, 636, 637, 643, 647, 689, 716, 766.

Cenote Scan Yui, Chichén Itzá

References.--62, 203, 215, 237, 334, 339, 414, 417, 495, 496, 500, 696, 697.

Species.--25, 53, 83, 97, 105, 130, 298, 305, 351, 450, 506, 514, 572, 727, 729, 730, 747, 752, 755, 775, 776, 817.

Cenote Seco, Chichén Itzá

References.--220, 243, 295, 389, 639.

Species.--254, 267, 792, 827, 834, 917, 919.

Cenote Segrada, Chichén Itzá

References.--37, 60, 222, 334, 335, 364, 496, 500.

Species.--777, 789, 802, 815, 816, 817, 831.

- Cenote Sisal, Valladolid
References.--215, 334, 495, 500, 697.
Species.--98, 105, 776.
- Cenote Sodzil, Mérida
References.--215, 334, 496.
Species.--776.
- Cueva Spukil, Calcehtok
References.--157, 164, 165, 190, 295, 298, 315, 325, 326, 333, 390, 391, 394, 443, 471, 475, 491, 500, 568, 666, 688, 690.
Species.--144, 155, 159, 184, 211, 266, 315, 377, 393, 397, 402, 420, 471, 478, 500, 563, 608, 617, 654, 657, 665, 680, 712, 848, 854, 880, 889.
- Cenote de Thompson, Chichén Itzá
References.--62, 237, 333, 339, 500, 697.
Species.--94, 478, 497, 513, 524, 730, 804, 828.
- Cenote Tikimul, Chichén Itzá
References.--215, 334, 468.
Species.--80, 776.
- Cueva Tuz-ic, Calcehtok
References.--286, 298, 443, 666.
Species.--891.
- Cenote Uki, Motul
References.--62, 215, 235, 334, 339, 500, 696, 697.
Species.--94, 98, 112, 457, 464, 494, 506, 514, 525, 725, 730, 755, 775.
- Cueva Valladolid, Valladolid
References.--641.
Species.--499, 860.
- Cenote Xal, Chichén Itzá
References.--62.
Species.--730.
- Cenote Chica de Xanabá, Chichén Itzá
References.--215, 334, 495, 496, 500, 697.
Species.--53, 82, 98, 99, 105, 506, 776.
- Cenote Grande de Xanabá, Chichén Itzá
References.--62, 189, 203, 215, 235, 334, 339, 417, 468, 475, 481, 495, 500, 569, 696, 697.
Species.--15, 24, 79, 94, 96, 98, 99, 105, 117, 127, 128, 129, 175, 298, 327, 352, 449, 456, 497, 503, 514, 516, 569, 571, 572, 574, 589, 733, 736, 776.
- Cueva Xconsacab, Tizimín
References.--164, 190, 315, 326, 333, 499, 500, 501, 502, 620, 690, 703.
Species.--1, 2, 3, 6, 22, 93, 98, 144, 177, 184, 211, 478, 585, 616, 637, 643, 644, 670, 671, 701, 848, 889.
- Cenote Xix, Valladolid
References.--235, 475, 500, 697.
Species.--51, 98, 113, 115, 128.
- Cueva Xkyc, Calcehtok
References.--63, 152, 157, 164, 165, 166, 169, 238, 333, 394, 444, 475, 499, 500, 501, 604, 688, 689, 690.
Species.--47, 194, 209, 211, 223, 225, 240, 254, 343, 377, 429, 478, 502, 530, 596, 613, 622, 689, 698, 741, 756, 826, 880.

Cenote Xlaka, Mérida

References.--203, 215, 235, 334, 475, 500, 696, 697.

Species.--99, 116, 120, 449, 450, 452, 454, 456, 457, 458, 459, 460, 462, 466, 586, 769, 779, 783, 790.

Cueva Xmahit, Tekax

References.--134, 157, 164, 165, 166, 315, 333, 394, 475, 499, 500, 501, 579, 620.

Species.--22, 62, 211, 229, 243, 379, 468, 478, 670, 680, 889.

Cenote Xtolok, Chichén Itzá

References.--21, 25, 33, 37, 60, 61, 62, 121, 164, 165, 203, 215, 237, 243, 281, 295, 315, 320, 333, 334, 335, 339, 345, 385, 414, 417, 468, 475, 495, 496, 499, 500, 501, 507, 639, 688, 696, 699, 703.

Species.--1, 2, 3, 6, 15, 20, 24, 32, 43, 48, 49, 58, 64, 65, 77, 94, 96, 98, 99, 128, 131, 209, 211, 220, 239, 254, 256, 288, 295, 310, 312, 449, 450, 451, 454, 455, 456, 457, 465, 466, 471, 478, 483, 491, 495, 497, 503, 504, 511, 512, 514, 528, 569, 570, 572, 578, 590, 634, 637, 640, 642, 646, 647, 670, 671, 684, 723, 727, 730, 733, 735, 737, 748, 752, 763, 777, 789, 802, 803, 815, 821, 828, 830, 848, 917, 919.

Cueva Yunchén, Libre Unión

References.--190, 236, 325, 326, 444, 475, 499, 500, 502.

Species.--93, 98, 110, 177, 184, 313, 423, 426, 588, 632, 634, 637.

Cenote Yuncú, Mérida

References.--215, 235, 237, 334, 417, 495, 500, 697.

Species.--92, 113, 125, 295, 319, 627, 776, 803, 834.

Cueva Ziz, Oxkutzcab

References.--63, 157, 164, 165, 166, 190, 238, 333, 394, 475, 499, 500, 604, 689, 690.

Species.--155, 211, 240, 254, 402, 410, 478, 567, 613, 616, 626, 698, 741, 826.

ZACATECAS

Cave (Sierra de Valparaíso), Valparaíso

References.--291.

Species.--913.